

1. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

2. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

3. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

4. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

5. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

6. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

7. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

8. (Software Engineering) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

9. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

10. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

11. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

12. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

13. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

14. (Data Structures) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

15. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

16. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

17. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

18. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

19. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

20. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

21. (DBMS) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

22. (Software Engineering) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

23. (Operating Systems) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

24. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

25. (DBMS) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

26. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

27. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

28. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

29. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

30. (DBMS) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

31. (Computer Networks) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

32. (AI/ML) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

33. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

34. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

35. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

36. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

37. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

38. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

39. (DBMS) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

40. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

41. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

42. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

43. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

44. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

45. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

46. (Computer Networks) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

47. (Software Engineering) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

48. (Operating Systems) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

49. (AI/ML) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

50. (AI/ML) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

51. (DBMS) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

52. (AI/ML) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

53. (Operating Systems) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

54. (Computer Networks) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

55. (Operating Systems) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

56. (Operating Systems) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

57. (Data Structures) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

58. (Operating Systems) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

59. (AI/ML) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

60. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

61. (DBMS) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

62. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

63. (DBMS) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

64. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

65. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

66. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

67. (Data Structures) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

68. (DBMS) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

69. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

70. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

71. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

72. (DBMS) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

73. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

74. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

75. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

76. (Software Engineering) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

77. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

78. (Operating Systems) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

79. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

80. (Operating Systems) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

81. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

82. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

83. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

84. (Operating Systems) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

85. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

86. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

87. (AI/ML) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

88. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

89. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

90. (Data Structures) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

91. (Software Engineering) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

92. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

93. (AI/ML) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

94. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

95. (Computer Networks) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

96. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

97. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

98. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

99. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

100. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

101. (Operating Systems) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

102. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

103. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

104. (Operating Systems) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

105. (Data Structures) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

106. (Data Structures) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

107. (Operating Systems) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

108. (Computer Networks) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

109. (DBMS) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

110. (AI/ML) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

111. (Data Structures) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

112. (AI/ML) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

113. (Data Structures) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

114. (Data Structures) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

115. (DBMS) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

116. (Data Structures) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

117. (Computer Networks) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

118. (Software Engineering) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

119. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

120. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

121. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

122. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

123. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

124. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

125. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

126. (Computer Networks) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

127. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

128. (Operating Systems) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

129. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

130. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

131. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

132. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

133. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

134. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

135. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

136. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

137. (Software Engineering) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

138. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

139. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

140. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

141. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

142. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

143. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

144. (Computer Networks) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

145. (Operating Systems) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

146. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

147. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

148. (DBMS) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

149. (Software Engineering) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

150. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

151. (DBMS) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

152. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

153. (Operating Systems) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

154. (Operating Systems) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

155. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

156. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

157. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

158. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

159. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

160. (Data Structures) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

161. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

162. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

163. (Operating Systems) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

164. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

165. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

166. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

167. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

168. (Data Structures) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

169. (Operating Systems) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

170. (Operating Systems) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

171. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

172. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

173. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

174. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

175. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

176. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

177. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

178. (Computer Networks) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

179. (Computer Networks) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

180. (DBMS) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

181. (Data Structures) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

182. (Software Engineering) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

183. (Computer Networks) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

184. (Data Structures) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

185. (Computer Networks) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

186. (AI/ML) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

187. (Software Engineering) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

188. (Data Structures) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

189. (Software Engineering) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

190. (Data Structures) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

191. (Operating Systems) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

192. (Data Structures) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

193. (Operating Systems) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

194. (DBMS) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

195. (Software Engineering) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

196. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

197. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

198. (Software Engineering) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

199. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

200. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

201. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

202. (Computer Networks) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

203. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

204. (DBMS) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

205. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

206. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

207. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

208. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

209. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

210. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

211. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

212. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

213. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

214. (Data Structures) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

215. (AI/ML) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

216. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

217. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

218. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

219. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

220. (AI/ML) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

221. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

222. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

223. (Software Engineering) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

224. (Software Engineering) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

225. (Computer Networks) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

226. (Software Engineering) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

227. (AI/ML) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

228. (Operating Systems) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

229. (Software Engineering) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

230. (DBMS) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

231. (AI/ML) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

232. (Software Engineering) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

233. (Operating Systems) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

234. (Operating Systems) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

235. (Operating Systems) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

236. (Computer Networks) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

237. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

238. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

239. (Data Structures) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

240. (Data Structures) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

241. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

242. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

243. (Operating Systems) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

244. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

245. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

246. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

247. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

248. (Computer Networks) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

249. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

250. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

251. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

252. (DBMS) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

253. (Operating Systems) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

254. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

255. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

256. (DBMS) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

257. (DBMS) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

258. (Operating Systems) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

259. (Operating Systems) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

260. (Software Engineering) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

261. (AI/ML) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

262. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

263. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

264. (Operating Systems) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

265. (AI/ML) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

266. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

267. (Data Structures) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

268. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

269. (Software Engineering) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

270. (Computer Networks) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

271. (AI/ML) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

272. (Data Structures) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

273. (AI/ML) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

274. (Software Engineering) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast

Answer: B

275. (Data Structures) Agile model is:

A) Rigid B) Flexible C) Linear D) Sequential

Answer: B

276. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

277. (Computer Networks) Overfitting means:

A) Good model B) Poor generalization C) Fast learning D) Less data

Answer: B

278. (AI/ML) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

279. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

280. (DBMS) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

281. (Computer Networks) TCP is:

A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

282. (Operating Systems) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

283. (Operating Systems) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

284. (AI/ML) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

285. (Computer Networks) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

286. (Operating Systems) Which data structure uses FIFO?
A) Stack B) Queue C) Tree D) Graph
Answer: B

287. (Computer Networks) Primary key must be:
A) Unique B) Null C) Duplicate D) Optional
Answer: A

288. (AI/ML) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

289. (Computer Networks) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

290. (DBMS) Which scheduling algorithm can cause starvation?
A) FCFS B) SJF C) RR D) FIFO
Answer: B

291. (Software Engineering) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

292. (Software Engineering) TCP is:
A) Connectionless B) Connection-oriented C) Unreliable D) Fast
Answer: B

293. (AI/ML) Agile model is:
A) Rigid B) Flexible C) Linear D) Sequential
Answer: B

294. (AI/ML) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

295. (AI/ML) Overfitting means:
A) Good model B) Poor generalization C) Fast learning D) Less data
Answer: B

296. (Data Structures) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

297. (Software Engineering) Primary key must be:

A) Unique B) Null C) Duplicate D) Optional

Answer: A

298. (Operating Systems) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B

299. (Computer Networks) Which data structure uses FIFO?

A) Stack B) Queue C) Tree D) Graph

Answer: B

300. (Software Engineering) Which scheduling algorithm can cause starvation?

A) FCFS B) SJF C) RR D) FIFO

Answer: B