## Homework 1

p24 B.5 and B.6, p29 A.1 and A.2, p39 A.1 and A.2, p40 C.3 and C.5

- 1. **p24 B.5.** x \* y = xy + 1
  - Commutative Yes
  - Associative Yes
  - Identity Yes
  - Inverses No
- 2. **p24** B.6.  $x * y = \max\{x, y\} = \text{the larger of the two numbers x and y}$ 
  - Commutative Yes
  - Associative Yes
  - Identity Yes
  - Inverses No
- 3. **p29 A.1.** Prove the following set is an abelian group:

x \* y = x + y + k (k is a fixed constant), on the set  $\mathbb{R}$  of the real numbers

## Solution.

Let  $x, y \in \mathbb{R}$  be real numbers. Forms in \* are **commutative** iff x \* y = y \* x.

$$x * y = x + y + k$$

$$y * x = y + x + k$$

$$x + y + k = y + x + k$$

Based upon the commutative nature of addition in the real numbers the above equations are equal  $\quad \Box$ 

Let  $x, y, z \in \mathbb{R}$  be real numbers. Forms in \* are **associative** iff (x \* y) \* z = y \* (x \* z).

$$(x * y) * z = (x + y + k) + z + k$$

$$x * (y * z) = x + (y + z + k) + k$$

$$x + y + k = y + x + k$$

Based upon the commutative nature of addition in the real numbers the above equations are equal

Let  $x, e \in \mathbb{R}$  be real numbers. Forms in \* have an **identify** iff x \* e = x. x \* e = x + e + k = x is true for all x with e = -k

Let  $x, x^{-1} \in \mathbb{R}$  be real numbers. Forms in \* have an **inverse** iff  $x * x^{-1} = 1$ .  $x * x^{-1} = x + x^{-1} + k = 1$  is true for all x with  $x^{-1} = -x - k + 1$ 

Thus, because the group is true for commutative, associative, identify, and inverse, it is an abelian group.

4. **p29 A.2.** Prove the following set is an abelian group:

$$x * y = \frac{xy}{2}$$
 on the set  $\{x \in \mathbb{R} : x \neq 0\}$ 

## Solution.

Let  $x, y \in \{x \in \mathbb{R} : x \neq 0\}$  be real numbers. Forms in \* are **commutative** iff x \* y = y \* x.

$$x * y = \frac{xy}{2}$$

$$x * y = \frac{xy}{2}$$
$$y * x = \frac{yx}{2}$$

$$\frac{xy}{2} = \frac{yx}{2}$$

Based upon the commutative nature of multiplication in the real numbers the above equations are equal

Let  $x, y, z \in \{x \in \mathbb{R} : x \neq 0\}$  be real numbers. Forms in \* are associative iff (x \* y) \* z = y \* (x \* z).

$$(x*y)*z = \frac{(\frac{xy}{2})z}{2}$$

$$x * (y * z) = \frac{x(\frac{yz}{2})}{2}$$
$$(\frac{xy}{2})z = x(\frac{yz}{2})$$

Based upon the commutative nature of multiplication in the real numbers the above equations are equal

Let  $x, e \in \{x \in \mathbb{R} : x \neq 0\}$  be real numbers. Forms in \* have an **identify** iff x \* e = x.  $x * e = \frac{xe}{2} = x$  is true for all x with e = 2

Let  $x, x^{-1} \in \{x \in \mathbb{R} : x \neq 0\}$  be real numbers. Forms in \* have an **inverse** iff  $x * x^{-1} = 1$ .

$$x*x^{-1} = \frac{xx^{-1}}{2} = 1$$
 is true for all x with  $x^{-1} = 2/x$ 

Thus, because the group is true for commutative, associative, identify, and inverse, it is an abelian group.  $\qed$ 

5. **p39 A.1.** Solve in terms of a, b, and c:

$$axb = c$$

Solution. Answer

6. **p39 A.2.** Solve in terms of a, b, and c:

$$x^2b = xa^{-1}c$$

Solution. Answer

7. **p40 C.3.** Assuming that a and b commute, prove the following:

a commutes with ab

Solution. Answer

8. **p40 C.5.** Assuming that a and b commute, prove the following:

$$xax^{-1}$$
 commutes with  $xbx^{-1}$ , for any  $x \in G$ 

Solution. Answer