STAT 350 Practice Exam 2

Name (Print):							
Instructor (ci	ircle one):	Ayu	Findsen	Sellke	Trois		
Class Time:	9:30 AM	11:30 AM	12:30 PM				
	1:30 PM	2:30 PM	3:30 PM	10	NLINE		

Instructions:

- 1. Please write you name on every page.
- 2. You are expected to uphold the honor code of Purdue University. It is your responsibility to keep your work covered at all times. Anyone cheating on the exam will automatically fail the course, and will be reported to the Office of Dean of Students.
- 3. Please alert proctors if you observe any cheating during the exam. We highly appreciate it.
- 4. It is strictly prohibited to smuggle this exam outside. Your exam will be returned to you after it is graded.
- 5. You may have one double-sided 8.5 in x 11 in crib sheet to take this test. The crib sheet can be handwritten or typed.
- 6. The only materials that you are allowed are your calculator, writing utensils and erasers and your crib sheet. If you bring any other papers in to the exam, you will get a **zero** on the exam. We will provide scratch paper if you need more room.
- 7. Leave all your belongings except those permitted for the exam in the front of the room. We are not responsible for any loss.
- 8. If you share your calculator or use a cell phone, you will get a **zero** on the exam.
- 9. Breaks (including bathroom breaks) during the exam are **not** allowed. If you leave the exam room, you must turn in your exam and you will not be allowed to come back.
- 10. You must show **ALL** your work to obtain full credit. An answer without showing any work may result in **zero** credit.
- 11. All numeric answers should have **two decimal places** except answers from the z-table should have **four decimal places**.
- 12. If your work is not readable, it will be marked wrong.
- 13. After you complete the exam, please turn in your crib sheet, tables and any scrap paper along with the exam. <u>Do not staple</u>. Please show your Purdue picture ID.

Your exam is not valid without your signature below.

STUDENT: I attest here that I have followed the instructions above honestly while taking this test and that work submitted is my own, produced without assistance from books, other people, notes other than my own crib sheets, or other aids.

Signature of Student:	
Signature of Studenti,	

	Points Earned
Problem 1 (30 points)	
Problem 2 (15 points)	
Problem 3 (20 points)	
Problem 4 (25 points)	
Problem 5 (10 points)	
Problem 6 (10 points)	

TOTAL (105 / 100)

1. (30 points) Since 2007, the American Psychological Association has supported an annual nationwide survey to examine stress across the United States. A total of 340 Millennials (18-to 33-year-olds) were asked to indicate their average stress level (on a 10-point scale) during the past month. The mean score was 5.4. Assume that the population standard deviation is 2.3.
(a) (10 points) Find the 95% confidence interval using this sample. Be sure to interpret your result.
(b) (5 points) What is the margin of error of your 95% confidence interval? If we want the confidence level to be 90%, will the margin of error increase or decrease?
(b) (10 points) How many samples should we take if we want the margin of error to be 0.2 with 95% confidence?
(c) (5 points) The data for this study are integer values between 1 and 10. Explain why the confidence interval based on the Normal distribution should be a good approximation.

2. (15 points) An environmental group conducted a study to determine whether crows in a certain region were ingesting food containing unhealthy levels of lead. The lead levels of 49 crows in the region were measured and recorded. The mean lead level of the 49 crows in the sample was 4.90 ppm, and the population standard deviation is 0.7 ppm. Carry out a two-sided test of significance that the true mean is 5.2 ppm, with a significance level 0.01. Make sure you follow the four-step procedure.

3. (20 points) The College of Science at Purdue University is interested in determining how much time students in that college spend on homework each week. The table below shows the mean and the standard deviation of the amount of times spent each week (in minutes) for a random sample of 20 students in Computer Science and a separate random sample of 20 students in Statistics. The college would like to estimate the difference in mean times spent on homework for all CS and versus all STAT students.

	Sample Size	Sample Mean	Sample Standard Deviation
Computer Science Students	20	282	74
Statistics Students	20	164	65
Difference (CS - STAT)	20	118	75

a) (5 points) Should you use the two sample T or the matched pairs T procedure to analyze the data? Explain your answer. (Stating that you do not have the data to do one of the methods will be counted wrong.)

b)	(3 points) Degree of Freedom:	
	If using the matched pairs T, DF = $_$	(fill-in the blank)
	If using two sample T procedure, DF = 37.38	from software approximation

c) (12 points) Construct a 95% confidence interval. Be sure to interpret your interval.

4. (25 points) The weight gain of women during pregnancy has an important effect on the
birth weight of their children. If the weight gain is not adequate, the infant is more likely to be
small and will tend to be less healthy. In a study conducted in three countries, weight gains
(in kilograms) of women during the third trimester of pregnancy were measured. The results
are summarized in the following table:

N	Mean	StDev	
46 111	3.7 3.1	2.5	
52	2.9	1.8	
nce			
SS 17.22	MS 8.61	F-Value	P-Value 0.1123
	46 111 52 nce	46 3.7 111 3.1 52 2.9 nce SS MS 17.22 8.61	46 3.7 2.5 111 3.1 1.8 52 2.9 1.8 nce SS MS F-Value 17.22 8.61 xxx

(a) (5 points) Is it reasonable to use the assumption of equal standard deviation when analyzing these data? Give a reason for your answer.

(b) (5 points) Find the pooled standard deviation. Be sure to state the value of MSE.

(c) (2 points) What are the numerator and denominator degrees of freedom for the F statistic?

(d) (3 points) Find the value of the F statistic.

4. (cont'd)

(e) (10 points) Carry out a significance test to compare the mean birth weights for the three countries at a significance level 0.05. Please follow the four step procedure and $\frac{\text{make a}}{\text{conclusion in context}}$.

5. (10 points) A researcher wants to conduct a study to test whether listening to soothing music for 20 minutes helps to reduce diastolic blood pressure in patients with high blood pressure, compared to simply sitting quietly in a noise-free environment for 20 minutes. One hundred patients with high blood pressure at a large medical clinic are available to participate in this study. The null hypothesis for this study is that there is no difference in the mean reduction of diastolic blood pressure for the two treatments and the alternative hypothesis is that the mean reduction in diastolic blood pressure is greater for the music treatment. If the null hypothesis is rejected, the clinic will offer this music therapy as a free service to their patients with high blood pressure. Describe Type I and Type II errors and the consequences of each in the context of this study, and discuss which one you think is more serious.
a) (2 pts) Type I Error Description :
b) (2 pts) Consequence of Type I Error in the context of this study:
c) (2 pts) Type II Error Description:
d) (2 pts) Consequence of Type II Error in the context of this study:
e) (2 pts) Discussion on which type of error is more serious.

6. (5 points) You must decide which of two discrete distributions a random variable X has. We will call the distributions p0 and p1. Here are the probabilities they assign to the values x of X:

x	0	1	2	3	4	5	6
p_0	0.1	0.1	0.2	0.1	0.1	0.1	0.3
		0.2					

You have a single observation on X and wish to test

$$H_0$$
: p_0 is correct

$$H_a$$
: p_1 is correct

One possible decision procedure is to reject H0 only if $X \le 2$, and accept H0 if $X \ge 3$.

(a) (2.5 points) Find the probability of a Type I error.

(b) (2.5 points) Find the probability of a Type II error.