

# Rajalakshmi Engineering College

Name: Harri CSE FB  
Email: 240701178@rajalakshmi.edu.in  
Roll no: 240701178  
Phone: 6385674263  
Branch: REC  
Department: CSE - Section 10  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 4\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

In a publishing company, editors often need to quickly analyze passages of text to check for punctuation usage. To assist them, you are asked to write a program that counts the number of specific punctuation marks in each passage.

The punctuation marks of interest are:

Commas (,)Periods (.)Question marks (?)

##### ***Input Format***

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

### ***Output Format***

For each test case, print three integers separated by spaces, representing the number of commas, periods, and question marks in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

Hello, world. How are you?

Output: 1 1 1

### ***Answer***

```
import java.util.*;
class main{
    public static void main(String args[]){
        Scanner sc=new Scanner(System.in);
        int a=Integer.parseInt(sc.nextLine());
        for(int i=0;i<a;i++){
            String passage=sc.nextLine();
            int commas=0,periods=0,questions=0;
            for(char c:passage.toCharArray()){
                if(c==',')commas++;
                else if(c=='.')periods++;
                else if(c=='?')questions++;
            }
            System.out.println(commas + " " + periods + " " + questions);
        }
    }
}
```

***Status : Correct***

***Marks : 10/10***