Semester full-platform site architecture specification

Version: review draft 2026-10-13. Owner: proposed Product/Platform Engineering; publication/activation authority remains human and scope-specific.

1. Scope and status

One platform with eight design-catalog workspace families and 122 capability contracts. All public company pages have 44 proposed clean-URL route patterns, region layouts and wireframes. Ten correspond to inspected existing prototype page keys; clean URLs are not verified deployed routes. Source registry routes are design declarations, not endpoint availability evidence.

Designed, implemented, tested, deployed, institution-authorized and production-enabled are separate scoped evidence facts. A dashboard deployment is only a design preview, not product activation.

2. Platform boundaries

Public: reviewed marketing/CMS/claims and prospective-user entry.

Shared: identity, sessions, institution memberships, authorization, approvals, delegation, notifications, search, files, audit, controlled documents, AI gateway and outbox.

Education: student/faculty learning, planning, readiness, services, privacy and campus life.

Institution: office-owned administration, integrations, policy, support and approved authority.

Customer account: customer-specific commercial documents, invoices and support.

Company: corporate/business data only; no default student-record drilldown.

Operations: approved tenant/control metadata and scoped exact-target action authority.

Developer: application scopes, revocable keys and isolated synthetic sandbox.

These are family boundaries, not proof that eight production workspaces are enabled.

3. Shared routing and component architecture

PublicSiteShell -> Header/Nav -> PageHero -> RegionGrid -> bounded CTA -> Footer.

ApplicationShell -> verified account/tenant/term context -> granted workspace navigation -> page head -> main/aside -> source-labelled objects -> Action Center.

Institution/company/operator shells reuse the design language but separate data scope. Role props and hidden links are presentation only; object policy and server-side command authority decide access.

Global search must filter retrieval/snippets/visibility; shared files need authorized signed access and retention; notifications need channel/recipient permission. No separate account, second inbox or duplicate command registry.

4. Public route specification

Route map preserves inspected hash-page mapping and labels proposed expansion. /product/:slug, /resources/:slug, /solutions/:audience and /careers/:slug resolve only approved content. Unknown content is 404/unavailable, not fabricated. /students vs /solutions/students and /institutions vs /solutions/institutions require canonical/alias decisions. Preview uses hash selection; production clean URLs and canonical metadata require integration.

/contact, /pricing/quote, /demo, /pilot and /partners require validated server delivery before claiming receipt. /auth/* and /join defer to canonical identity; /open uses expiring, account-bound, single-use handoff; /download needs verified distribution; /status needs actual operational source.

5. Component layout contracts

SiteShell: skip link, labelled header/nav, main, footer, status disclosure.

Hero: one h1, reviewed purpose, evidence/availability word, one primary CTA.

RegionGrid: ordered named regions; desktop peer columns, one-column mobile.

InquiryForm: persistent labels, required words, privacy hint, summary and inline errors, preserved input, durable receipt only after real adapter.

EvidenceRegister: scope, owner, version, review, expiry and limitations.

ControlledDocument: owner/version/status header, accessible body, revisions; drafts are not approved terms.

HandoffPanel: identity/provider/transaction validation, recovery, expiry and fallback.

SourcePreview: explicit synthetic label; authority and freshness are independent.

Seven region states: ready/loading/empty/error/forbidden/offline/unavailable. Freshness is separate. Missing values are unavailable, not zero.

6. Data/command continuity

Verified actor + tenant + purpose -> scoped authorized read -> current source/version -> exact preview/approval -> execution recheck -> atomic canonical state/idempotency/outbox -> authority receipt -> projection/reconciliation -> refetch. Approval binds exact payload/target/version/scope and expiry. Upstream confirmation is not undone by projection lag. Do not re-execute a confirmed action to repair a read model.

Student-private work stays separate from official records. Institution registration, grades/transcripts and financial decisions keep their owning authority until accepted domain replacement.

7. Governed AI

Verified identity/purpose, object policy, data classification, permitted egress/provider, source/output validation and separate human-confirmed action. Default deny unapproved education-record egress; do not publish absolute guarantees without evidence. AI suggestions remain drafts; no independent enrollment, grade release, protected disclosure or financial approval.

8. Student workflow code boundaries

Catalogued 40-stage student lifecycle is design evidence, not completed end-to-end operation. Reviewed registration-actions.ts creates navigation actions for missing time, cart, backups, conflicts and unchecked checklist entries. It does not enroll or inspect official holds/live seats. capabilities.ts discovers scope-matched grants for navigation; server/RLS remains authority. readiness.ts governs institution relationship/connection claims, not student eligibility.

9. Publication, privacy and deployment

Review claims, prices, availability, legal posture, contact channels, dynamic entries and assurance wording before external publication. Existing design prototype includes client-only form success and unverified traction claims; do not repeat them as facts. Architecture dashboard contains public synthetic metadata only, no student records, secrets, live credentials or private source dump.

Deploy as an isolated Vercel preview in harrison/harrison22; no production alias or DNS update; no existing project replacement. Target publication is subject to explicit confirmation. Protection remains provider/project-controlled and is not disabled. Hosting resources may incur normal account usage costs; no cost quote was obtained.

10. Acceptance and release

Test all route selections, component trees, region order, dynamic missing content, 404, mobile reflow, keyboard/focus, print/export and error states. Independently assess accessibility/security and actual adapters. Retain candidate SHA/config/tenant/environment/cohort/data mode and authority evidence. Local preview tests do not promote backend, institutional or commercial readiness.

Public page wireframes and component mappings

/ — Home

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> hero -> source demo -> product jobs -> status disclosure -> trust -> CTA -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/about — About

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> mission -> principles -> status -> contact -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/team — Team

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> approved biographies -> roles -> contact -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/contact — Contact

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> routing -> local inquiry -> privacy -> receipt -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/product — Product

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> OS overview -> role paths -> modules -> boundaries -> CTA -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/product/:slug — Product detail

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> purpose -> workflow -> authority -> maturity -> related -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/students — Students

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> daily loop -> sources -> privacy -> first action -> FAQ -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/institutions — Institutions

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> office jobs -> authority -> review status -> pilot -> FAQ -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/pilot — Pilot proposal

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> scope -> non goals -> baseline -> gates -> owners -> inquiry -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions — Solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> audiences -> shared foundation -> CTA -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/students — Student solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> Today -> learning -> registration -> privacy -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/faculty — Faculty solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> authoring -> accessibility -> submission -> release -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/advisors — Advisor solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> caseload -> sharing -> handoff -> follow up -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/registrars — Registrar solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> readiness -> holds -> exceptions -> reconciliation -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/institutions — Institution solutions

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> tenant -> roles -> integrations -> rollout -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/solutions/:audience — Audience detail

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> purpose -> workflow -> authority -> CTA -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/pricing — Pricing

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> posture -> scope -> entitlements -> quote -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/pricing/quote — Quote request

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> scope -> local form -> consent -> receipt -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/demo — Demo request

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> synthetic boundary -> local form -> receipt -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/demo/tour — Tour

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> Today -> sources -> privacy -> action example -> CTA -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/resources — Resources

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> approved index -> filters -> accessible formats -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/resources/:slug — Resource detail

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> author -> version -> content -> sources -> alternatives -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust — Trust

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> status -> privacy -> security -> accessibility -> AI -> reliability -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust/security — Security

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> scope -> review status -> evidence -> report path -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust/privacy — Privacy

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> purpose -> sharing -> rights -> retention -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust/accessibility — Accessibility

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> target -> review -> barrier report -> alternatives -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust/ai — AI governance

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> scope -> gateway -> sources -> policy -> human authority -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/trust/subprocessors — Subprocessors

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> purpose -> region -> classification -> retention -> status -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal — Legal index

prototype mapping; clean URL proposed

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> documents -> draft status -> authority -> contact -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal/terms — Terms draft

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> control header -> purpose -> rules -> exceptions -> history -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal/privacy — Privacy draft

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> control header -> purpose -> sharing -> rights -> history -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal/cookies — Cookie draft

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> control header -> categories -> consent -> withdrawal -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal/community — Community draft

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> control header -> conduct -> reporting -> appeal -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/legal/accessibility — Accessibility draft

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> control header -> target -> status -> barrier report -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/status — Status

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> source -> services -> incidents -> unavailable -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/auth/signup — Signup entry

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> purpose -> terms -> identity handoff -> privacy -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/auth/signin — Sign in entry

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> provider -> recovery -> session boundary -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/join — Join entry

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> invite -> institution -> membership vs grant -> handoff -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/open — App handoff

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> transaction -> expiry -> account match -> claim -> receipt -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/download — Download entry

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> verified distribution -> availability -> web fallback -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/partners — Partners

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> types -> data boundary -> local inquiry -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/careers — Careers

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> approved roles -> principles -> accessible application -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/careers/:slug — Job detail

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> summary -> 90 days -> requirements -> approved compensation -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

/404 — Not found

proposed extension

Tree: SiteShell > SiteHeader > PageHero > RegionGrid > PrimaryCTA > SiteFooter

Wireframe: Header -> Hero -> explanation -> safe navigation -> CTA -> Footer

Mobile: same logical order, one column, labelled navigation and visible focus.

Authority: approved copy and actual server adapters before publication/delivery claims.

Shared-service and student-code review — repository inspection 2026-10-13

Status: source review only. Default-ref files were inspected individually; no commit-wide immutable snapshot or repository tests were run.

Shared authorization: app/src/lib/capabilities.ts

Blob SHA: 7e27dd80a42c759841ff94fec590a508f164d96e.

readGrants accepts array-shaped rows with capability/scope_kind/scope_id string fields. forSchool matches exactly scopeKind=school and the requested non-empty scope ID; a platform grant does not implicitly become a school grant.

loadMyCapabilitiesOrThrow verifies the current authenticated account and rejects an expected-account mismatch. RPC failures throw, distinguishing failed discovery from an empty grant set. useCapabilityDiscovery is account-keyed and revision-guarded; a late response for account A cannot render as account B's grants. Navigation discovery authorizes nothing; canonical server/RLS policy still decides object/data access.

Review next: actual my_capabilities and private.has_capability SQL, object policies, negative tenant tests, expiry/revocation at execution and account-switch cache cleanup. These were not inspected or tested here.

Device permissions: app/src/lib/permissions.ts

Blob SHA: 159465b1c31e1e92a9c00758fc2d1186b5bd8a5c.

This is browser/device permission presentation, NOT institution authorization. It reads camera/microphone/location/notification status and names fallbacks. It does not ask for all permissions on arrival. Unreported and unsupported states are separate. Camera/mic/location revocation points to browser settings; notifications have a separate push-subscription path.

Review next: feature-level two-stage ask, settings change observation, push revocation and accessible fallback. No real device permission test performed.

Name collision: app/src/lib/membership.ts

Blob SHA: 3125f2e76f20eb248bac35737ce45496f961c2bb.

Despite the name, this module handles Semester Plus subscription/billing flows, NOT institutional organization memberships. Do not map it to shared.org.memberships by filename. Its subscription read explicitly distinguishes a failed read from no subscription, and narrows reads to individual billing accounts. Server billing authority and commercial activation were not verified.

Institution claims: app/src/lib/readiness.ts

Blob SHA: 9adb03cafef4a29d526209da31281af4bf2fda42.

This derives institution integration/relationship claim readiness, NOT the student's registration checklist. A public data pack or URL cannot prove a connection/customer relationship. readinessOf clamps earned software capability by declared relationship ceiling. connectionsFrom counts only reported connected states; mayClaimCustomer requires institutional-customer. Do not infer institution approval from catalog depth or a frontend 'connected' label. Comments about current adapter emptiness were not independently verified in this session.

Student actions: app/src/lib/registration-actions.ts

Blob SHA: 93c22ea2d2378fc69745e3d5e2a9188d83edbf8b.

registrationActions takes RegistrationDayData, cart, catalog and current time. It returns no readiness actions outside Registration Day Mode. Inside mode:

1. Missing time generates regday:time, labelled student_entered.

2. Empty cart generates regday:cart and returns that bounded set.

3. readiness(data, cart, catalog) derives unbacked sections and conflicts.

4. Each missing backup gets stable regday:backup:<section id>.

5. Conflicts get regday:conflicts, with greater urgency when opening is near.

6. Unticked checklist items get regday:check:<id>, labelled student_entered.

All primary actions navigate to the registration workspace. None enrolls a student or claims live holds/seats. Stable IDs preserve snooze/dismissal across renders. LIMITS explicitly disclose official-system boundaries.

Review next: registration-day and Action Center callers, time/DST tests, imported-source age, stable dismissal semantics and official handoff. Those modules/callers were not fully inspected here.

Implementation conclusion

The reviewed files support specific source-level behaviors, not a claim that all 13 shared services or the full student journey are production-complete. AI gateway, audit, files, sessions, outbox and institution membership require their own server code and target review. The dashboard publishes architecture metadata only, not these private repository excerpts.

Full-platform source route register

Source-declared only; canonical implementation reconciliation required.

public.site.home — Company identity

Workspace: public

Routes: /, /about, /team, /contact

Permissions: content.read

Commands: None declared

public.product.pages — Product marketing

Workspace: public

Routes: /product, /product/*

Permissions: content.read

Commands: None declared

public.solutions — Audience solutions

Workspace: public

Routes: /solutions/*

Permissions: content.read

Commands: record_entry

public.pricing.quote — Pricing

Workspace: public

Routes: /pricing, /pricing/quote

Permissions: quote.request

Commands: api.submit_lead

public.demo.book — Demonstrations

Workspace: public

Routes: /demo, /demo/tour

Permissions: demo.request

Commands: api.submit_lead

public.resources — Content marketing

Workspace: public

Routes: /resources, /resources/*

Permissions: content.read

Commands: None declared

public.trust.center — Trust

Workspace: public

Routes: /trust, /legal, /status

Permissions: evidence.request

Commands: request_evidence

public.signup — Signup

Workspace: public

Routes: /auth/signup, /join

Permissions: account.create

Commands: api.assign_journey

public.app.handoff — Application handoff

Workspace: public

Routes: /open, /download

Permissions: handoff.consume

Commands: api.create_handoff, api.consume_handoff, api.claim_preview

public.partners.careers — Partners and careers

Workspace: public

Routes: /partners, /careers, /careers/*

Permissions: application.submit

Commands: submit_application

shared.identity.signin — Identity

Workspace: shared

Routes: /auth/signin, /auth/mfa, /auth/recover

Permissions: session.create

Commands: sign_in, verify_mfa

shared.identity.sessions — Identity

Workspace: shared

Routes: /app/settings/sessions

Permissions: session.revoke

Commands: api.revoke_device

shared.org.memberships — Memberships

Workspace: shared

Routes: /institution/members, /invite/*

Permissions: membership.invite, membership.revoke

Commands: api.issue_invitation, api.accept_invitation, api.revoke_invitation

shared.authz.grants — Authorization

Workspace: shared

Routes: /ops/access, /institution/access

Permissions: grant.create, grant.revoke

Commands: api.grant_capability, api.revoke_grant

shared.authz.approvals — Workflows

Workspace: shared

Routes: /app/approvals, /ops/approvals

Permissions: action.request, action.approve

Commands: api.request_action, api.decide_action, api.execute_action

shared.delegation — Authorization

Workspace: shared

Routes: /app/settings/sharing

Permissions: delegation.grant

Commands: api.grant_delegation, api.revoke_delegation

shared.notifications — Notifications

Workspace: shared

Routes: /app/notifications, /app/settings/notifications

Permissions: notification.read, preference.edit

Commands: mark_read, set_preferences

shared.search — Search

Workspace: shared

Routes: /app/search

Permissions: search.query

Commands: search

shared.files — Files

Workspace: shared

Routes: /app/files

Permissions: file.upload, file.read

Commands: upload_file, delete_file

shared.audit — Audit

Workspace: shared

Routes: /ops/audit, /institution/audit

Permissions: audit.read

Commands: None declared

shared.documents — Documents

Workspace: shared

Routes: /company/documents, /institution/documents

Permissions: document.submit, document.execute, document.archive

Commands: api.transition_document, acknowledge

shared.ai.gateway — AI gateway

Workspace: shared

Routes: /app/assistant

Permissions: ai.use

Commands: api.ai_policy, api.ai_context, api.ai_log

shared.events.outbox — Events and jobs

Workspace: shared

Routes: (worker)

Permissions: event.publish

Commands: outbox.publish

edu.today — Personal command center

Workspace: edu

Routes: /app, /app/today

Permissions: self.read

Commands: None declared

edu.profile — Identity and profile

Workspace: edu

Routes: /app/profile, /app/settings

Permissions: profile.edit

Commands: update_profile

edu.courses — Courses and terms

Workspace: edu

Routes: /app/courses, /app/courses/:id

Permissions: course.read

Commands: None declared

edu.calendar — Calendar

Workspace: edu

Routes: /app/calendar

Permissions: calendar.edit

Commands: create_event

edu.tasks — Tasks and planning

Workspace: edu

Routes: /app/tasks, /app/planner

Permissions: task.edit

Commands: create_task, complete_task

edu.content — Learning content

Workspace: edu

Routes: /app/courses/:id/content

Permissions: content.read, content.publish

Commands: api.publish_module

edu.assignments — Assignments

Workspace: edu

Routes: /app/courses/:id/assignments/:aid

Permissions: submission.create, extension.request

Commands: api.submit_work, api.request_extension

edu.assessment — Assessment

Workspace: edu

Routes: /app/assess/:id, /app/courses/:id/authoring

Permissions: attempt.create, assessment.author

Commands: api.start_attempt, api.submit_attempt

edu.grading — Grading

Workspace: edu

Routes: /app/courses/:id/gradebook

Permissions: grade.provisional, grade.approve

Commands: api.record_grade, api.submit_grades_for_approval

edu.study — Study tools

Workspace: edu

Routes: /app/study

Permissions: study.edit

Commands: create_deck, practice

edu.assistant — AI learning assistance

Workspace: edu

Routes: /app/assistant

Permissions: ai.use

Commands: api.ai_context, api.ai_log

edu.groups — Collaboration

Workspace: edu

Routes: /app/groups, /app/groups/:id

Permissions: post.create, report.create

Commands: api.create_post, api.report

edu.inbox — Communications

Workspace: edu

Routes: /app/inbox, /app/inbox/:thread

Permissions: message.send

Commands: api.send_message

edu.advising — Advising

Workspace: edu

Routes: /app/advising

Permissions: appointment.book, note.write

Commands: api.book_advising

edu.degree — Degree planning

Workspace: edu

Routes: /app/degree

Permissions: plan.edit

Commands: run_scenario

edu.registration — Registration readiness

Workspace: edu

Routes: /app/registration

Permissions: readiness.read, blocker.route

Commands: api.route_blocker

edu.student_account — Student accounts

Workspace: edu

Routes: /app/account

Permissions: self.read

Commands: None declared

edu.services — Campus services

Workspace: edu

Routes: /app/services, /app/services/:id

Permissions: service_request.create

Commands: api.submit_request

edu.careers — Career development

Workspace: edu

Routes: /app/careers

Permissions: application.submit

Commands: apply

edu.wellbeing — Wellbeing and accessibility

Workspace: edu

Routes: /app/support

Permissions: restricted_case.create

Commands: api.request_support

edu.credentials — Credentials

Workspace: edu

Routes: /app/credentials, /verify/:id

Permissions: credential.share

Commands: api.share_credential

edu.privacy — Personal data control

Workspace: edu

Routes: /app/privacy

Permissions: privacy_request.create

Commands: api.submit_privacy_request

edu.marketplace — Campus marketplace

Workspace: edu

Routes: /app/market, /app/market/:id

Permissions: listing.create, offer.make

Commands: api.create_listing, api.make_offer

edu.support_access — Support access approval

Workspace: edu

Routes: /app/support/access

Permissions: support_access.approve

Commands: api.approve_support_access, api.revoke_support_access

edu.family — Family and guardian access

Workspace: edu

Routes: /family, /app/settings/sharing

Permissions: delegation.grant

Commands: api.grant_delegation, api.revoke_delegation

edu.housing — Campus housing

Workspace: edu

Routes: /app/campus, /app/campus/maintenance

Permissions: housing.apply

Commands: api.apply_housing, api.request_maintenance

inst.setup — Institution setup

Workspace: inst

Routes: /institution, /institution/structure

Permissions: org.edit

Commands: update_structure

inst.people — People administration

Workspace: inst

Routes: /institution/directory

Permissions: membership.invite

Commands: api.issue_invitation

inst.catalog — Academic catalog

Workspace: inst

Routes: /institution/catalog

Permissions: catalog.edit

Commands: propose_course_change

inst.sections — Term and section management

Workspace: inst

Routes: /institution/terms, /institution/sections

Permissions: section.edit

Commands: sync_sections

inst.scheduling — Scheduling

Workspace: inst

Routes: /institution/timetable

Permissions: schedule.edit

Commands: check_conflicts

inst.admissions — Admissions

Workspace: inst

Routes: /institution/admissions

Permissions: application.review, application.decide

Commands: api.review_application, record_decision

inst.registrar — Registrar

Workspace: inst

Routes: /institution/records

Permissions: records.read, change.approve

Commands: api.request_action

inst.governance — Academic governance

Workspace: inst

Routes: /institution/proposals

Permissions: proposal.review, proposal.approve

Commands: api.submit_proposal, api.record_vote

inst.success — Student success

Workspace: inst

Routes: /institution/success

Permissions: case.work

Commands: api.open_case, refer

inst.handoffs — Office handoffs

Workspace: inst

Routes: /institution/handoffs

Permissions: handoffs.work

Commands: api.resolve_handoff

inst.billing — Institution billing

Workspace: inst

Routes: /institution/billing

Permissions: charge.adjust, refund.approve

Commands: api.approve_refund

inst.aid — Financial aid

Workspace: inst

Routes: /institution/aid

Permissions: award.review

Commands: review_award

inst.services — Services operations

Workspace: inst

Routes: /institution/services

Permissions: request.assign

Commands: api.assign_request, api.resolve_request

inst.accommodations — Accommodation operations

Workspace: inst

Routes: /institution/accommodations

Permissions: accommodation.decide

Commands: api.decide_accommodation

inst.reporting — Reporting

Workspace: inst

Routes: /institution/reports

Permissions: report.run, report.export

Commands: run_report

inst.security — Institution security

Workspace: inst

Routes: /institution/identity, /institution/access-reviews

Permissions: sso.configure, access_review.run

Commands: configure_sso, api.run_access_review

inst.data_governance — Data governance

Workspace: inst

Routes: /institution/data

Permissions: retention.edit

Commands: set_retention

inst.integrations — Institution integrations

Workspace: inst

Routes: /institution/connectors

Permissions: integration.configure

Commands: configure_integration, api.run_sync

inst.account — Institution account

Workspace: inst

Routes: /institution/account

Permissions: account.read

Commands: None declared

inst.rollout — Institutional change

Workspace: inst

Routes: /institution/rollout

Permissions: rollout.approve

Commands: api.approve_rollout

inst.housing — Housing operations

Workspace: inst

Routes: /institution/housing

Permissions: housing.assign

Commands: None declared

acct.overview — Customer account

Workspace: acct

Routes: /account

Permissions: account.read

Commands: None declared

acct.invoices — Billing

Workspace: acct

Routes: /account/invoices

Permissions: invoice.read, invoice.pay

Commands: pay_invoice

acct.contracts — Contracts

Workspace: acct

Routes: /account/contracts

Permissions: contract.read, contract.sign

Commands: sign_contract

acct.support — Support

Workspace: acct

Routes: /account/support

Permissions: case.create

Commands: api.open_case

company.exec — Executive operations

Workspace: company

Routes: /company

Permissions: metrics.read, decision.record

Commands: record_decision

company.marketing — Marketing

Workspace: company

Routes: /company/campaigns

Permissions: campaign.edit, content.publish

Commands: publish_content

company.crm — Sales CRM

Workspace: company

Routes: /company/pipeline, /company/accounts/:id

Permissions: opportunity.edit

Commands: api.update_opportunity

company.sales_eng — Sales engineering

Workspace: company

Routes: /company/evaluations

Permissions: evaluation.edit

Commands: record_requirement

company.quotes — Commercial approvals

Workspace: company

Routes: /company/quotes

Permissions: quote.create, quote.approve

Commands: api.create_quote, approve_quote

company.contracts — Contract lifecycle

Workspace: company

Routes: /company/contracts

Permissions: contract.edit, contracts:sign

Commands: record_signature

company.onboarding — Customer onboarding

Workspace: company

Routes: /company/onboarding

Permissions: project.edit

Commands: open_project

company.implementation — Implementation

Workspace: company

Routes: /company/implementations/:id

Permissions: migration.run, acceptance.record

Commands: run_migration, record_acceptance

company.success — Customer success

Workspace: company

Routes: /company/customers, /company/renewals

Permissions: health.edit, renewal.plan

Commands: api.record_measure

company.support — Support

Workspace: company

Routes: /company/support, /console/support

Permissions: support:ticket

Commands: api.assign_case, api.reply_case

company.product — Product management

Workspace: company

Routes: /company/roadmap

Permissions: feedback.triage

Commands: triage_feedback

company.subscriptions — Subscriptions

Workspace: company

Routes: /company/subscriptions

Permissions: subscription.edit

Commands: update_subscription

company.billing — Company billing

Workspace: company

Routes: /company/invoices

Permissions: invoice.issue, credit.issue

Commands: api.issue_invoice, issue_credit

company.accounting — Accounting

Workspace: company

Routes: /company/ledger, /company/close

Permissions: journal.post, close.run

Commands: api.post_journal

company.treasury — Treasury

Workspace: company

Routes: /company/cash

Permissions: payment.approve

Commands: approve_payment

company.expenses — Expenses

Workspace: company

Routes: /company/expenses

Permissions: expense.submit, expense.approve

Commands: api.submit_claim, api.approve_claim

company.procurement — Procurement

Workspace: company

Routes: /company/procurement

Permissions: purchase.request, purchase.approve

Commands: api.request_purchase, api.approve_purchase

company.vendors — Vendor management

Workspace: company

Routes: /company/vendors

Permissions: vendor.review

Commands: review_vendor

company.people — People operations

Workspace: company

Routes: /company/people, /company/hiring

Permissions: employee.edit, candidate.edit

Commands: make_offer, onboard_employee, api.offboard_employee

company.compensation — Compensation

Workspace: company

Routes: /company/compensation

Permissions: compensation.read

Commands: approve_compensation

company.legal — Legal and corporate

Workspace: company

Routes: /company/legal

Permissions: matter.edit

Commands: open_matter

company.partners — Partnerships

Workspace: company

Routes: /company/partners

Permissions: partner.edit, app.review

Commands: review_app

company.it — Company IT

Workspace: company

Routes: /company/it

Permissions: asset.edit, access.request

Commands: request_access

company.knowledge — Knowledge management

Workspace: company

Routes: /company/knowledge

Permissions: document.acknowledge

Commands: acknowledge

company.research — Strategy and research

Workspace: company

Routes: /company/research

Permissions: experiment.edit

Commands: record_experiment

ops.command — Command center

Workspace: ops

Routes: /console

Permissions: console:operate

Commands: None declared

ops.tenants — Tenant lifecycle

Workspace: ops

Routes: /console/tenants

Permissions: tenant:implement, tenant.suspend

Commands: api.request_tenant_action

ops.config — Product configuration

Workspace: ops

Routes: /console/flags

Permissions: flag.edit

Commands: api.set_flag

ops.releases — Release operations

Workspace: ops

Routes: /console/releases

Permissions: deploy.approve, deploy.rollback

Commands: api.approve_deploy, api.rollback

ops.reliability — Reliability

Workspace: ops

Routes: /console/reliability

Permissions: telemetry.read

Commands: None declared

ops.incidents — Incident management

Workspace: ops

Routes: /console/incidents

Permissions: incident:communicate

Commands: api.open_incident, api.publish_update

ops.jobs — Background processing

Workspace: ops

Routes: /console/jobs

Permissions: job.replay

Commands: api.replay_job

ops.integrations — Integration operations

Workspace: ops

Routes: /console/integrations

Permissions: integration:view

Commands: retry_sync

ops.database — Database operations

Workspace: ops

Routes: /console/database

Permissions: repair.request

Commands: api.request_repair

ops.recovery — Recovery

Workspace: ops

Routes: /console/recovery

Permissions: restore.test

Commands: api.record_restore_test

ops.security — Security

Workspace: ops

Routes: /console/security

Permissions: finding.edit

Commands: api.open_finding

ops.access — Access administration

Workspace: ops

Routes: /console/access

Permissions: grant.create, grant.revoke

Commands: api.grant_capability, api.revoke_grant

ops.privacy — Privacy operations

Workspace: ops

Routes: /console/privacy

Permissions: data_request:handle

Commands: api.verify_privacy_identity, api.fulfil_privacy_request

ops.audit — Audit investigation

Workspace: ops

Routes: /console/audit

Permissions: audit.read

Commands: None declared

ops.ai — AI operations

Workspace: ops

Routes: /console/ai

Permissions: ai.configure

Commands: publish_prompt, run_evaluation

ops.costs — Capacity and costs

Workspace: ops

Routes: /console/costs

Permissions: usage.read

Commands: None declared

ops.moderation — Abuse and moderation

Workspace: ops

Routes: /console/moderation

Permissions: report.decide

Commands: api.decide_report

ops.support_session — Support tooling

Workspace: ops

Routes: /console/support/:case/session

Permissions: support_session.open

Commands: open_support_session

ops.services — Service inventory

Workspace: ops

Routes: /console/services

Permissions: service.edit

Commands: None declared

ops.dead_letters — Webhook dead letters

Workspace: ops

Routes: /console/integrations/dead-letters

Permissions: job.replay

Commands: api.replay_webhook

dev.apps — Developer apps

Workspace: dev

Routes: /developers/apps

Permissions: app.register

Commands: register_app

dev.keys — API credentials

Workspace: dev

Routes: /developers/keys

Permissions: credential.rotate

Commands: api.rotate_key

dev.sandbox — Sandbox tenants

Workspace: dev

Routes: /developers/sandbox

Permissions: sandbox.create

Commands: create_sandbox