provide compelte and outline and provide all matrial and neessary stuff to make all this green

To make the entire matrix green, Semester needs an **evidence-backed** completion program: finish each domain's real workflows, verify the shared foundations, deploy the approved implementation, obtain the applicable institutional authority, and operate the enabled capabilities with support and recovery controls.

The screenshot shows 16 domains × 6 maturity facts: 96 individual acceptance decisions, followed by 16 derived domain decisions. "Held" means the dashboard has not accepted sufficient evidence; it does not necessarily mean no work exists.

I created three working materials:

- An evidence-register CSV containing all 96 cells, required material, proposed owner roles, and review fields.
- A JSON acceptance-record template for binding decisions to scope, candidate, deployment, configuration, and approvals.
- A Markdown working pack containing dossier, evidence, ticket, and activation templates.

All cells remain held. These are execution materials—not fabricated implementation or launch evidence.

1. Define precisely what green means

Your screenshot supplies the controlling rule: all six facts must be green, foundations A–G must be accepted, and no release blocker may remain.

Strengthen that rule with scope and capability coverage:

```
Domain green =
  declared scope
  AND every required capability is covered
  AND all six maturity facts are accepted
  AND applicable foundations are accepted
  AND required dependencies satisfy their contracts
  AND evidence matches the release target
  AND no release blocker is open
```

A working demo cannot make an entire domain green. Neither can an approved document, a successful build, or a deployment without verified behavior.

The project's existing release catalog already requires requirements, roles, routes, data, authority, isolation, permissions, accessibility, security, retention, integrations, support, monitoring, tests, rollback, documentation, evidence, and ownership. It explicitly says design-level coverage is not verified completion. [1]

Required scope for every decision

Record:

```
Domain and capability keys
Institution or personal/company context
Cohort and permitted actors
Included workflows and explicit exclusions
Data mode: synthetic / manual / connected
Environment
Candidate commit
Deployment identifier
Configuration digest
Source and integration versions
Decision date and review conditions
```

"Registration is green for an authorized readiness-only pilot" is not equivalent to "registration execution is green." If the full domain includes execution, that excluded capability must remain visible and held.

2. Material required for each of the six columns

Column	Material required to turn green	Evidence that is insufficient
Designed	Approved requirements, complete journeys, role/authority matrix, record model, interfaces, accessibility and failure-state specifications	Rendered screens alone
Implemented	Reviewed code at an immutable commit; schema, policies, commands, workers, adapters and actual persistence	Handoff source that has not been validated
Tested	Passing relevant tests, negative authorization cases, representative workflow acceptance, manual reviews, resolved blocking findings	Test files existing without retained results
Deployed	Verified hosted artifact, applied schema history, approved configuration, worker health and smoke results	A deployment request or "build ready" alone
Institution-authorized	Exact-scope customer acceptance and applicable privacy, IT, academic, legal and procurement authority	Founder approval or an unsigned contract draft
Production-enabled	Approved activation, observed permitted behavior, active monitoring, support and recovery coverage	A flag set to true without acceptance

Where institutional authorization genuinely does not apply—for example, a narrowly scoped internal company function—record the rationale and authorized reviewer. Do not use "not applicable" to bypass missing customer approval for institutional records or actions.

3. Complete and accept the shared foundations

The original definitions of A–G were not present in the retrieved evidence. Do not silently replace them.

Until those definitions are located and reconciled, use this proposed mapping as a working checklist.

Foundation	Required material	Acceptance condition
A — Identity and context	Account lifecycle, memberships, role grants, session controls, recovery, delegation, context switching	Correct actor and context on every protected operation; revocation works
B — Records and authority	Canonical schema, tenant constraints, source mapping, provenance, versioning, retention	Records preserve ownership and authority across workspaces
C — Policy and trust	Permission matrix, policy enforcement, privacy rules, security controls, audit, AI boundaries	Unauthorized access is denied across every delivery surface
D — Workflow backbone	Commands, idempotency, outbox, workers, receipts, reconciliation, compensation	Duplicate delivery and uncertain outcomes cannot produce unsafe repeated actions
E — Experience	Navigation registry, shared components, accessibility, responsive layouts, state vocabulary	Connected workflows remain usable across roles and devices
F — Deployment and resilience	Environment separation, CI, compatibility, monitoring, backups, restore, rollback	Target-specific rollout and recovery rehearsals pass
G — Authority and operations	Customer acceptance, contracts, company authority, support coverage, incident contacts	Named authorized owners accept the operated service

The supplied design system already contains shared navigation, source/status components, consequential-action patterns, permissions components, and role workspaces. Reuse and validate them instead of building parallel systems. [2]

4. Domain-by-domain completion requirements

Every row below also needs the six-column evidence packet from section 2.

Domain	Build or complete	Decisive acceptance journey	Additional authority/operations
Identity and onboarding	Account creation, verification, recovery, memberships, role onboarding, sessions, delegation, offboarding	Create account → enter correct context → recover access → revoke membership without residual protected access	Institution identity mappings and named access owners
Planning and degree	Requirements, catalog mappings, plans, what-if scenarios, workload and advising preparation	Build a plan → change assumptions → see explained effects without changing official records	Approved requirement sources and academic review
Registration	Readiness, holds, time tickets, exception routing, authorized execution, receipts, reconciliation	Resolve blocker → recheck → execute permitted action → confirm authoritative outcome	Registrar/SIS authority; readiness is not enrollment

Domain	Build or complete	Decisive acceptance journey	Additional authority/operations
Courses and teaching	Course home, syllabus, materials, teaching team, publication, accessibility and course policies	Faculty publishes → permitted students see correct version → access changes with roster	Teaching assignments and content ownership
Assignments and work	Versioned assignments, private drafts, milestones, groupwork, submissions, receipts	Save privately → submit selected artifact → faculty receives accepted version	Submission policy and student-private boundary
Study and tutoring	Notes, reading, flashcards, practice, exam preparation, tutoring bookings	Study from permitted sources → retain progress → book/receive support where included	Source rights, course AI policy, tutoring ownership
Grades and progress	Grading drafts, rubrics, review, release, estimates, official-source distinctions	Grade draft remains private → authorized release → student sees correct snapshot	Academic grading and official-posting authority
Advising and support	Appointments, referrals, cases, sharing scope, handoffs, escalation, closure	Student requests help → office accepts ownership → resolution reaches Action Center	Purpose-limited access and staffed offices
Career and portfolio	Evidence, portfolios, applications, mentoring, employer access, publication controls	Select evidence → publish approved scope → revoke future access	Student disclosure choice and employer boundaries
Campus and community	Organizations, events, RSVP, messaging, marketplace, reports, moderation	Authorized organizer publishes → eligible student participates → safety report is handled	Maintained sources and staffed moderation
Housing, dining, services	Discovery, requests, reservations where included, status, appointments, support	Submit request → responsible service acts → result reconciles	Service authority, capacity and operating owners
Money and finance	Billing, checkout, ledger, payment states, refunds, plans, reconciliation	Approved charge → payment outcome → ledger reconciliation → controlled refund	Finance, payment, tax/accounting and contractual approval
Institution OS	Configuration, permissions, approvals, integrations, audit, support and release controls	Configure tenant → test roles → approve activation → observe and revoke	Customer governance and administrative separation
Company OS	Pipeline, contracts, obligations, billing, vendors, support, implementation, incidents	Agreement → implementation → supported tenant → billing/renewal/offboarding	Signing, finance, vendor and operational authority
Developer and partner	API contracts, app registration, scoped credentials, webhooks, versioning, quotas, revocation	Approved app accesses allowed scope → handles replay → loses access on revocation	Partner agreements and security review
Governed AI	Approved inputs/providers, source grounding, course policy, bounded tools, evaluations, limits	Permitted request succeeds; prohibited input/tool action is blocked and explained	Privacy, academic and provider acceptance

Avoid hiding partial completion

Split broad domains into capabilities underneath the matrix.

For example:

```
Money and finance
├── Personal budget
├── Institution balance display
├── Institution payments
├── Company subscriptions
├── Refunds
├── Ledger
└── Reconciliation
```

A personal budget tool cannot prove that institution payment processing is complete. The same principle applies to registration, support, grading, and AI.

5. The full material package

Each domain needs a dossier. Shared material should be referenced, not duplicated 16 times.

Product and design

- Requirements and capability inventory.
- Included/excluded scope.
- Student, faculty and staff journeys.
- Consequential-action definitions.
- Source and authority map.
- Navigation and component specification.
- Loading, empty, error, forbidden, offline, stale and uncertain states.
- Accessibility acceptance criteria.
- User guidance and known limitations.

Engineering

- Architecture decision records.
- Canonical records and relationship diagram.
- Database constraints and migration plan.
- API/command/event contracts.
- Role, relationship and field-access matrix.
- Worker/retry/idempotency design.
- Integration mappings and execution boundaries.
- Configuration and secret-handling requirements.

- Backward-compatibility and rollout plan.

Verification

- Unit and domain tests.
- Database/policy integration tests.
- Cross-tenant and cross-role negative tests.
- Storage, search, export and worker-access tests.
- End-to-end role journeys.
- Duplicate, replay, out-of-order and timeout tests.
- Accessibility evaluation.
- Security assessment and remediation.
- Capacity and failure-injection tests.
- Customer UAT.

Institutional and operational

- Data inventory and flow map.
- Applicable disclosure/access determinations.
- Approved agreements and subprocessors.
- Retention, rights, legal hold and offboarding procedures.
- Required vendor assessment.
- Support ownership and escalation.
- Incident response and notification responsibilities.
- Monitoring and approved service targets.
- Restore, rollback and revocation drill records.
- Migration reconciliation.
- Signed activation decision.

The project business backlog already identifies legal review, vendor assessments, insurance, accounting controls, support knowledge, continuity planning, access reviews, incident exercises and restore drills as outstanding work categories. Those dated backlog entries are starting points for verification—not proof they remain open or have been completed. [3]

6. Required test matrix

Run these against the exact candidate and approved target.

Test family	Minimum cases
Identity	Signed out, expired session, unverified identity, recovered account, revoked membership
Tenant isolation	Tenant A cannot read, write, search, export or download Tenant B data

Test family	Minimum cases
Relationship scope	Faculty in one offering cannot access another; TA cannot exceed grading assignment
Lifecycle	Unpublished assignment hidden; grade draft hidden; released feedback visible to correct student
Private work	Instructor cannot see student notes, study history or unsubmitted drafts by course association
Command safety	Duplicate command, stale version, revoked approval, changed input, retry after timeout
Events	Duplicate, out-of-order, delayed, poisoned event and failed consumer
Integrations	Provider outage, rate limit, expired credentials, changed source record, uncertain execution
Data quality	Missing source, stale source, conflicting source, ambiguous identity, orphaned relationship
Recovery	Restore, application rollback, schema compatibility, worker recovery, reconciliation
Accessibility	Keyboard, screen reader, zoom/reflow, focus, validation, contrast, reduced motion
Operations	Alert routing, support escalation, incident acknowledgement, offboarding and rights request

Do not establish blanket pass thresholds here. Approve domain-specific criteria before testing, with no unresolved tenant-isolation or unauthorized-disclosure failures.

7. Evidence and approval records

Cell acceptance record

```
{
  "cell_id": "DO5-F3",
  "domain": "Assignments and work",
  "fact": "Tested",
  "status": "held",
  "scope_id": null,
  "capability_keys": [],
  "candidate_commit": null,
  "deployment_reference": null,
  "configuration_digest": null,
  "evidence_references": [],
  "reviewer": null,
  "reviewed_at": null,
  "validity_conditions": [],
  "blockers": [],
  "not_applicable_rationale": null,
  "not_applicable_approver": null
}
```

The empty values are intentional. They must be filled with observed evidence and authorized decisions.

Evidence artifact

Every artifact should say:

- What assertion it proves.
- Which capabilities and scope it covers.
- Who produced and reviewed it.
- Which commit, deployment and configuration it tested.
- When it was created.
- Its secure location and content digest.
- Limitations and unresolved findings.
- Review or invalidation triggers.
- Whether it has been superseded or withdrawn.

Evidence must be access-controlled. Do not upload raw student records into a general-purpose dashboard merely to prove that a test ran.

8. Improve the “Path to green” dashboard

The screenshot’s cell-recording model is useful, but it needs stronger semantics.

Replace a single manual toggle with a reviewed decision

Clicking a cell should open:

1. Scope and capability coverage.
2. Required evidence.
3. Submitted artifacts.
4. Reviewer and authority.
5. Blockers and dependencies.
6. Decision history.
7. Validity conditions.
8. Approve, reject, or request changes.

Proposed decision states

```
Held
Evidence submitted
Under review
Accepted
Rejected
Stale
Withdrawn
Approved not applicable
```

Display accepted as green. Display not-applicable with explicit text or a distinct treatment so it cannot be mistaken for implementation.

Derive the domain result

The domain status should be calculated—not manually editable.

Automatically hold or invalidate affected cells when:

- The accepted artifact no longer matches the candidate.
- A material configuration or integration changes.
- A required approval is withdrawn.
- A blocking finding opens.
- Source authority or scope changes.
- A capability expands beyond accepted coverage.
- Evidence reaches its approved review condition.

Changing code should invalidate relevant evidence, not necessarily every unrelated domain.

9. Dependency-ordered execution program

Wave 0 — Reconcile what exists

Deliverables:

- Current capability-to-code map.
- Hosted deployment and database-state inspection.
- Original A–G foundation definitions.
- Gap and conflict register.
- Named owners and reviewers.

Do not rebuild working capabilities based solely on an old “held” cell.

Wave 1 — Harden shared foundations

Complete:

- Identity and context.
- Canonical ownership and authority.
- Tenant and relationship policies.
- Commands, events, receipts and reconciliation.
- Shared navigation and components.
- Deployment and recovery.
- Evidence and approval workflow.

Wave 2 — Complete the academic spine

Complete connected journeys across:

- Courses and teaching.
- Assignments and work.
- Study and tutoring.
- Grades and progress.
- Institution OS.
- Governed AI within approved boundaries.

Wave 3 — Complete planning and institutional action

Complete:

- Planning and degree.
- Registration.
- Advising and support.
- Relevant financial dependencies.

Wave 4 — Complete campus, services and opportunities

Complete:

- Career and portfolio.
- Campus and community.
- Housing, dining and services.
- Developer/partner integrations.

Parallel operating track

Company OS, finance authority, legal review, vendor review, support coverage and release governance proceed throughout. They cannot be postponed until “engineering is finished.”

These waves are sequencing—not a reduction of the requested platform scope. All 16 domains remain in the completion register.

10. Production activation checklist

Before a domain’s last column becomes green:

- [ ] Every included capability has accepted evidence.
- [ ] Shared foundation definitions are verified and applicable foundations accepted.
- [ ] Candidate, configuration, tenant, cohort and data mode are recorded.
- [ ] Schema and application compatibility are proven.

- [ ] Hosted student/staff workflows pass.
- [ ] Permissions pass across API, storage, search, exports and workers.
- [ ] Migration and source reconciliation are accepted.
- [ ] Applicable customer, privacy, legal and domain approvals are current.
- [ ] Security and accessibility reviews are accepted.
- [ ] Restore, rollback, revocation and offboarding have been exercised.
- [ ] Named support and incident coverage is active.
- [ ] Monitoring and stop criteria are approved.
- [ ] Authorized activation is recorded.
- [ ] Enabled behavior is observed after activation.
- [ ] Public claims reflect only the accepted scope.

11. What still requires real execution

The materials delivered here organize the work; they cannot supply:

- Missing implementation.
- Actual test results.
- Verified hosted deployment state.
- Applied database migration history.
- Institutional signatures.
- Independent review findings.
- Operational drill results.
- Approved production activation.

No repository writes, migrations, deployments, or dashboard status changes were performed in this response.

The immediate work is to populate the register from the current repository and hosted systems, resolve the A–G definitions, and convert each unsupported cell into an assigned implementation, verification, approval, or operations task. Green then becomes a defensible result of completed work—not a color change.

⁂

1. The Main Semester design system (2) copy/docs/master/SEMESTER_RELEASE_GATE_CATALOG.md
2. The Main Semester design system (2) copy/readme.md
3. The Main Semester design system (2) copy/docs/business/BUSINESS_MASTER_BACKLOG.md
4. Screenshot-2026-10-11-at-4.34.18-PM.jpg