Semester public company site — full architecture specification

Status: design-source reconciliation and generated preview, 2026-10-13. Not a deployed site.

1. Source and scope

The inspected prototype declares ten page keys: home, product, students, institutions, pilot, trust, pricing, about, contact and legal. Site.jsx uses hash navigation, not verified server clean-URL routes. Pages.jsx supplies page bodies; index.html loads React 18.3.1, ReactDOM, Babel, design-system bundle, business/gtm-copy.js, Pages.jsx and Site.jsx.

This export supplies 44 public/entry route patterns, including the shared sign-in entry and not-found page. Every route is labelled observed prototype mapping or proposed expansion. Dynamic patterns cover reviewed content records, not unlimited automatically published pages.

2. Route architecture

Public shell owns reviewed marketing content. Shared identity owns signup/sign-in/session authority. /open owns only handoff presentation; server validates single-use transaction, expiry, target account, redirect allowlist and scoped preview claim. /status requires authorized operations feed. Forms require real delivery ports; this preview performs local validation only.

Legacy prototype hashes map to proposed clean URLs in PUBLIC-ROUTE-MAP.csv. Preserve aliases deliberately; do not publish a duplicate canonical page. /students and /solutions/students, /institutions and /solutions/institutions require an approved canonical/redirect decision before production. Unknown route resolves to 404, never silently to home.

3. Component tree

SiteShell

SkipLink

SiteHeader: Wordmark / labelled main navigation / sign-in entry / contact CTA

Main: PageHero / ordered layout regions / related paths / bounded CTA

SiteFooter: product / trust / legal / contact / preview-status disclosure

All 44 pages use the same shell. No separate public account or second app inbox.

Forms: InquiryForm -> Field labels/hints/errors -> ErrorSummary -> consequence/privacy copy -> local preview or actual server receipt.

Trust: EvidenceRegister -> lifecycle words -> owner/scope/date -> restricted evidence-request path.

Content: controlled versioned CMS record -> approved-claim references -> accessible renderer.

4. Desktop and mobile layout

Use source-provided Ink chrome and Parchment content. Barlow reading text, Barlow Condensed headings, Cinzel only for editorial moments; bundled fonts preserved where available. Header/footer persist as structure, not necessarily sticky. Wide layout uses two columns for hero/form detail and three/four peer cards; mobile preserves logical order in one column. Targets at least 44px in the generated preview. No essential information in color or motion alone.

Wireframes are ordered region specifications, not pixel-perfect finished design. Each route has a rendered wireframe in the preview and a textual diagram in PAGE-WIREFRAMES.md.

5. CMS and source boundaries

Proposed CMS fields: route/key, title, lead, audience, layout, region blocks, owner, version, publication_state, reviewed_at, expires_at, approver_ref, claim_refs, canonical_route, accessible_formats and source_refs. These are proposed mappings, not new tables to apply blindly. Reconcile cms.pages and cms.approved_claims against canonical repository schemas.

Published routes require approved copy and claim-specific evidence. Dynamic products/resources/jobs must resolve only approved records; missing content produces unavailable/404 and noindex. Staff biographies, job compensation and contact endpoints require approved facts.

6. Forms and delivery

Required validation: normalization, bounded input sizes, typed schemas, safe rendering, server abuse protection, purpose-bound consent, suppression/retention policy and recipient/channel allowlist. Marketing consent optional and separate from responding to inquiry. Show no 'Request sent' until a durable authoritative server receipt exists. Client-side success is not email delivery or booked meeting.

States: ready, loading, empty, error, forbidden, offline, unavailable; freshness is independent. Validation failure preserves input and focuses the summary/first invalid control. Server errors preserve draft and offer safe retry; duplicate submissions use scoped idempotency. No sensitive student, clinical or financial data in lead forms.

7. Claims and legal controls

Existing source copy contains paid-pilot traction, 'free' availability, reply-time commitments and absolute AI-data statements. These require exact approved evidence before publication. Keep original source for audit, but generated preview does not repeat them as verified facts. Legal documents remain drafts until qualified review; security/accessibility targets are not certifications. No institutional logo/reference without permission.

8. SEO, discovery and navigation

Preview noindex/nofollow. Production needs approved canonical route, title/description, social metadata, sitemap for approved static/dynamic records, robots policy and accessible error page. Validate inbound links, legal anchors, unknown slugs and account redirects. Never include restricted documents or tokens in public indexing.

9. Acceptance and activation

Validate all route patterns, links, form error states, source/claim labels, responsive reflow, keyboard/focus, AT/zoom and accessible alternatives. Verify actual identity/handoff/status/form adapters, privacy notices, rights routing, monitoring and publication rollback. Retain candidate SHA, target and qualified approvals. Static render tests do not satisfy backend, legal or customer activation gates.

10. Build integration

Reuse canonical public site and shared services. Generated vanilla preview is a review deliverable, not a demand to replace existing React architecture. Transfer approved content/layout contracts into canonical components. Do not create duplicate CMS, role model or command registry. Follow handoff/mainframe/START.md, inspect current diff, select one complete increment, test and stop before unauthorized external mutations.

Page-by-page route and wireframe specifications

/ — Home

Capability: public.site.home

Source status: existing design page; clean URL mapping proposed

Layout: home

Purpose: Education, connected. One source-aware place to understand the next safe action.

Prototype mapping: #/home

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[HERO]
[SOURCE DEMO]
[CONNECTED JOBS]
[STATUS DISCLOSURE]
[INSTITUTION PATH]
[TRUST SUMMARY]
[CTA]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/about — About

Capability: public.site.home

Source status: existing design page; clean URL mapping proposed

Layout: editorial

Purpose: Build native, integrate responsibly, and replace by domain only with proof.

Prototype mapping: #/about

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[MISSION]
[OPERATING PRINCIPLES]
[CURRENT STATUS]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/team — Team

Capability: public.site.home

Source status: proposed expansion of source capability route contract

Layout: directory

Purpose: Find the right role, resource or approved document without guessing.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[APPROVED BIOGRAPHIES]
[ROLE VACANCIES]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/contact — Contact

Capability: public.site.home

Source status: existing design page; clean URL mapping proposed

Layout: form

Purpose: Prepare a scoped inquiry without disclosing student records or sensitive information.

Prototype mapping: #/contact

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTACT ROUTING]
[INQUIRY FORM]
[PRIVACY NOTICE]
[DELIVERY STATUS]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/product — Product

Capability: public.product.pages

Source status: existing design page; clean URL mapping proposed

Layout: overview

Purpose: One account, Action Center, search, workspace and governed intelligence layer.

Prototype mapping: #/product

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[OS OVERVIEW]
[ROLE PATHS]
[CONNECTED MODULES]
[AUTHORITY BOUNDARIES]
[CTA]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/product/:slug — Product detail

Capability: public.product.pages

Source status: proposed expansion of source capability route contract

Layout: detail

Purpose: Understand a module through its job, workflow, source authority and availability.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[MODULE PURPOSE]
[WORKFLOW]
[SOURCE BOUNDARY]
[MATURITY]
[RELATED MODULES]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/students — For students

Capability: public.solutions

Source status: existing design page; clean URL mapping proposed

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: #/students

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[STUDENT DAY]
[SOURCE LABELS]
[PRIVACY]
[FIRST ACTION]
[FAQ]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/institutions — For institutions

Capability: public.solutions

Source status: existing design page; clean URL mapping proposed

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: #/institutions

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[OFFICE OUTCOMES]
[OFFICIAL BOUNDARIES]
[REVIEW STATUS]
```

```
[PILOT PATH]
[FAQ]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/pilot — Pilot proposal

Capability: public.solutions

Source status: existing design page; clean URL mapping proposed

Layout: pilot

Purpose: Scope a bounded evaluation with approved measures and explicit activation gates.

Prototype mapping: #/pilot

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[PROPOSED SCOPE]
[NON GOALS]
[BASELINE]
[ACTIVATION GATES]
[OFFICE RESPONSIBILITIES]
[INQUIRY FORM]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions — Solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: directory

Purpose: Find the right role, resource or approved document without guessing.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[AUDIENCE PATHS]
[SHARED FOUNDATION]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/students — Student solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[DAILY LOOP]
[LEARNING]
[REGISTRATION]
[PRIVACY]
[FIRST ACTION]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/faculty — Faculty solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[COURSE AUTHORING]
[ACCESSIBILITY]
[SUBMISSION]
[GRADE RELEASE]
[AI RULES]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/advisors — Advisor solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CASELOAD SCOPE]
[STUDENT SHARE]
[OFFICE HANDOFF]
[FOLLOW UP]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/registrars — Registrar solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[COHORT READINESS]
[HOLDS BY OFFICE]
[EXCEPTIONS]
[RECONCILIATION]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/institutions — Institution solutions

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[TENANT POLICY]
[ROLES]
[INTEGRATIONS]
[ASSURANCE]
[ROLLOUT]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/solutions/:audience — Audience detail

Capability: public.solutions

Source status: proposed expansion of source capability route contract

Layout: solution

Purpose: Connect role-specific work while keeping private work and official records distinct.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[AUDIENCE PURPOSE]
[PERMITTED WORKFLOWS]
[AUTHORITY]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/pricing — Pricing

Capability: public.pricing.quote

Source status: existing design page; clean URL mapping proposed

Layout: pricing

Purpose: Pricing and commercial availability require approved scope and authority.

Prototype mapping: #/pricing

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[PRICING POSTURE]
[SCOPE VARIABLES]
[ENTITLEMENT BOUNDARIES]
[QUOTE PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/pricing/quote — Request a quote

Capability: public.pricing.quote

Source status: proposed expansion of source capability route contract

Layout: form

Purpose: Prepare a scoped inquiry without disclosing student records or sensitive information.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[SCOPE SUMMARY]
[QUOTE FORM]
[CONSENT NOTICE]
[DELIVERY STATUS]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/demo — Demonstrations

Capability: public.demo.book

Source status: proposed expansion of source capability route contract

Layout: form

Purpose: Prepare a scoped inquiry without disclosing student records or sensitive information.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[SYNTHETIC DEMO BOUNDARY]
[DEMO FORM]
[DELIVERY STATUS]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/demo/tour — Product tour

Capability: public.demo.book

Source status: proposed expansion of source capability route contract

Layout: tour

Purpose: Illustrative product journey using synthetic information only.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[SYNTHETIC TODAY]
[SOURCE DETAILS]
[PRIVACY CHOICE]
[APPROVED ACTION EXAMPLE]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/resources — Resources

Capability: public.resources

Source status: proposed expansion of source capability route contract

Layout: directory

Purpose: Find the right role, resource or approved document without guessing.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[APPROVED RESOURCE INDEX]
[TOPIC FILTER]
[ACCESSIBILITY FORMAT]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/resources/:slug — Resource detail

Capability: public.resources

Source status: proposed expansion of source capability route contract

Layout: resource

Purpose: Publish sourced, reviewed content with version and accessible alternatives.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[TITLE AUTHOR]
[DATE VERSION]
[SOURCE CONTENT]
[ACCESSIBLE ALTERNATIVE]
[RELATED RESOURCES]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust — Trust center

Capability: public.trust.center

Source status: existing design page; clean URL mapping proposed

Layout: trust

Purpose: State scope, status and evidence—not certifications or guarantees we cannot prove.

Prototype mapping: #/trust

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[SCOPE STATUS]
[PRIVACY]
[SECURITY]
[ACCESSIBILITY]
[AI]
[RELIABILITY]
[EVIDENCE REQUEST]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust/security — Security posture

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: trust-detail

Purpose: Inspect a specific trust boundary and the evidence required to substantiate it.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[REVIEW STATUS]
[CONTROL SCOPE]
[EVIDENCE POLICY]
[REPORTING CHANNEL]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust/privacy — Privacy posture

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: trust-detail

Purpose: Inspect a specific trust boundary and the evidence required to substantiate it.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[DATA BOUNDARIES]
[PROCESSING PURPOSE]
[DELEGATION]
[RIGHTS]
[RETENTION]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust/accessibility — Accessibility posture

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: trust-detail

Purpose: Inspect a specific trust boundary and the evidence required to substantiate it.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[TARGET STANDARD]
[REVIEW STATUS]
[BARRIER REPORT]
[ACCESSIBLE ALTERNATIVE]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust/ai — Governed AI

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: trust-detail

Purpose: Inspect a specific trust boundary and the evidence required to substantiate it.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[DATA SCOPE]
[SIX CHECK GATEWAY]
[SOURCE LABELS]
[COURSE POLICY]
[HUMAN AUTHORITY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/trust/subprocessors — Subprocessors

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: register

Purpose: Show only reviewed processor records with purpose, region and version.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[PROVIDER PURPOSE]
[REGION]
[CLASSIFICATION]
[RETENTION]
[REVIEW STATUS]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal — Legal documents

Capability: public.trust.center

Source status: existing design page; clean URL mapping proposed

Layout: directory

Purpose: Find the right role, resource or approved document without guessing.

Prototype mapping: #/legal

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROLLED DOCUMENT INDEX]
```

```
[DRAFT STATUS]
[AUTHORITY]
[CONTACT PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal/terms — Terms

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: legal

Purpose: Controlled document draft. Qualified legal review is required before publication.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROL HEADER]
[PURPOSE]
[SCOPE]
[RULES]
[EXCEPTIONS]
[REVISION HISTORY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal/privacy — Privacy policy

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: legal

Purpose: Controlled document draft. Qualified legal review is required before publication.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROL HEADER]
[DATA PURPOSE]
[SHARING]
[RIGHTS]
[RETENTION]
[REVISION HISTORY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal/cookies — Cookie notice

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: legal

Purpose: Controlled document draft. Qualified legal review is required before publication.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROL HEADER]
[COOKIE CATEGORIES]
[CONSENT]
[WITHDRAWAL]
[REVISION HISTORY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal/community — Community guidelines

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: legal

Purpose: Controlled document draft. Qualified legal review is required before publication.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROL HEADER]
[CONDUCT]
[REPORTING]
[APPEAL]
[REVISION HISTORY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/legal/accessibility — Accessibility statement

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: legal

Purpose: Controlled document draft. Qualified legal review is required before publication.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[CONTROL HEADER]
[TARGET]
[STATUS]
```

```
[BARRIER REPORT]
[REVISION HISTORY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/status — Service status

Capability: public.trust.center

Source status: proposed expansion of source capability route contract

Layout: status

Purpose: Service health is unavailable until an authorized operational feed is connected.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[STATUS SOURCE]
[SERVICE LIST]
[INCIDENT HISTORY]
[UNAVAILABLE STATE]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/auth/signup — Create account

Capability: public.signup

Source status: proposed expansion of source capability route contract

Layout: handoff

Purpose: Continue through a verified identity or application handoff—not a static-page imitation.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[ACCOUNT PURPOSE]
[TERMS STATUS]
[IDENTITY SERVICE HANDOFF]
[PRIVACY CHOICES]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/auth/signin — Sign in

Capability: shared.identity.signin

Source status: proposed expansion of source capability route contract

Layout: handoff

Purpose: Continue through a verified identity or application handoff—not a static-page imitation.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[IDENTITY SERVICE HANDOFF]
[APPROVED PROVIDER]
[RECOVERY]
[SESSION BOUNDARY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/join — Join institution

Capability: public.signup

Source status: proposed expansion of source capability route contract

Layout: handoff

Purpose: Continue through a verified identity or application handoff—not a static-page imitation.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[INVITE VERIFICATION]
[INSTITUTION CONTEXT]
[MEMBERSHIP VS GRANT]
[IDENTITY HANDOFF]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/open — Open Semester

Capability: public.app.handoff

Source status: proposed expansion of source capability route contract

Layout: handoff

Purpose: Continue through a verified identity or application handoff—not a static-page imitation.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[TRANSACTION VALIDATION]
[EXPIRY]
[ACCOUNT MATCH]
[CLAIM PREVIEW]
[RECEIPT]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/download — Get Semester

Capability: public.app.handoff

Source status: proposed expansion of source capability route contract

Layout: handoff

Purpose: Continue through a verified identity or application handoff—not a static-page imitation.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[VERIFIED DISTRIBUTION]
[PLATFORM OPTIONS]
[WEB FALLBACK]
[AVAILABILITY]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/partners — Partners

Capability: public.partners.careers

Source status: proposed expansion of source capability route contract

Layout: form

Purpose: Prepare a scoped inquiry without disclosing student records or sensitive information.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[PARTNER TYPES]
[DATA BOUNDARIES]
[PARTNER FORM]
[DELIVERY STATUS]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/careers — Careers

Capability: public.partners.careers

Source status: proposed expansion of source capability route contract

Layout: directory

Purpose: Find the right role, resource or approved document without guessing.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[APPROVED ROLE INDEX]
[WORKING PRINCIPLES]
[ACCESSIBLE APPLICATION]
```

```
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/careers/:slug — Role posting

Capability: public.partners.careers

Source status: proposed expansion of source capability route contract

Layout: job

Purpose: Publish only an approved role, compensation range and accessible application path.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[ROLE SUMMARY]
[FIRST 90 DAYS]
[REQUIREMENTS]
[APPROVED COMPENSATION]
[APPLICATION]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

/404 — Page not found

Capability: public.site.home

Source status: proposed expansion of source capability route contract

Layout: not-found

Purpose: This page is not available. Return to a known route.

Prototype mapping: proposed expansion

```
[HEADER / labelled nav / sign in]
[HERO / purpose / status]
[EXPLANATION]
[SAFE NAVIGATION]
[SEARCH PATH]
[CTA / boundary]
[FOOTER / legal / trust / contact]
```

Mobile: same logical order, one-column regions. Publication requires approved copy, accessible behavior and actual adapters for consequential flows.

Shared services workspace review

13 services form the common foundation. Source names are design contracts, not verified production endpoints.

shared.identity.signin

Authenticate through verified provider and recover access

Boundary: Identity service only; browser cannot assign actor or tenant

Routes: /auth/signin, /auth/mfa, /auth/recover

Permissions: session.create

Records: auth.users, onboard.devices

Commands: sign_in, verify_mfa

Acceptance negatives: Bad token/provider, recovery abuse, revoked session

shared.identity.sessions

List, expire and revoke sessions

Boundary: Revocation enforced server-side and propagated to sensitive caches

Routes: /app/settings/sessions

Permissions: session.revoke

Records: onboard.devices, onboard.push_tokens

Commands: api.revoke_device

Acceptance negatives: Revoked token denied, other-account session denied

shared.org.memberships

Connect institution relationships

Boundary: Membership is distinct from capabilities and roles

Routes: /institution/members, /invite/*

Permissions: membership.invite, membership.revoke

Records: core.profiles, iam.invitations, iam.memberships

Commands: api.issue_invitation, api.accept_invitation, api.revoke_invitation

Acceptance negatives: Cross-institution membership read, expired affiliation

shared.authz.grants

Request/review least-privilege grants

Boundary: Privileged requester and approver must differ; expiry enforced

Routes: /ops/access, /institution/access

Permissions: grant.create, grant.revoke

Records: ctl.capabilities, ctl.grants

Commands: api.grant_capability, api.revoke_grant

Acceptance negatives: Self-approval, expired/revoked grant, object bypass

shared.authz.approvals

Bind consequential approvals

Boundary: Exact payload/target/version/tenant/expiry and current authority

Routes: /app/approvals, /ops/approvals

Permissions: action.request, action.approve

Records: ctl.action_requests, ctl.action_approvals

Commands: api.request_action, api.decide_action, api.execute_action

Acceptance negatives: Changed payload, concurrent version, already decided

shared.delegation

Grant scoped expiring access

Boundary: Relationship alone grants nothing; revoke promptly enforced

Routes: /app/settings/sharing

Permissions: delegation.grant

Records: core.delegations

Commands: api.grant_delegation, api.revoke_delegation

Acceptance negatives: Expired delegation, scope escalation, cache leakage

shared.notifications

Deliver permitted action-aware notices

Boundary: Recipient/channel permissions; no sensitive bodies in unapproved channels

Routes: /app/notifications, /app/settings/notifications

Permissions: notification.read, preference.edit

Records: comms.notifications, comms.preferences

Commands: mark_read, set_preferences

Acceptance negatives: Duplicate delivery, recipient changed, privacy redaction

shared.search

Search permitted current objects

Boundary: Authorize retrieval, snippets, ranking and indexed visibility

Routes: /app/search

Permissions: search.query

Records: search.documents

Commands: search

Acceptance negatives: Cross-tenant query, revoked object, stale index

shared.files

Store/retrieve permitted artifacts

Boundary: Quarantine uploads, content checks, signed access, retention

Routes: /app/files

Permissions: file.upload, file.read

Records: comms.files

Commands: upload_file, delete_file

Acceptance negatives: Unsafe upload, unauthorized download, expired URL

shared.audit

Retain accountable decisions

Boundary: Restricted append-only evidence; minimize sensitive payloads

Routes: /ops/audit, /institution/audit

Permissions: audit.read

Records: audit.events

Commands: None declared

Acceptance negatives: Audit tamper, sensitive logging, investigator scope

shared.documents

Version and review controlled documents

Boundary: Draft/review/approved/published/executed are different states

Routes: /company/documents, /institution/documents

Permissions: document.submit, document.execute, document.archive

Records: docs.documents, docs.document_versions, docs.version_states, docs.review_tasks, docs.transition_events, docs.contract_documents, docs.signature_requests, docs.acknowledgments

Commands: api.transition_document, acknowledge

Acceptance negatives: Unapproved publication, wrong reviewer, stale version

shared.ai.gateway

Use approved sources and bounded AI

Boundary: Default-deny unapproved record egress; course/institution policy

Routes: /app/assistant

Permissions: ai.use

Records: core.ai_policy, core.course_ai_rules, core.sources, audit.ai_usage

Commands: api.ai_policy, api.ai_context, api.ai_log

Acceptance negatives: Prompt injection, forbidden tool, unapproved provider

shared.events.outbox

Deliver durable events

Boundary: Atomic write/outbox, leases, dedupe, gap/replay reconciliation

Routes: (worker)

Permissions: event.publish

Records: ctl.outbox

Commands: outbox.publish

Acceptance negatives: Lost publish, duplicate event, out-of-order event, lease expiry

Review order

Identity -> memberships -> grants/audit -> sessions/delegation/approvals -> files/documents/notifications -> outbox/search -> AI gateway. Resolve bootstrap dependencies from canonical repository code; not all runtime collaborations form a DAG.

Release boundary

Each service must have tenant/object isolation, negative access tests, privacy/retention, failure-state behavior and exact-target operated evidence. A reachable page is not a functioning service.

Student experience — connected workflow

Source basis: docs/master/SEMESTER_WORKFLOW_CATALOG.md describes a 40-step design-level student journey; docs/native-platform/NATIVE_WORKFLOW_CATALOG.md describes the daily loop. Capability crosswalks in this package are proposed because these catalogs use different key namespaces.

Entry to first value

Public role page -> account/SSO -> verified institution relationship -> role grants -> privacy and AI choices -> approved course/source context -> Today -> first meaningful action -> durable confirmation.

Declining optional AI or integrations must leave permitted native private work available. No static-site button authenticates or claims a preview without the canonical identity/handoff service.

Daily loop

Open -> see current situation -> understand priority -> take action -> source-aware guidance -> confirmation -> progress -> return with clarity.

Today, Plan, Learn, Search and Inbox share canonical objects; do not create separate assignment copies. Student-controlled executive-function help remains optional and reversible.

Learning

Published assignment/rubric/course AI rules -> private draft -> approved-source study -> submission -> immutable receipt -> reviewed feedback -> released grade. Graded is not released. AI suggestion is not official feedback until reviewed. What-if planning is private and not an official grade.

Registration

Plan -> compare sections -> readiness as of identified sources -> missing/stale/confirmed blockers -> owning-office handoff -> approved resolution -> reconciliation -> updated view. Owning institution system confirms registration. One cleared hold does not imply ready; ready does not imply enrolled.

Support and campus

Ask/find approved support -> minimum context -> responsible office -> acknowledged handoff -> follow-up -> student confirmation. Career, services, community and housing stay linked to the same account and permissions, not hidden independent portals.

Sharing and rights

Student chooses audience/category/expiry -> grant receipt -> access history -> revoke/expire -> enforcement verification. Support sessions and family accounts never imply broad access. Export/deletion/correction follow identity, retention and lawful-exception controls. Alumni transition changes grants without confusing academic authority or erasing required records.

Full 40-step catalog

1. Create account — proposed crosswalk `public.signup`
2. Join institution — proposed crosswalk `shared.org.memberships`
3. Confirm identity — proposed crosswalk `shared.identity.signin`

4. Connect SSO — proposed crosswalk `shared.identity.signin`
5. Complete onboarding — proposed crosswalk `edu.profile`
6. Select program/path — proposed crosswalk `edu.degree`
7. Import or review course context — proposed crosswalk `edu.courses`
8. Review Today — proposed crosswalk `edu.today`
9. Create action/task — proposed crosswalk `edu.tasks`
10. Complete first meaningful action — proposed crosswalk `edu.tasks`
11. Build term plan — proposed crosswalk `edu.degree`
12. Compare courses/sections — proposed crosswalk `edu.registration`
13. Review registration readiness — proposed crosswalk `edu.registration`
14. Resolve hold through official handoff — proposed crosswalk `inst.handoffs`
15. Enroll or request registration — proposed crosswalk `inst.registrar`
16. Build study plan — proposed crosswalk `edu.tasks`
17. Join course workspace — proposed crosswalk `edu.courses`
18. Read course guidance — proposed crosswalk `edu.content`
19. Follow course AI rules — proposed crosswalk `shared.ai.gateway`
20. Use AI copilot — proposed crosswalk `edu.assistant`
21. Search approved sources — proposed crosswalk `shared.search`
22. Create notes — proposed crosswalk `edu.content`
23. Organize files — proposed crosswalk `shared.files`
24. Join study group — proposed crosswalk `edu.groups`
25. Request peer mentor — proposed crosswalk `edu.careers`
26. Request advisor support — proposed crosswalk `edu.advising`
27. Share with advisor — proposed crosswalk `shared.delegation`
28. Share with family — proposed crosswalk `edu.family`
29. Review student account — proposed crosswalk `edu.student_account`
30. Request payment plan — proposed crosswalk `edu.student_account`
31. Find campus resource — proposed crosswalk `edu.services`
32. Order dining — proposed crosswalk `edu.services`
33. Join organization/event — proposed crosswalk `edu.groups`
34. Build portfolio — proposed crosswalk `edu.careers`
35. Search opportunity — proposed crosswalk `edu.careers`
36. Apply for opportunity — proposed crosswalk `edu.careers`
37. Export personal data — proposed crosswalk `edu.privacy`
38. Adjust privacy/AI settings — proposed crosswalk `edu.privacy`
39. Request deletion/correction — proposed crosswalk `edu.privacy`

40. Transition to alumni — proposed crosswalk `edu.profile`