Semester master deployment report

Generated 2026-10-11. Historical snapshot plus proposed rollout contract. No fresh deployment audit, repository mutation or application test performed.

Six-status scorecard

Domain	Implemented	Tested	Deployed	Authorized	Enabled
Identity and onboarding	Partial	Account-sync required check	Hosted PWA (signed-in sync)	No	No
Planning and degree	Partial	Not evidenced	Hosted PWA (seed data)	No	No
Registration	Server code, not release-ready	Server tests	No tenant	No	No
Courses and teaching	Partial	Not evidenced	Hosted PWA (personal courses)	No	No
Assignments and work	Partial (per-row tasks only)	Calendar keyboard/open-calendar tests	Hosted PWA (device-first)	No	No
Study and tutoring	Client-only/mock + partial	Not evidenced	Hosted PWA	No	No
Grades and progress	Server code, not release-ready	Server tests	No tenant	No	No
Advising and support	Partial	Not evidenced	No staffed route	No	No
Career and portfolio	Client-only/mock	Not evidenced	Hosted PWA (local)	No	No
Campus and community	Partial	Community.test.tsx	Hosted PWA	No	No
Housing, dining, services	Partial	Not evidenced	Hosted PWA	No	No
Money and finance	Partial	Billing live-acceptance evidence	Checkout held	No	No
Institution OS	Server code, not release-ready	Server tests	No tenant; gateway configuration dependency	No	No
Company OS	Documents	Not evidenced	Not evidenced	No	No
Developer and partner	None found	Not evidenced	Not evidenced	No	No

Domain	Implemented	Tested	Deployed	Authorized	Enabled
Governed AI	Partial (ungoverned)	Not gated	Hosted shared-key function	No	No

Designed: Prototype for all domains. Institution-authorized N/A requires accepted rationale for personal/company-internal scope. Flag count: source enumeration 28 vs screenshot 21, not live state.

Twenty shared checks

G-DES-01 — Designed

Execute: Review every required journey and role against accepted scope.
Expected: All required states/actions covered; omissions held.
Evidence: Journey/state matrix.

G-DES-02 — Designed

Execute: Review keyboard/focus/error/responsive/consequence designs.
Expected: Accessible semantics and consequences accepted.
Evidence: Design review.

G-IMP-01 — Implemented

Execute: Trace mutations UI→authorization→durable store.
Expected: Runtime connected; required mock substitute absent; audit/receipt wired.
Evidence: Route/service trace.

G-IMP-02 — Implemented

Execute: Forge tenant/owner/identity/scope on every entry point.
Expected: Denied without protected metadata or mutation.
Evidence: Authorization negative report.

G-IMP-03 — Implemented

Execute: Restart/refresh and read committed entities across devices.
Expected: Canonical state/version/provenance preserved.
Evidence: Persistence report.

G-TST-01 — Tested

Execute: Run all applicable cases against candidate and fixtures.
Expected: All blocking cases pass; skipped/unbound not pass.
Evidence: Run IDs/logs.

G-TST-02 — Tested

Execute: Qualified AT/keyboard/reflow review of complete journeys.
Expected: Applicable criteria accepted after retest.
Evidence: Accessibility report.

G-TST-03 — Tested

Execute: Independent security assessment and blocker rescan.
Expected: No open launch-blocking finding.
Evidence: Assessor report.

G-DEP-01 — Deployed

Execute: Read actual build/commit/config/schema.
Expected: Approved target and candidate match.
Evidence: Deployment manifest.

G-DEP-02 — Deployed

Execute: Exercise authorized/denied actual-target journeys.
Expected: Persistence/denials/callbacks/queues correct.
Evidence: Target smoke report.

G-DEP-03 — Deployed

Execute: Test old/new app/functions with expanded database.
Expected: N-1 rollback compatible.
Evidence: Compatibility report.

G-AUT-01 — Institution-authorized

Execute: Validate target/cohort/data/operation approval and reviewers.
Expected: All authority current and scope-matched.
Evidence: Approval references.

G-AUT-02 — Institution-authorized

Execute: Withdraw/expire approval; attempt activation.
Expected: Fail closed; no scope fallback.
Evidence: Gate negative report.

G-AUT-03 — Institution-authorized

Execute: Run customer UAT and inspect acceptance.
Expected: Authorized approver accepts exact scope/limitations.
Evidence: Customer UAT.

G-PRD-01 — Production-enabled

Execute: Attempt use outside tenant/cohort/operation.
Expected: Denied in server/direct API/worker.
Evidence: Eligibility report.

G-PRD-02 — Production-enabled

Execute: Kill active risk feature; attempt dispatch.
Expected: Blocked within accepted measured bound.
Evidence: Kill drill.

G-PRD-03 — Production-enabled

Execute: Restore isolated DB plus matched objects/config.
Expected: Checksums/policies/provenance/read pass; RTO/RPO measured.
Evidence: Recovery record.

G-PRD-04 — Production-enabled

Execute: Page unavailable primary and backup.
Expected: Acknowledgement/escalation meets accepted policy.
Evidence: Operated drill.

G-PRD-05 — Production-enabled

Execute: Export/delete/revoke/offboard including holds.
Expected: Complete policy-correct result; caches/queues handled.
Evidence: Privacy drill.

G-PRD-06 — Production-enabled

Execute: Observe approved operating window/outcome denominators.
Expected: SLO/error-budget/outcome/stop criteria accepted.
Evidence: Pilot closeout.

Domain approval requirements

D01 Identity and onboarding

Proposed roles: Identity, Security, Privacy; named owners UNASSIGNED.
Supplements: Account lifecycle; SSO/SCIM mapping; consent/retention.
Scenarios: Cross-device persistence;Forged identity denial;SSO deactivation;Export/erasure/legal hold;Interrupted sync retry;Scoped share revocation.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D02 Planning and degree

Proposed roles: Academic engineering, Registrar; named owners UNASSIGNED.
Supplements: Versioned catalogs; requirements fixtures; transfer/exception rules.
Scenarios: Nested prerequisites;Catalog-year change;Transfer/substitution;Schedule conflicts;Record access revocation;Official audit reconciliation.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D03 Registration

Proposed roles: Registration engineering, Registrar; named owners UNASSIGNED.
Supplements: SIS contract; transaction state machine; override authority.
Scenarios: Last-seat race;Idempotent replay;Timeout after commit;Eligibility change;Swap failure;Kill queued commands.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D04 Courses and teaching

Proposed roles: Learning engineering, Faculty; named owners UNASSIGNED.
Supplements: Publishing model; syllabus fixtures; enrollment access; course AI policy.
Scenarios: Draft visibility;Roster removal;Conflicting syllabus extraction;TA capabilities;Import conversion;Archive/export.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D05 Assignments and work

Proposed roles: Productivity engineering, Faculty; named owners UNASSIGNED.
Supplements: Submission state machine; timezone rules; files/docs; offline and nested-tab contracts.
Scenarios: Canonical deadline;Interrupted submission;Offline conflicts;Stable nested-tab links;Selective sharing;Tree keyboard navigation.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D06 Study and tutoring

Proposed roles: Learning engineering, Tutoring operations; named owners UNASSIGNED.
Supplements: Approved-source evals; tutor/booking policy; staffed escalation.
Scenarios: Grounded answers;Retrieved prompt injection;Course AI restriction;Booking race;Timezone reschedule;Tutor escalation.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D07 Grades and progress

Proposed roles: Gradebook engineering, Faculty, Registrar; named owners UNASSIGNED.
Supplements: Grading fixtures; release matrix; passback/correction procedure.
Scenarios: Weighted grade fixtures;Unauthorized release;Passback replay/order;Approved corrections;Private/official labels;N-1 compatibility.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D08 Advising and support

Proposed roles: Advising, Support, Privacy; named owners UNASSIGNED.
Supplements: Caseload/consent matrix; referral taxonomy; sensitive exclusions; rota.
Scenarios: Caseload denial;Share expiry;Case reassignment;Backup escalation;Sensitive record exclusion;Referral closeout/export.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D09 Career and portfolio

Proposed roles: Career engineering, Career services; named owners UNASSIGNED.
Supplements: Portfolio schema; postings; credential authority; employer controls.
Scenarios: Selective publication;Employer revoke;Posting review;Export fidelity;Credential tampering;Mentor deauthorization.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D10 Campus and community

Proposed roles: Community engineering, Trust and Safety; named owners UNASSIGNED.
Supplements: Moderation/appeals; safety escalation; campus source owners.
Scenarios: Nonmember denial;Block consistency;Report escalation;Appeals;Event changes;Safe pseudonymity rollback.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D11 Housing, dining, services

Proposed roles: Campus services, Providers; named owners UNASSIGNED.
Supplements: Provider mappings; allocation/fulfillment; entitlements/refunds.
Scenarios: Allocation race;Duplicate orders;Provider uncertain outcome;Kill with refund path;Residence privacy;Database/file restore.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D12 Money and finance

Proposed roles: Finance engineering, Finance, Counsel; named owners UNASSIGNED.
Supplements: Money flow; accepted price book; tax/accounting; processor/ledger controls.
Scenarios: Webhook replay/order;Renewal failure;Refund/dispute;Financial owner forgery;Provider/ERP reconcile;Checkout approval denial.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D13 Institution OS

Proposed roles: Institution engineering, Customer IT; named owners UNASSIGNED.
Supplements: Tenant/data map; migration/cutover; UAT; responsibility matrix.
Scenarios: Provision/deprovision;Two-person approval;Workflow retry;Dual run;Core held mode;Offboarding.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D14 Company OS

Proposed roles: Founder, Finance, Counsel, Operations; named owners UNASSIGNED.
Supplements: Entity/signing; actuals; agreements; insurance decision; staffed ownership.
Scenarios: Quote change reapproval;Invoice reconciliation;Student-record denial;Monthly close;Backup paging;Claim approval.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D15 Developer and partner

Proposed roles: Platform engineering, Partner operations; named owners UNASSIGNED.
Supplements: API/scopes; SDK sample; webhook contract; partner/security review.
Scenarios: Token/scope denial;Webhook forgery/replay;Sandbox separation;Key revoke;Version compatibility;Scope expansion approval.
All applicable shared gates required; scope/approver/expiry/target unresolved.

D16 Governed AI

Proposed roles: AI engineering, Security, Privacy; named owners UNASSIGNED.
Supplements: AI inventory; provider/model/tool policy; eval/red-team; incident ladder.
Scenarios: All-callsite gateway;Restricted-data denial;Injection/action denial;Budget race;Global/tenant kill;Invalid citations.
All applicable shared gates required; scope/approver/expiry/target unresolved.

Shared blockers

Candidate/target uncertainty; incomplete all-entry authorization/isolation; local/blob/duplicate authority; unwired adapters/async reconciliation; AI bypass/broker/evals; qualified accessibility acceptance; unstaffed support/paging; unproved recovery/privacy; customer/commercial authority; stale inventories and claim conflicts.

Artifacts

- A01 Product model: Scope; parity; critical journeys. Sign-off: Product/domain authority.
- A02 User screens: Roles/states; responsive; accessibility; consequences. Sign-off: Design/accessibility.
- A03 Data model: Canonical schema; authority; provenance; classification; retention. Sign-off: Data/Privacy.
- A04 Workflows: Commands/events; retries; approvals; compensation. Sign-off: Engineering/domain authority.
- A05 Policy controls: Hierarchy; enforcement; holds; kills. Sign-off: Security/Privacy.
- A06 Roles/capabilities: Least privilege; consent; expiry; revocation. Sign-off: Security/customer IT.
- A07 Audit: Integrity; event contract; access; retention. Sign-off: Security/domain auditor.
- A08 Support: Queue; staff/backup; escalation; articles; drills. Sign-off: Support.

- A09 Monitoring/SLO: Metrics; traces; sanitized logs; alerts; accepted targets. Sign-off: Reliability.
- A10 Documentation: User/admin/developer/operator guides; limitations. Sign-off: Product/Operations.
- A11 Test plan: Fixtures; runner bindings; negative/concurrency/recovery cases. Sign-off: QA/reviewers.
- A12 Release gate: SHA/deployment/config/schema/cohort/operation/evidence. Sign-off: Release authority.
- A13 Migration/rollback: Expand-contract; dual run; cutover; compensation; restore. Sign-off: Engineering/customer IT.
- A14 Commercial: Pricing/signing/payment/tax/insurance/terms. Sign-off: Finance/counsel.
- A15 Customer success: Training; baseline; outcomes; closeout; reference permission. Sign-off: Success/customer sponsor.
- A16 Operating owner: Named accountable/implementation/acceptance/backup. Sign-off: Founder/Operations.

Structured deployment and domain approval runbook

Status: proposed; nothing deployed or approved. Evidence snapshot is historical. Named signers and live targets unresolved.

Ownership

Each domain needs named accountable owner, implementer, acceptance authority and backup. Role suggestions in domain_audit.csv are not appointments. Professional/customer acceptance cannot be substituted by generated templates. Private approvals stay in controlled evidence storage.

Gate sequence

1. Scope: reconcile all 16 domains to granular capabilities; preserve broader institutional ambitions.
2. Baseline: pin exact candidate and actual hosting/API/functions/workers/DB/storage targets.
3. Evidence: bind every check to fixture version, runner, run ID, logs, reviewer, expiry and scope.
4. Implement: canonical durable data, least privilege, source authority, audit, retries and compensation.
5. Verify: functional/negative/concurrency/offline/AT/security/recovery/domain cases.
6. Deploy dark: additive migration rehearsal; N-1 compatibility; flags off; target smoke.
7. Accept: applicable professional/commercial/customer paper and UAT; accepted N/A rationale if valid.

8. Activate: exact tenant/cohort/operation, staffed support, alerts, measured kill/restore.
9. Observe: required pilot/dual-run window, complete outcome denominators and authority acceptance.

Candidate manifest

SHA; deployment; build/config digest; schema fingerprint; migration checksums; functions/workers; object backup version; policy and flag versions; target/tenant/cohort/operations; approvers; validity; known-good predecessor; compatibility evidence. Never include secret values.

Stop conditions

Stop affected operations for leaks, unauthorized official/financial writes, identity disclosure, corruption, missing approval/coverage, failed reconciliation or breached accepted thresholds. Blank numerical thresholds block activation; no fabricated SLA/RTO/RPO.

Rollback

Declare scope -> server kill -> verify direct API/worker denial -> pause/checkpoint producers/consumers -> quarantine uncertain in-flight outcomes -> scoped policy off/cache invalidation -> independently restore compatible page/API/functions/workers -> reconcile external source outcomes -> approved forward schema repair or isolated recovery -> restore matching file bytes and access state -> reconcile post-backup writes/revocations -> retest -> fresh acceptance -> bounded reactivation.
Keep refunds/cancellations available only through separately authorized remediation. Never replay irreversible commands blindly. Do not delete queues/receipts or wipe drafts. App rollback is not database/external-record/object restore.

Host caveats

Retrieved ROLLBACK.md describes GitHub Pages and separate functions; canonical host must be verified before using Vercel controls. Inspect Supabase Branching and migration ledger because automation outside repo workflows may apply schema. Build-time flags require rebuild/redeploy; server runtime policies must remain effective on prior client versions. Supabase DB backups do not include Storage object bytes. Restore can reintroduce old grants; current revocations must be reconciled.

Closure evidence

Exact accepted artifact IDs; all required executed test IDs; actual-target manifest; current approvals; named primary/backup and acknowledgement drill; kill/restore/rollback/privacy/offboarding records; completed dual-run/outcome gates. Decision stays HOLD while evidence missing/stale/withdrawn/mismatched.

Verification-script mapping

Existing account-sync, rollback, RLS/grants/definer checks and domain tests must be recovered from actual repository scripts and bound to candidate runs; names in historical evidence do not prove execution. evidence_gate.py is a local reference checker, not authentication or source-signature verification. All CSV application checks NOT RUN; runners UNBOUND. No exact shell command is invented for unknown app interfaces.

Source basis

User Completion register screenshot; prior GitHub reads of GO-NO-GO-DECISION.md, PRODUCT_LIVE_STATUS.md, COMPLETE_CAPABILITY_REGISTER.md, flags.ts and ROLLBACK.md . Project docs/native-platform/NATIVE_AUTHORITY_GATES.md defines sixteen artifact categories and authority gates. These sources do not establish current runtime or signed approval.