RFP FORM INDUSTRIAL PACKAGING



Head Office 21 Bandon Street PO Box 9573 Hamilton 3240 New Zealand NZ 0800 55 77 33 AU 1800 318 019 FAX +64 07 847 5316 sales@aurora-process.com aurora-process.com

SITE ADDRESS Co	OMPANY CONTACT COSITION
C	CONTACT
Po	OSITION
	Control
DECISION MAKER & PROCESS PI	HONE
BUDGET\$	MAIL
TIME CONSTRAINTS IN	NDUSTRY
CURRENT SYSTEM	
LIKES/DISLIKES	
BOTTOM LINES	
SOLUTION REQUIRED	


PRODUCT 1 (Additional on reverse)

Throughput	Temperature
Bulk Density	Moisture/Fat/Oil Content
Angle of Repose	Particle Size
Packaging Type	Form
Packaging Weight	Packaging Size
	Characteristics

EQUIPMENT SPECIFICATION/REQUIREMENTS

Construction	Electrical Supply		
Finish	Rating/Zone		
Cleaning	Pneumatic Supply		
Access	Controls		
Inlet/Feed	Outlet/Discharge		
Install/Commissioning	Servicing		

NOTES AND DRAWINGS



PRODUCT 2

Throughput	Temperature
Bulk Density	Moisture/Fat/Oil Content
Angle of Repose	Particle Size
Packaging Type	Form
Packaging Weight	Packaging Size
	Characteristics

PRODUCT 3

Throughput	Temperature
Bulk Density	Moisture/Fat/Oil Content
Angle of Repose	Particle Size
Packaging Type	Form
Packaging Weight	Packaging Size
	Characteristics

NOTES AND DRAWINGS







16 McPherson Road Smeaton Grange NSW 2567, Australia

AU 1800 318 019 admin@aurora-process.com aurora-process.com

BILL TO DATE INVOICE ABN 84 190 143 279 **ORDER INVOICE TERMS AURORA REF** SHIP TO

ITEM	DESCRIPTION	QTY	VALUE EACH	TOTAL
SHIPPING INFORM	ATION	Sub Total		
Courier:		GST		
Dispatched by:		Deposit Paid		
Dispatch Date:		TOTAL DUE		

BSB: 032-710 | ACCOUNT: 208611 Email remittances: accounts@aurora-process.com Please Reference Invoice Number

This invoice is subject to Aurora standard trading terms. We reserve the right to charge interest on all overdue balances.

PURCHASE ORDER



Head Office 21 Bandon Street PO Box 9573 Hamilton 3240 New Zealand NZ 0800 55 77 33 AU 1800 318 019 FAX +64 07 847 5316 admin@aurora-process.com aurora-process.com

VENDOR ADDRESS		INFORMATION
		Vendor number
		Vendor name
		Currency
		Payment Terms
		Delivery date
SEND INVOICE TO	DELIVER TO	ORDER
		DATE

LINE	ITEM ID	DESCRIPTION	QTY	UNIT PRICE	TOTAL

INSTRUCTIONS TO VENDOR — Ensure that the purchase order number is clearly displayed on your invoice. All goods must be accompanied by a packing slip quoting the purchase order number. This order is subject to Aurora Process Solutions standard terms of purchase.

Sub Total

GST

NET TOTAL

NOTES:

Safety in Handling Magnetic Separation Equipment

WARNING! PLEASE READ CAREFULLY















In some circumstances strong permanent Magnets or Magnetic assemblies can be dangerous and cause injury or inconvenience to persons or property. This warning MUST be read prior to handling Permanent Magnets and Permanent Magnet assemblies

1. DO NOT HANDLE, UNPACK, OR OPERATE MAGNETS OR MAGNETIC ASSEMBLIES IF YOU HAVE A CARDIAC PACEMAKER.

Persons with CARDIAC PACEMAKERS and other biomechanical devices/implants should avoid coming closer than 300mm from the working or field throwing surface of the permanent magnet. Specialist medical opinion must be sought before contravening the above recommendation.

2. ACCIDENTAL INJURIES CAUSED BY HANDLING PERMANENT MAGNETS.

- Magnets can violently 'fly' together or to onto other magnetic and ferrous objects causing severe pinching, lacerations to the skin, and entrapment.
- Magnets can shatter on impact causing eye injury. Eye protection should be worn when handling.
- Avoid flame, welding, oven heating, grinding or cutting of magnets. These procedures carry risk of oxygen absorption, possible shattering and demagnetisation.

CRITICAL CONSIDERATIONS

- Take special care when using tools within 300mm of magnets. Most tools are highly magnetic and will be violently attracted to the magnet potentially causing serious injury and damage.
- Avoid unnecessary handling, uninformed handling and assembly of permanent Magnets
- Persons under the age of 16 must not handle Magnets or approach within 300mm of unpackaged Magnets and Magnet assemblies.

- Avoid long term direct bodily contact with Magnets
- Keep Magnets away from head, heart and trunk
- Average continuous daily exposure should not exceed 20,000 Gauss
- Persons with CARDIAC PACEMAKERS or other active devices implanted in their body including metallic prosthetics must not handle or come into close (<300mm) proximity of Permanent Magnets or assemblies.



RFP FORM FOREIGN MATTER CONTROL



Head Office 21 Bandon Street PO Box 9573 Hamilton 3240 New Zealand NZ 0800 55 77 33 AU 1800 318 019 FAX +64 07 847 5316 sales@aurora-process.com aurora-process.com

AURORA CONTACT DATE				
SITE ADDRESS COMPANY		COMPANY		
		CONTACT		
DECISION MAKER & PROCESS		POSITION		
		PHONE		
BUDGET \$		EMAIL		
TIME CONSTRAINTS		INDUSTRY		
SOLUTION REQUIRED				
Existing Equipment:			Downstream Controls?	
General Location Description:			Area Rating/Zone:	
Process Location : Between			&	
Line Size & Orientation:				
PRODUCT 4 (A 12)				
PRODUCT 1 (Additional on re	everse)			
Throughput			Moisture Content	
Batch/Run Duration			Fat/Oil Content	
Bulk Density			Particle Size	
Angle of Repose		Form		
Product Temperature			Packaging Size	
Characteristics			CIP/Cleaning Temperature	
Magnet Cleaning Method	■ Manual ■ Automatic	■ Express	■ Sleeve ■ Other:	
Separation Duty	■ Intakes ■ Equip Protection	•		
Foreign Matter Type	<5mm >5mm	Stainless	■ Work Hardened SS ■ Rust ■ Other:	
Past Contamination Issues	- Comm	Otaliness	Work Hurderied GO Trade	
Client Magnet Standard				
Magnet Construction Spec	Food & Bev Dairy		■ Pharma ■ Chem ■ Other:	
Internal Finish	Tood & Bev Bally		External Finish	
Equipment Certification Req	■ ATEX ■ HACCP	■ IECEX	CE USDA Other:	
Housing Cleaning	Internal CIP		gh/Low Pressure Wipedown	
Connection Seal/Gasket Type	■ EPDM ■ Viton		Nitrile Other:	
Controls Req				
Electrical Supply Availability			Pneumatic Supply Availability	
Proximity to Other Instrumenta	ation			
Install/Commissioning Req				
Install, Operator & Service Acc	ess Limitations			
Inlet/Feed Type			Outlet/Discharge Type	
			<u> </u>	