13.03.2026
Stockholm, Sweden

Information Security Standard

Approved by CEO
12 March 2026

1 Introduction

Tradedoubler has an information security framework set up in order to protect the company, its customers and its employees from potential risks. The framework contains measures to ensure that confidentiality, integrity and availability of information is maintained. This security framework is applicable to all Tradedoubler employees, internal consultants and suppliers.

The ambition and principles for information security work within Tradedoubler is stated in the information security policy, along with roles and responsibilities. The standards in the framework contain rules set up to accomplish the goals and principles stated in the information security policy. Guidelines in the framework provide direction within information classification and when using portable devices for accessing the Tradedoubler IT environment. Topics related to personal data and GDPR are covered by a number of policies and a handbook, each addressing personal data in different contexts. A data breach policy is established, addressing any breach of personal data.

The rules in the framework must be followed by all employees to ensure that information is processed and modified correctly, including personal data. In the case of violations of the information security framework rules, Tradedoubler reserves the right to exercise disciplinary actions which ultimately could result in termination of employment.

For any queries regarding the content of this document or interpretation of certain rules, the nearest manager or CISO should be contacted.

1.1 Information Security Compliance with ISO 27001

Tradedoubler follows the security practices and framework set up in the ISO 27001 standard. According to this standard a company should have measures in place within the following areas:

- Information Security Policy
- Organization of Information Security
- Human Resources Security
- Asset Management
- Access Control
- Change Management
- Physical Security
- Operations Security
- Communications Security
- Compliance
- Control of the abidance of the rules

- Cloud Security

This document defines the internal rules of Tradedoubler within the above areas.

1.2 Information Security Policy for Tradedoubler

The information security policy for Tradedoubler is approved by the Group CEO and published on the Tradedoubler's SharePoint/Teams.

The policy sets up guiding principles and responsibilities for information security related work within Tradedoubler. The CEO is ultimately responsible for the information security within the Tradedoubler Group. The day-to-day management of security matters is delegated to the Chief Information Security Officer (CISO). The Engineering Leadership is responsible for the IT production. According to the policy, all information security related incidents should be reported to the CISO, Compliance & Legal Director and the DPO. Further all employees should receive security education within the company.

2 Organization of Information Security

Areas for which assigned roles are responsible are stated in this section.

2.1 System Owners' Responsibility

2.1.1: System owners are responsible for the overall security of their system. This responsibility also includes controls, log reviews, access control audits and proposed actions when deviances are detected, as well as adherence to this Information Security Standard.

2.2 System Administrators' Responsibility

Besides the responsibilities set upon the system owner, the system administrators have a greater knowledge of the individual IT system.

2.2.1: System administrators are responsible to set security rules, enforce access control, access logging as well as to implement minimum security baselines.

3 Mobile Devices

A mobile device (smartphone, tablets and laptops) represents an asset consisting of its hardware, its information content and its abilities to connect to Tradedoubler's network. All these factors may present a risk for the company. All rules concerning laptops are also applicable to advanced mobiles or other portable or stationary computers.

Two categories of mobile devices are used within Tradedoubler's IT environment. These are:

- Tradedoubler owned, and
- Privately owned.

Privately owned devices are allowed to connect to Tradedoubler's network, if they satisfy the security requirements listed below. Users are responsible for their mobile devices, and that they satisfy all the requirements.

To comply with Tradedoubler data protection policy all mobile devices must have Intune Company Portal installed and connected.

3.1 Security Requirements for Mobile Devices (laptops, smartphones, tablets)

3.1.1: All devices must have Intune Company Portal installed and connected.

3.1.2: Released patches must always be applied to mobile devices within one week of their release. If the user administers his/her own device, the user is responsible for patching the mobile device.

3.1.3: Laptops and phones are not allowed to be left unattended on desks outside ordinary work hours. Mobile devices must be carried home or placed in locked cabinets.

3.1.4: All sensitive data must be backed up on a SharePoint/Teams repository or on a, by Tradedoubler, appointed solution (e.g., cloud service).

3.1.5: The use of non-approved cloud-based applications to backup Tradedoubler's data is not allowed.

3.1.6: All laptops must be password protected.

3.1.7: Laptop password shall follow the general password directives regarding complexity (see requirement 6.3.1).

3.1.8: Mobile phones and tablets shall have screen lock and require at least PIN or biometric authentication for log-in. The PIN shall consist of at least 6 digits.

3.1.9: All mobile devices must only contain licensed software, acquired by either the owner or the company for whom the owner works.

3.1.10: All mobile devices must have screen lock activated, with a password/PIN/biometric verification after a maximum of 5 minutes inactivity.

3.1.11: All smartphones and tablets must have an account lockout threshold, locking the devices after maximum 10 failed login attempts.

3.1.12: All mobile devices must use full disk encryption. For laptops the password must satisfy the general password requirements regarding complexity.

3.1.13: If any confidential information is stored directly on the mobile devices, then it must be separately encrypted (AES 256 with a password satisfying the general password requirement).

3.1.14: All laptops must be installed with local firewall, antivirus software, and Endpoint Detection and Response (EDR). The antivirus software must be updated daily with the most recent definitions, have real-time protection activated and a scheduled scan shall be performed on a weekly basis.

3.1.15: The loss of any mobile device must be reported to the nearest manager within one day. The following information should be given:

- Circumstances about the loss.
- If the mobile devices were Tradedoubler owned or personal.
- Crime Reference Number (if equipment is stolen).
- Current information stored on the laptop.
- If the information was encrypted or not.
- A copy of the police report, if already made.

3.1.16: The loss of other IT-equipment such as data media and printed documents must be reported to the nearest manager if there are any doubt about the value of lost information or consequences of the loss.

3.2 Tradedoubler owned Windows PC

The following requirements applies to Tradedoubler owned Windows PC.

3.2.1: All Tradedoubler laptops with Windows installed should be part of the Tradedoubler domain and thus under the security control of the system administrator.

3.2.2: An employee must not modify, or in any way alter, a Tradedoubler laptop with Microsoft Windows installed without the approval of Corporate IT.

4 Human Resource Security

This section ensures that Tradedoubler and its employees are aware of and fulfil their information security responsibilities.

4.1 Legal Issues

Tradedoubler systems handle information regarding company advertisers and their customers which often are private persons. Regardless of the sensitivity of the stored information, Tradedoubler employees should treat all data that can contain personal data as confidential and may not deliver nor share this information to external parties without written approval from Compliance & Legal Director or DPO.

4.1.1: Tradedoubler employees are not allowed to disclose information collected in Tradedoubler's systems.

4.2 Trade Secrets

Tradedoubler's trade secrets as well as other customer's and business partner's trade secrets are protected by law.

4.2.1: Tradedoubler employees are not allowed to disclose confidential information belonging to Tradedoubler, its customers or its business partners to other parties.

4.3 Employment and Leave of Employment/ Termination of Contract

Employment routines and intellectual property rules should be enforced.

4.3.1: Line managers should ensure that all new employees and employees that are leaving are reported to both HR and Corporate IT for notice, issuing or withdrawal of accounts and IT assets such as computers, laptops, external accounts and filed information. See User Termination Workflow in the Access Right Management Standard.

4.3.2: All information produced or managed by the employee should remain the intellectual property of Tradedoubler.

4.4 Email and Internet Use

When using and communicating through Tradedoubler computer systems employees are expected to act responsibly and respectfully. Every site visited or email sent from an

internal system will be registered as if sent by Tradedoubler. Some private use of internet is accepted if it does not cause any interference with work assignments. Note, if employees visit unsuitable websites or send malicious emails, it is likely that this will reflect badly on Tradedoubler. Therefore, the following rules are established to protect employees and Tradedoubler itself.

4.4.1: Employees must act responsibly and ethically when representing Tradedoubler through means of electronic communication.

4.4.2: Employees should not use Tradedoubler´s logotypes, office document layout or electronic mail with Tradedoubler signatures in private correspondence or writings. Tradedoubler's logotype and business document layouts are for official use only.

4.4.3: Downloading of files or programs is not accepted if not to be used for work purposes. If there are uncertainties on whether a program or file can be downloaded, users should register a case at Helpdesk portal. Each employee is personally responsible for what they download.

4.4.4: Employees should always follow Tradedoubler corporate standards regarding electronic mail use, including the use of formal language, proper choice of recipients, omission of either outdated or improper content and the use of confidentiality procedures including the use of encryption (See Tradedoubler's Information Classification Guidelines).

4.4.5: Employees are not allowed to visit internet sites with sexually explicit, prejudice, illegal or otherwise inappropriate content using Tradedoubler computer systems or network resources.

4.4.6: Tradedoubler has the right to monitor all access to Internet sites from its internal network, to block access to Internet sites and to take disciplinary actions if rules are not followed.

4.4.7: Tradedoubler owns any communication sent via email or that is stored on company equipment. Management and other authorized staff have the right to access any material in employee email or computer at any time. Employees should not consider electronic communication, storage or access to be private if it is created or stored at work.

4.5 Safe AI Use

4.5.1: Employees must only use AI tools approved by Tradedoubler.

4.5.2: Only information classified as Internal (or lower) is allowed to be put into AI tools.

4.5.3: End users are responsible for the accuracy of AI-generated content. All AI-generated output must be reviewed and verified by a human before use. Automated responses, such as automated processes, AI-generated email or code, require human approval before execution.

4.5.4: Tradedoubler's information must not be used to train external AI models.

4.5.5: Sensitive personal data must not be used in AI-tools.

4.6 Personal and User Data Protection (GDPR)

Data protection laws must be considered when handling with data relating to individuals (personal data). Foremost is the General Data Protection Regulation (GDPR) applicable.

Personal data is defined as all information that directly or indirectly may identify a living individual. Processing of personal data is almost anything that can be done with personal data, from collecting it, recording, using, storing, sharing, transferring, amending and destroying it - or simply having it. Personal data shall always be classified as "confidential information".

The below listed documents contain Tradedoubler's goals, ambitions and requirements with regards to personal data and the General Data Protection Regulation (GDPR):

- External Privacy Policy (client, publisher, web visitor and user's personal data).
- Accounting & Personal Data Policy (payroll and publisher payment data).
- GDPR Client Policy (advertisers and publisher's employee personal data).
- Human Resources & Personal Data Policy (applicant and employee personal data).

Each of the above document deals with the processing of personal data in different contexts. Any requirements described in the listed documents must be followed by all Tradedoubler personnel.

5 Asset Management

The purpose of asset management is to identify organizational assets and define suitable protection responsibilities.

5.1 Information Classification and Handling

The Information classification guidelines for Tradedoubler is approved by the Group CEO and published on Tradedoubler's SharePoint/Teams in a separate document.

For laptops, data media, e-mail communication as well as network access the Information classification guidelines states rules about the necessary level of protection for information that is communicated or stored.

Examples of information requiring the highest level of classification (confidential) are personal data, financial reports, board material and security function sensitive data.

Handling routines for personal data are described in the following polices (depending on processing purposes):

- External Privacy Policy (when managing client and user's personal data).
- Accounting & Personal Data Policy (when handling payroll and publisher payment data).
- GDPR Client Policy (when dealing with advertisers and publisher's employee personal data).
- Human Resources & Personal Data Policy (when managing applicants and employee's personal data).

The handling of personal data according to these policies are designed to ensure compliances with the General Data Protection Regulation (GDPR).

5.2 Computer and Cloud Assets

The goal is that Tradedoubler at any time shall be able to list all active cloud entities under its responsibility and control.

5.2.1: CTO is responsible for that an updated list of all current IT-assets can be shown upon request. The list shall contain at least:

- Name of the asset.
- IP-address or other unique ID for the asset.
- Responsible vendor for the asset (e.g., Amazon, Google, etc.).

6 Access Control

Access control rules define rights and restrictions for system owners, system administrators and users towards Tradedoubler assets, to limit access to information.

6.1 Administrative Passwords

System administrators should never allow end users to have less secure passwords than stated under the user responsibilities section. Further, the system administrator should use a strong password for administrative purposes.

6.1.1: Systems administrators should enforce the use of MFA or strong passwords in systems.

6.1.2: An administrative password should at least be 16 characters in length and should include at least one number, one special character, and consist of random characters.

6.2 Least Privilege Principle

Tradedoubler seeks to comply with the least privilege principle. All logins should be conducted with ordinary user privilege and privilege escalation should be used for only those commands that require administrative rights and are allowed to be executed by the user. Each system owner is responsible for ensuring that the least privilege principle is maintained in their system.

6.2.1: Systems owners should ensure that systems permit the use of least privilege principle and that its use is mandatory.

6.2.2: System administrators should ensure that normal users have access only to the data they need for their job.

6.2.3: System administrators should ensure that normal users log on only with their own credentials.

6.2.4: System administrators should only use privilege escalation for administrative tasks that are allowed to be executed by the user.

6.3 User Password and Account Management

Passwords are the primary control that Tradedoubler uses to protect information and system resources. Cyber attacks are often successful due to the existence of weak passwords within the system. Even if administrative rules could be set to require a certain complexity, length and a change interval, the user is still responsible for good password management.

A password should preferably consist of random characters (example: 1AxLp#T+2c). If the need exists to give out any password to someone within Tradedoubler, the password should be configured to be changed directly at the next logon.

Passwords are a very common target for social engineering attacks, where a person pretends to be someone else asking for a user's password. Users must never hand out their password to someone else in any kind of communication.

6.3.1: Passwords must be longer than 10 characters and include at least one number and one special character and consist of random characters.

6.3.2: Multi-factor authentication (MFA) shall be used where possible.

6.3.3: Personal password should never be given out. System administrators can reset a password, but they have no need for asking a password.

6.3.4: Passwords to Tradedoubler's different web applications should not be stored in any browsers input completion functionality; it is recommended to use a password manager program to store passwords instead.

6.3.5: Passwords should never be written down on reminder notes or stored in clear text.

6.3.6: Employees shall immediately use the report message function of their email client or register in the Helpdesk portal if they receive a suspicious looking email asking for their username and/or password.

6.4 Remote Access Connection Points

External connections for incoming traffic are typically set up as firewall, VPN-gateways, terminal services or similar technologies. It is possible to set remote access point with the help of external computers or by opening an internal computer to an external network with the help of an additional cellular or wireless network access card.

6.4.1: Any type of remote access point (for example SSH) must be approved by the Head of IT Operations.

6.5 Remote Access Security and Authentication

A remote workstation, such as a home computer or mobile device, could set Tradedoubler's network at risk if the computer has low security and is affected by a virus.

6.5.1: Remote access clients must comply with the Tradedoubler security standards. These includes the requirements placed on mobile devices (see chapter 3).

6.5.2: Remote logins to Tradedoubler's network are allowed only via a secure VPN connection having strong authentication mechanism (e.g. combination of IP address plus password or two factor authentication.)

6.5.3: When setting up a VPN connection to Tradedoubler, the default gateway must be set to go through Tradedoubler for all internet access.

6.5.4: Storing company documents on home computers is not allowed. If a remote connection is made, any documents handled must remain on Tradedoubler network. Exceptions may be made for public documents.

7 Change Management

Change management is the process behind planning, testing, executing and reviewing changes to Tradedoubler's IT environment and systems.

7 .1: All actions during change management shall be documented, including the change request, the testing and the approval. The documentation shall be performed in Jira.

7.2: Change requests shall include information about the nature of the change, rationale, impact assessment, and urgency.

7.3: Change tests shall include issues and solutions as appropriate in the development cycle. Testing of changes shall be performed in an environment similar to the production environment.

7.4: Changes shall be approved prior being implemented in the production environment. Changes are approved by the VP Product or the Head of Operations.

7.5: Segregation of duties shall be ensured during change management, it shall not be the same person that developes, approves and implement the change.

8 Physical Security

End user's computers should be placed in locations where only employees or registered visitors have access.

8.1: Workstation computers should be placed in access-controlled areas or protected by markings, engravings or similar protection.

8.2: Fire detections systems must be installed in computer rooms.

8.3: Computer rooms must have fire extinguishing systems adapted for computer rooms, i.e. Carbon dioxide or Halon substitutes.

8.4: Controls must be in place to prevent water damage to computer equipment in computer rooms. At least water pipes should be isolated, and floor/cabinets raised to prevent damage to computer equipment.

9 Operations Security

The following section describes measures by Tradedoubler to protect against malware and data loss.

9.1 Systems and Vulnerability Scans/Penetration Test

Most modern systems have internal commands and tools for audit and compliance scanning. It is the responsibility of a system owner and system administrator to select such functions or tools, to select settings and objectives and then to conduct these scannings.

9.1.1: Vulnerability scans of external facing systems/IP-adresses belonging to Treadedoubler's asset list, must be performed monthly and the results presented at Tradedoubler Security Council.

9.1.2: Extended external vulnerability scans, including web application vulnerability scans, shall be performed every quarter and the results presented at Tradedoubler Security Council.

9.1.3: Penetration tests and credentialed scan shall be decided adhoc by Tradedoubler Security Council. They must be performed at least annually.

9.2 System Updates

All systems should be updated on a regular basis and according to the system supplier's recommendations. Critical updates for clients should be applied within a week from the patch being available allowing for a functionality testing and release of the update within internal deployment schemes. For assets in the cloud, the same requirements apply.

9.2.1: Systems administrators should test and apply critical workstation's updates within one week.

9.2.2: Systems administrators should on a monthly basis identify workstations that fail to apply critical updates and determine the reason of failure.

9.2.3: Systems administrators should apply critical updates to production environments connected to the Internet within a month.

9.2.4: System administrators shall test and apply updates to other environments within at least two months.

9.3 Central Data Backup

Tradedoubler's IT providers/cloud hosting partners take back up of all assets according to standard routines, for each asset a predefined backup plan should be followed.

9.3.1: The following systems shall have the following backup frequency and retention times:

System	Backup frequency	Retention time
Data bases	daily	Daily: 90 Weekly: N/A Monthly: 6 Yearly: 0
Financial systems	daily	Daily: 365 Weekly: N/A Monthly: 6 Yearly: 0
CRM	daily	Daily:30 Weekly: N/A Monthly: N/A Yearly: N/A

9.3.2: Systems processing financial data shall be backed up according to each country's financial legislation.

9.3.3: System owners are responsible to ensure that backup schemas meet BCP objectives and a total loss of data could be handled.

9.3.4: System administrators are responsible to ensure that backup run has executed correctly and that all data has been backed up. Restore tests should be made by Tradedoubler.

9.3.5: Media taken offsite should either be encrypted or protected by locked case or other suitable protection.

9.4 Local Data Backup

Users are responsible for handling backups of any documents on their hard drives. Users should save any documents that are important for their day-to-day work on the Microsoft SharePoint/Teams provided by Tradedoubler. Any user of laptops should use the automatic synchronization functionality in Microsoft OneDrive to synchronize their desktop and documents directories with the cloud because of the inherent risk of the laptop being stolen.

9.4.1: End users are responsible for data files and documents stored on laptops or workstations. Further they are responsible to copy these data files and document to Microsoft SharePoint/Teams or appointed cloud services where they will be backed up.

10 Communications Security

Tradedoubler corporate network are provided for corporate applications. To provide a secure and reliable network, rules concerning network equipment and connection settings must be followed.

10.1 Network Standards

Tradedoubler expects all workstation to follow standard DHCP settings and do not assign IP-addresses, subnet masks or default gateways manually.

10.1.1: Only TCP/IP version 4 is allowed across the corporate network.

10.1.2: All equipment directly connected to the network should have been approved by the Corporate IT-department. This is valid for all computers, printers or other equipment with networking capabilities.

10.1.3: All allocation of IP-addresses within the corporate network should be made by the IT Operations department.

10.1.4: All external network encryption must be encrypted using standard encryption protocols.

10.2 Wireless Networks

As wireless components are cheap the risk increases that local branch offices or local users bring wireless equipment, wireless access points or other wireless equipment and attach them to the corporate network.

10.2.1: Only Tradedoubler Corporate IT department is allowed to set wireless networks within the corporate network.

10.2.3: Tradedoubler has the right to define a wireless connection policy for any laptop or by administrative rules limit the networks to which access is allowed

11 Compliance

The following rules ensure that within Tradedoubler, copyright is not violated, and legal use of software is defined.

11.1 Software Requirements

Software distributors require that customer licensing and end user agreements should be kept. In addition, there is a possibility that a software package comes with malicious code. Therefore, it is crucial that users do not install software themselves, but instead contact Corporate IT if they need to have a particular software installed.

11.1.1: Licensed programs installed on Tradedoubler's computers are not allowed to be copied to other computers or to be used on home computer without approval by nearest manager.

11.1.2: Commercial licensed programs obtained elsewhere are not allowed to be installed on company computers. All programs installed on Tradedoubler owned computers must be bought and licensed by Tradedoubler.

11.2 Private Multimedia Files

11.2.1: Only legally bought media files can be stored on the user's workstation.

12 Cloud Service Providers

This chapter regards cloud services providers, including procurement of new cloud service providers and secure use of cloud services.

12.1 Procurement of Cloud Service Providers

12.1.1: New cloud service providers must be vetted by Tradedoubler and a due diligence performed before any contract is signed. The due diligence shall consider security controls related to physical, technical, and organizational security measures and compare them to security requirements defined in Tradedoubler's ISMS. The result of the vetting and due diligence shall be approved by CISO and Compliance & Legal Director.

12.1.2: Upon decision to procure a new cloud service provider, an agreement with the provider shall define the allocation of incident management responsibilities between the supplier and Tradedoubler. The responsibilities must be aligned with Tradedoubler's incident management process.

12.1.3: A contract between Tradedoubler and a cloud service provider must include requirements on compliance with GDPR and other data protection regulations. Tradedoubler must be allowed to audit the cloud/SaaS vendor to verify its compliance. The vendor may also provide one of the following reports/certification covering the services used by Tradedoubler to avoid a direct audit:

- ISO 27001 certification
- SOC2/SOC3 – report
- ISAE 3402 Type 2 – report

12.1.4: If personal data covered by GDPR is stored at resources belonging to the cloud vendor, the data must be physically stored within the EU or by EU approved countries. If sensitive personal data is stored at the cloud vendor, the cloud vendor and its resources must be owned by entities within EU or approved countries.

12.1.5: A supplier contracting sub-contractors shall ensure that the security controls agreed with Tradedoubler are propagated throughout the supply chain.

12.2 Secure Use of Cloud Services

12.2.1: Only explicitly approved information is allowed to be stored or processed in the cloud.

12.2.2: Data backups must be stored by the cloud service provider.

12.2.3: Data processed by a cloud service provider must be encrypted in transit and at rest.

12.2.4: Planned changes that will be performed by the cloud service provider must be notified to Tradedoubler before the changes are made.

13 Encryption

This chapter describes allowed basic encryption blocks to use for encryption of data in transit and at rest.

13.1 Allowed Encryption algorithms

13.1.1: For symmetric encryption the following algorithms and key lengths are allowed:

- AES-128
- AES-192
- AES-256

13.1.2: For asymmetric encryption the following algorithms and key lengths are allowed:

- RSA-2048 (and higher)
- ECC –256 (and higher)

13.1.3: To achieve secure hashes the following hash algorithms should be used when possible:

- SHA2-384
- SHA2-512/224
- SHA2-512/256
- SHA3 (Any algorithm)

13.2 TLS Encryption

13.2.1: When using TLS, only version TLS 1.2 or higher are allowed.

13.2.2: When using TLS only High Security groups are allowed. The following groups are allowed:

- TLS_AES_128_GCM_SHA256
- TLS_AES_256_GCM_SHA384
- TLS_CHACHA20_POLY1305_SHA256
- ECDHE-ECDSA-AES128-GCM-SHA256
- ECDHE-ECDSA-AES128-SHA256
- ECDHE-ECDSA-AES256-GCM-SHA384
- ECDHE-ECDSA-CHACHA20-POLY1305
- ECDHE-ECDSA-AES256-SHA384
- ECDHE-RSA-AES128-GCM-SHA256
- ECDHE-RSA-AES128-SHA256
- ECDHE-RSA-AES256-GCM-SHA384
- ECDHE-RSA-CHACHA20-POLY1305
- ECDHE-RSA-AES256-SHA384

- AES128-GCM-SHA256
- AES256-GCM-SHA384
- AES128-SHA256

13.2.3: HSTS flag must be activated on all internet facing TLS-based services.