

Harry Lo <harrykhlo@gmail.com>

# NK Windows Q5991 - 2 Rapere St

1 message

**NK Windows** <info@nkwindows.co.nz>
To: harrykhlo@gmail.com

Thu, Jan 26, 2023 at 11:47 AM

Hi Harry,

Thank you for the opportunity to quote some nice warm windows and doors for your home!

Attached below is our quote for a total of 7 doors, in our standard Anthracite Grey entrance/French doors and smart-slider frames. Included in the total is delivery to site by NK Windows.

As options we have offered two alternatives to further improve the thermal performance of the glass, which we strongly recommend. Also as options is the upgrade from Anthracite Grey to Black colour, and the cost for NK to install the doors.

Have a look and let me know what you think! Please feel free to email or call if you have any questions. There are a couple ways to make this quote cheaper, if you would like to go through these we can meet again in the showroom.

Thanks, Tani Renovation Sales Representative


#### **NK** Windows

17 Hammersmith Drive Wigram Christchurch 8042

Phone: 03 344 3126

Email: info@nkwindows.co.nz www.nkwindows.co.nz

Disclaimer: The information in this email (including attachments) is confidential and may be legally privileged. If an addressing or transmission error has misdirected this email, please notify the author by replying to this email and destroy the message. If you are not the intended recipient, any use, disclosure, copying or distribution is prohibited and may be unlawful.



### NK Windows

P. 03 344 3126 E. info@nkwindows.co.nz

17 Hammersmith Drive Christchurch 8042

www.nkwindows.co.nz



Project: Q5991 - Lo / Date: 26/01/2023

# **Client Quote**

Client: Harry Lo
Phone: 021 0282 4346
Email: harrykhlo@gmail.com
Project: 2 Rapere Street, Rolleston

We appreciate the opportunity to provide you with a quote for NK Windows uPVC Joinery. We hope this quote meets your requirements, but if you want any changes or have any questions please get in contact.

#### This quote includes:

- Aluplast uPVC joinery, with BRANZ approval (Appraisal No. 1005 August 2019)
- Joinery Colour **Two Sided Foil Anthracite Interior / Anthracite Exterior.** Imported from Germany, 5-6 months lead time. See Upgrades for other colour options
- Multi-point locking hardware, with galvanized steel reinforcement and double EPDM rubber seals
- 24mm double glazing with warm edge spacer
- · Safety and obscure glass where specified
- 25/140mm Primed Pine internal reveals
- Final detailed site measure
- Delivery to Site
- One free service call

#### This quote does not include:

- · Removal and disposal of existing windows
- Installation Labour & Materials as required (Builder to complete install)
- Glass thermal performance upgrades see Upgrade Options
- Architraves
- Stopping or painting of any timber components (architraves, reveals/liners, mouldings, scribers, facings etc.)
- Any additional construction work required, that is discovered after removal of existing windows

#### **Quotation Notes:**


The following are typical complete Window R Values for our uPVC frames:

Glazing	Low E Coating	Argon Gas	R Value
Double	None	No	0.39
Double	EnergySaver	No	0.56
Double	LightBridge	Yes	0.77
Triple	LightBridge	Yes	1.04

#### Notes:

- Window R values are based on DIN EN 10077-1
- See the Upgrade Options at the end of the quote for pricing
- We recommend double glazing with LightBridge to achieve a comfortable living standard
- Please note the Upgrade Options at the end of the quote. These are not included in the total
- This quote is valid for 90 days
- Orders under \$7,500 +GST will incur a Small Job Fee of \$425 +GST, when NK Windows is carrying out the installation
- Please refer to the following Key to interpret the individual item drawings in the quote:

# **KEY**



- All windows are shown as viewed from the outside. Please note the opening style on the quote
- o Images of handles and hinges are to indicate opening sides and are not representative of the finished product.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 2 of 10
 Printed on: 26/01/2023

Size:	2,675.0 mm x 2,105.0 mm			
Profile System:	Smart Slide System / Special Fo	il		
Frame:	Frame 56x140mm (CL) with Fla Special Foil	nge 30mm / Special Foil, Frame 56x1	40 mm (CL) - Top usage with Flange 30mm /	
Sash:	Sliding Sash 97mm (CL) / Speci	al Foil		
Extra:	Reveal - Primed Pine 25/140mn	Reveal - Primed Pine 25/140mm / Primed Pine		
Fittings:	Roto Patio Inowa	Roto Patio Inowa		
Glass:	4 Clear Tough out - 4 Clear Tou	igh in (24.0 mm), 4 Clear Tough out	- 5 Clear Tough in (24.0 mm)	
Architrave:	None			
Add-ons Cill:	None			
Additional Timbers:	None			
Installation holes:	TBD	TBD		
Support Bars: 19mm WANZ Bar				
Support Bars Add-On:	None			
Tapes:	No			
Gear:	No Key - Handle Inside Only			
Handle:	Roto Alversa with Flush Pull Ou	tside		
Handle Colour Inside:	Silver			
Handle Colour Outside:	Silver			
Cylinder:	N/A			
T		Computed Values		
		Unit Price	7,830.16 \$	
ا∭ٰ	500	Quantity	1 pcs	
8		Value	7,830.16 \$	
H=2,106.0	37.5—1,337.5— —W=2,675.0—			

Viewed from outside.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 3 of 10
 Printed on: 26/01/2023

002 - Living				
Size:	608.8 mm x 2,015.0 mm, 1,472.5	5 mm x 2,035.0 mm, 608.7 m	ım x 2,035.0 mm	
Profile System:	Ideal 4000 Classic Line System 7	70 mm / Special Foil		
Frame:	Frame 70 mm / Special Foil, Fra	Frame 70 mm / Special Foil, Frame 70 mm 5c. (Flange + 30 / IN) / Special Foil		
Sash:	Window Sash Z 77 mm / Specia	l Foil, Door Sash T 105 mm ,	/ Special Foil	
Extra:		Reveal - Primed Pine $25/140$ mm / Primed Pine, Connecting section 30 mm [T / NT] / Special Foil, H-coupling $2.5$ mm medium ( $23 \times 78$ mm) for 70 mm construction depth [T / NT] / Special Foil		
Fittings:	MACO Multi-Matic Hardware			
Glass:	5 Clear out - 5 Clear in (24.0 mr	n), 4 Clear Tough out - 4 Cle	ear Tough in (24.0 mm)	
Architraves:	None			
Add-ons Cill:	None			
Additional Timbers:	None			
Installation hole:	TBD	TBD		
Support Bars:	19mm WANZ Bar	19mm WANZ Bar		
Tapes:	No			
Handle:	MACO Harmony Key Entry, MAC	O Harmony Tilt & Turn		
Handle Colour:	Silver			
Hinge Colour:	Anthracite Grey, Silver			
Restrictor:	No			
Gear:	Key Entry - Handle both sides (E	BTV)		
Hinge:	M-Tech II			
Cylinder :	Key to Thumbwheel			
Door Extras:	None			
1600	.0 - 1,475.0 - 1600.01	Computed Value	es	
TJI		Unit Price		7,569.92 \$
H=2,015.0 1.0+1,215.0 H=2,035.0 H=2,035.0 -2,015.0		Quantity		1 pcs
		Value		7,569.92 \$
I g 🔽	**************************************			

Viewed from outside. Opens inwards, outwards.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 4 of 10
 Printed on: 26/01/2023

Size:	2,675.0 mm x 2,105.0 mm			
Profile System:	Smart Slide System / Special Fo	il		
Frame:			40 mm (CL) - Top usage with Flange 30mm /	
Sash:	Sliding Sash 97mm (CL) / Speci	al Foil		
Extra:	Reveal - Primed Pine 25/140mm	Reveal - Primed Pine 25/140mm / Primed Pine		
Fittings:	Roto Patio Inowa	Roto Patio Inowa		
Glass:	4 Clear Tough out - 5 Clear Tou	gh in (24.0 mm), 4 Clear Tough out -	4 Clear Tough in (24.0 mm)	
Architrave:	None			
Add-ons Cill:	None			
Additional Timbers:	None			
Installation holes:	TBD	TBD		
Support Bars: 19mm WANZ Bar				
Support Bars Add-On:	None			
Tapes:	No			
Gear:	No Key - Handle Inside Only			
Handle:	Roto Alversa with Flush Pull Out	cside		
Handle Colour Inside:	Silver			
Handle Colour Outside:	Silver			
Cylinder:	N/A			
T 1	11 1	<b>Computed Values</b>		
		Unit Price	7,830.16 \$	
9		Quantity	1 pcs	
8		Value	7,830.16 \$	
-+- -1,337.5 → 1,337.5 → 				

Viewed from outside.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 5 of 10
 Printed on: 26/01/2023

004 - Bedroom 3				
Size:	958.7 mm x 2,015.0 mm, 83	33.7 mm x 2,015.0 mm		
Profile System:	Ideal 4000 Classic Line Syst	tem 70 mm / Special Foil		
Frame:	Frame 70 mm / Special Foil IN) / Special Foil	rame 70 mm / Special Foil, Frame 70 mm 5c. (Flange + 30 / OUT) / Special Foil, Frame 70 mm 5c. (Flange + 30 / N) / Special Foil		
Sash:	Door Sash T 105 mm / Spe	oor Sash T 105 mm / Special Foil, Window Sash Z 77 mm / Special Foil		
Extra:	Reveal - Primed Pine 25/14 depth [T / NT] / Special Fo	Reveal - Primed Pine 25/140mm / Primed Pine, H-coupling 2.5 mm medium (23 x 78 mm) for 70 mm construction depth [T / NT] / Special Foil		
Fittings:	MACO Multi-Matic Hardware	e		
Glass:	4 Clear Tough out - 4 Clear	Tough in (24.0 mm), 5 Clear out - 5 Clear in (	(24.0 mm)	
Architraves:	None			
Add-ons Cill:	None			
Additional Timbers:	None	None		
Installation hole:	TBD	TBD		
Support Bars:	19mm WANZ Bar	19mm WANZ Bar		
Tapes:	No			
Gear:	Key Entry - Handle both sid	les (GTS)		
Handle:	MACO Harmony Tilt & Turn	, MACO Harmony Key Entry		
Handle Colour:	Silver			
Hinge:	M-Tech II			
Hinge Colour:	Silver, Anthracite Grey			
Cylinder:	Key to Thumbwheel			
Door Extras:	None			
Restrictor:	No			
H	-950.0 + 825.0 +	<b>Computed Values</b>		
T		Unit Price	4,608.64 \$	
	0.50	Quantity	1 pcs	
50	)     \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Value	4,608.64 \$	
H=2,015.0	1 ± 2 0 ± 1 0 0 ± 1 0 0 0 0 0 0 0 0 0 0 0 0 0		1,000.0	

**─** 1,775.0 **─** 

Viewed from outside. Opens inwards, outwards.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 6 of 10
 Printed on: 26/01/2023

005 - Bed 2	222	2.015.0				
Size:	958.8 mm x 2,015.0 mm, 833.7 r	·				
Profile System:	Ideal 4000 Classic Line System 7	·				
Frame:	Frame 70 mm 5c. (Flange + 30 IN) / Special Foil	rame 70 mm 5c. (Flange + 30 / OUT) / Special Foil, Frame 70 mm / Special Foil, Frame 70 mm 5c. (Flange + 30 / N) / Special Foil				
Sash:	Door Sash T 105 mm / Special F	oor Sash T 105 mm / Special Foil, Window Sash Z 77 mm / Special Foil				
Extra:	Reveal - Primed Pine 25/140mm depth [T / NT] / Special Foil	n / Primed Pine, H-coupling	g 2.5 mm medium (23	3 x 78 mm) for	70 mm cons	struction
Fittings:	MACO Multi-Matic Hardware					
Glass:	4 Clear Tough out - 4 Clear Tou	gh in (24.0 mm), 5 Clear (	out - 5 Clear in (24.0	mm)		
Architraves:	None					
Add-ons Cill:	None					
Additional Timbers:	None					
Installation hole:	TBD					
Support Bars:	19mm WANZ Bar					
Tapes:	No					
Gear:	Key Entry - Handle both sides (C	GTS)				
Handle:	MACO Harmony Tilt & Turn, MA	CO Harmony Key Entry				
Handle Colour:	Silver					
Hinge:	M-Tech II					
Hinge Colour:	Silver, Anthracite Grey					
Cylinder:	Key to Thumbwheel					
Door Extras:	None					
Restrictor:	No					
H	825.0 + 950.0 →	<b>Computed Va</b>	lues			
III		Unit Price			4,608.64	\$
H=2,015.0 H=2,015.0 H=2,015.0 H=2,015.0		Quantity			1	pcs
		Value			4,608.64	\$

**─** 1,775.0 **─** 

Viewed from outside. Opens inwards, outwards.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 7 of 10
 Printed on: 26/01/2023

Size:	958.8 mm x 2.015.0 mm, 833.	7 mm x 2.015.0 mm	958.8 mm x 2,015.0 mm, 833.7 mm x 2,015.0 mm		
Profile System:		leal 4000 Classic Line System 70 mm / Special Foil			
Frame:	·	rame 70 mm 5c. (Flange + 30 / OUT) / Special Foil, Frame 70 mm / Special Foil, Frame 70 mm 5c. (Flange + 30 /			
Sash:	Door Sash T 105 mm / Specia	l Foil, Window Sash Z 77 mm / Special	Foil		
Extra:	Reveal - Primed Pine 25/140n depth [T / NT] / Special Foil	nm / Primed Pine, H-coupling 2.5 mm r	nedium (23 x 78 mm) for 70 mm construction		
Fittings:	MACO Multi-Matic Hardware				
Glass:	4 Clear Tough out - 4 Clear To	ough in (24.0 mm), 5 Clear out - 5 Clea	ar in (24.0 mm)		
Architraves:	None				
Add-ons Cill:	None				
Additional Timbers:	None	None			
Installation hole:	TBD	TBD			
Support Bars:	19mm WANZ Bar	19mm WANZ Bar			
Tapes:	No				
Gear:	Key Entry - Handle both sides	(GTS)			
Handle:	MACO Harmony Tilt & Turn, N	1ACO Harmony Key Entry			
Handle Colour:	Silver				
Hinge:	M-Tech II				
Hinge Colour:	Silver, Anthracite Grey				
Cylinder:	Key to Thumbwheel				
Door Extras:	None				
Restrictor:	No				
	⊢825.0 <del>+-</del> 950.0 →	<b>Computed Values</b>			
ŢŢ		Unit Price	4,608.64 \$		
50		Quantity	1 pcs		
=2,015.0- 1,215.0- 1,995.0 —		Value	4,608.64 \$		

Viewed from outside. Opens inwards, outwards.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 8 of 10
 Printed on: 26/01/2023

007 - Bedroom 4	0500 53153 555	20450			
Size:	958.8 mm x 2,015.0 mm, 833.7	·			
Profile System:	Ideal 4000 Classic Line System	<u> </u>			
Frame:	Frame 70 mm 5c. (Flange + 3 IN) / Special Foil	rame 70 mm 5c. (Flange + 30 / OUT) / Special Foil, Frame 70 mm / Special Foil, Frame 70 mm 5c. (Flange + 30 / N) / Special Foil			
Sash:	Door Sash T 105 mm / Special	Foil, Window Sash Z 77 mm	/ Special Foil		
Extra:	Reveal - Primed Pine 25/140m depth [T / NT] / Special Foil	m / Primed Pine, H-coupling	2.5 mm medium (23 x 78	mm) for 70 mm cons	struction
Fittings:	MACO Multi-Matic Hardware				
Glass:	4 Clear Tough out - 4 Clear To	ugh in (24.0 mm), 5 Clear o	ut - 5 Clear in (24.0 mm)		
Architraves:	None				
Add-ons Cill:	None				
Additional Timbers:	None	lone			
Installation hole:	TBD	TBD			
Support Bars:	19mm WANZ Bar	19mm WANZ Bar			
Tapes:	No				
Gear:	Key Entry - Handle both sides	(GTS)			
Handle:	MACO Harmony Tilt & Turn, M	ACO Harmony Key Entry			
Handle Colour:	Silver				
Hinge:	M-Tech II				
Hinge Colour:	Silver, Anthracite Grey				
Cylinder:	Key to Thumbwheel				
Door Extras:	None				
Restrictor:	No				
٠	825.0 + 950.0 →	Computed Value	ues		
T 1		Unit Price		4,608.64	\$
H=2,015.0— 0+1,215.0 0+1,215.0— H=2,015.0—		Quantity		1	pcs
		Value		4,608.64	\$
1.5	85.0 85.0				
H 000					

Viewed from outside. Opens inwards, outwards.

 Version: 3.6.65.5 (104.104.86)
 Project: Q5991 - Lo

 Page 9 of 10
 Printed on: 26/01/2023

1	004	Delivery - NK	1 p	ocs	567.40	\$
2	010	Final Measure	1 p	ocs	210.00	\$
3	015	Site Glazing - NK - all items	1 p	ocs	1,702.83	\$
4	A53	Aluminium Support Bar Packer 20x20x1.5mm in M	16 p	ocs	320.00	\$
5	M07	Fixing Screws per 100	2 p	ocs	80.00	\$
Tota	Total			2,880.23	\$	

Quote Total	
Joinery	41,664.82 \$
Services	2,880.23 \$
Value	44,545.05 \$
Goods & Services Tax	6,681.76 \$
Quote Total	51,226.81 \$

## **Upgrade Options** (additional cost)

Select	Upgrade Option	Excl. GST	Incl. GST	Additional Information
Yes / No	EnergySaver – Entry level single layer	\$720.61	\$828.70	Price includes all items.
1637110	Low Emissivity coating, no Argon gas	Ψ120.01	Ψ020.70	See link below for detailed
	LightBridge – Standard single layer			information on glass
Yes / No	Low Emissivity coating, single cavity	\$1,416.36	\$1,628.81	thermal performance
	Argon gas.			upgrades.
Yes / No	Special foil Interior and Exterior [Black	\$1,500.00	\$1,725.00	Imported from Germany,
162/110	/ Black]	φ1,500.00	\$1,725.00	5-6 months lead time
	Installation of frames - including air			
Yes / No	seal, interior & exterior finishing.	\$3,652.27	\$4,200.11	
	(Builder to complete all finishing work)			

Glass Thermal Performance Upgrades - https://www.nkwindows.co.nz/assets/Resources/NK-Windows-Glazing-Quote-Options.pdf

Warranty - https://www.nkwindows.co.nz/about-us/terms-and-conditions/

- 1. uPVC Profiles: 10 Years
- 2. Insulated Glass Units: 10 Years
- 3. Hardware: 10 Years Hinges, Gearboxes and Handles; 3 Years Friction hinges and Casement/Awning window handles; 2 Years – Cylinders; 1 Year – Flag Hinges

Terms & Conditions - https://www.nkwindows.co.nz/about-us/terms-and-conditions/

- 1. 30% deposit payable at time of final measure (includes 15% at order for imported profiles)
- 2. Balance payable seven (7) days after date of final invoice OR before pickup/delivery

## **Quotation signed and accepted**

I confirm the details of this quotation are correct as detailed in this document. I accept this quotation and the NK Windows Terms and Conditions of Trade as stated on the NK Windows website

Signed:	Dated:

Project: Q5991 - Lo Version: 3.6.65.5 (104.104.86) Printed on: 26/01/2023 Page 10 of 10