

Make Your Own Personal Website With Amazon Web Services

Based off: <https://aws.amazon.com/getting-started/projects/host-static-website/>

Cost Breakdown:

Registering a domain for 1 year with Route 53: usually around **\$12**

Using a hosted zone on Route 53 per month per domain: **\$0.50**

Hosting on S3 per month for a typical lightweight site: around **\$0.01** (yes that is one penny)

-

Total annual cost to host a static website: about **\$18.12**

*Note that you don't *have* to buy a domain and connect it to your S3 bucket. You could just shorten your S3 URL with something like www.tiny.cc, but having a dedicated domain looks nice!

Tutorial Outline

Part 1: Making a Local Site

Part 2: Buying a Domain (optional)

Part 3: Creating S3 Buckets

Part 4: Connecting Your Domain to Your S3 Buckets (optional)


Requirements

- Computer with Internet connection
- Credit card for your AWS account for online payments
- Programming experience helps, but is not necessary
- Willingness to learn :)


Part 1: Making a Local Site

<https://github.com/harryli0088/personal-website-workshop>

1) Click the link above. Click the green **Clone or download** button and click **Download ZIP** then unzip the project



2) Check out your local website! (Local means that the files are on your own computer, not somewhere else on the internet). Open your the folder you unzipped, then open **index.html** in your browser (Chrome, Firefox, no IE plz). You should see something like this



3) This is a template for you to edit with your own information! The site is laid out in a generic resume format and is even *reactive*, meaning that it is designed to look nice on wide computer monitors and narrow phone screens. You can open up the code in your favorite text editor. I personally like using Atom. You can download it here: <https://atom.io/> You could use something like Notepad but you will soon hate yourself.




4) Open up **index.html** in your text editor to edit. Everytime you see “<!-- EDIT THIS! -->”, it means there is something in that line that you should replace with your own information. For example, in line 5, replace “Your Name” with, of course, your name.

```
1 <!DOCTYPE html>
2 <!-- template made by Harry Li -->
3 <html>
4 <head>
5   <title>Your Name</title> <!-- EDIT THIS! -->
6   <meta name="viewport" content="width=device-width, height=device-height, initial-scale=1">
7   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
8   <meta name="description" content="search engine description here"> <!-- EDIT THIS! -->
9   <meta name="keywords" content="search engine keywords here"> <!-- EDIT THIS! -->
10  <link rel="stylesheet" href="main.css">
11 </head>
12 <body>
13  <button id="scroll-top-button" onclick="topFunction()">
```


Part 2: Buying a Domain (optional)

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/domain-register.html>


1) It's nice that we have this website locally, but we want anyone on the internet to be able to see it. We will be using **Amazon Web Services** (yes that Amazon) to host your site. Go to <https://aws.amazon.com/> and make an account.



2) In your **AWS Management Console**, search for “Route 53”. **Route 53** is Amazon’s service to manage domains.




3) Click one of the **Get started now** buttons



Amazon Route 53


You can use Amazon Route 53 to register new domains, transfer existing domains, route traffic for your domains to your AWS and external resources, and monitor the health of your resources.



DNS management

If you already have a domain name, such as example.com, Route 53 can tell the Domain Name System (DNS) where on the Internet to find web servers, mail servers, and other resources for your domain.
[Learn More](#)


[Get started now](#)



Traffic management

Route 53 traffic flow provides a visual tool that you can use to create and update sophisticated routing policies to route end users to multiple endpoints for your application.
[Learn More](#)


[Get started now](#)



Availability monitoring

Route 53 can monitor the health and performance of your application as well as your web servers and other resources. Route 53 can also redirect traffic to healthy resources.
[Learn More](#)

[Get started now](#)



Domain registration

If you need a domain name, you can find an available name and register it by using Route 53. You can also make Route 53 the registrar for existing domains that you registered with other registrars.
[Learn More](#)

[Get started now](#)

4) On the left-hand side, click the **Registered Domains** option

[Dashboard](#)

[Hosted zones](#)

[Health checks](#)

[Traffic flow](#)

[Traffic policies](#)

[Policy records](#)


[Domains](#)

[Registered domains](#)

[Pending requests](#)

[Create new hosted zone](#)

5) Click the **Register Domain** button



6) Search for available domains. You might end up spending a decent amount of time here. If your name is not available, try including your middle name initial. When you find one that you like, add it to your cart and continue.

1: Domain Search

2: Contact Details

3: Verify & Purchase

Choose a domain name

yourdomainhere .com - \$12.00

Availability for 'yourdomainhere.com'

Domain Name	Status	Price /1 Year	Action
yourdomainhere.com	✗ Unavailable		

Related domain suggestions

Domain Name	Status	Price /1 Year	Action
findyourdomainhere.com	✓ Available	\$12.00	<input type="button" value="Add to cart"/>
sellyourdomainhere.net	✓ Available	\$11.00	<input type="button" value="Add to cart"/>
yodohe.com	✓ Available	\$12.00	<input type="button" value="Add to cart"/>
yodohe.net	✓ Available	\$11.00	<input type="button" value="Add to cart"/>

7) Fill out some personal information to register the domain. Amazon should hide some of your information from outsiders. You can read more about their privacy policies here:

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/domain-privacy-protection.html>

Contact Details for Your 1 Domain

Enter the details for your Registrant, Administrative and Technical contacts below. All fields are required unless specified otherwise. [Learn more.](#)

My Registrant, Administrative and Technical Contacts are all the same: ☒ Yes ☐ No

Registrant Contact

Contact Type ⓘ	<div>Person</div>
First Name	<div></div>
Last Name	<div></div>
Organization ⓘ	<div>Not applicable</div>
Email	<div></div>
Phone	<div>+ 1 · 3115550188</div>

Enter country calling code and phone number

8) The email you enter will get a verification email to prove you have access. Verify that email and check the Terms and Conditions agreement to complete the purchase! You should see your new domain in your dashboard. Congrats! You have your own domain!! We will come back here later.


If you want, you can configure your domain to auto-renew every year. If you forget to renew, your domain will be back up for grabs!

Part 3: Creating S3 Buckets

<https://docs.aws.amazon.com/AmazonS3/latest/dev/website-hosting-custom-domain-walkthrough.html#root-domain-walkthrough-s3-tasks>

1) Go back to your AWS Management Console (you can click the aws logo) and search for “S3”. S3 stands for “Simple Storage Service”. It’s a cheap and fast way to store files and, in our case, to host static websites!

AWS Management Console




2) We will be creating two S3 buckets with the names:

example.com

www.example.com


IMPORTANT anytime you see this italicized, red text, replace it with the domain you purchased before.

3) To create a new bucket, click the **Create Bucket** button



4) Give your new bucket the name **example.com**


You can select any region you want, US East (N. Virginia) for example. It won't really affect your site as long as you select a region close to you.



The screenshot shows the 'Create bucket' dialog in the AWS S3 console. The dialog has a blue header with the title 'Create bucket' and a close button. Below the header is a progress bar with four steps: 1. Name and region, 2. Configure options, 3. Set permissions, and 4. Review. The first step, 'Name and region', is currently active. It contains three input fields: 'Bucket name' with the value 'example.com', 'Region' with the value 'US East (N. Virginia)', and 'Copy settings from an existing bucket' with the value 'You have no buckets0 Buckets'. At the bottom of the dialog are three buttons: 'Create', 'Cancel', and 'Next'.



5) Move past the configure options and set permissions, leaving the defaults. Create your new bucket. Congrats! You created your first S3 bucket!! Now repeat steps 3 to 5 but with a new bucket name **www.example.com**

6) Click your **example.com** (no www) bucket and the **Upload** button to begin uploading files.



The screenshot shows the 'Overview' tab of an S3 bucket. The page has a light blue header with the title 'Overview' and a 'Properties' tab. Below the header is a toolbar with four buttons: 'Upload', '+ Create folder', 'Download', and 'Actions'. The 'Upload' button is highlighted with a yellow border. Below the toolbar is a large light blue rectangular area.

7) Upload everything in the **upload-stuff-in-here** folder. You must drag and drop your files and folders into the UI. Otherwise, S3 doesn't let you upload folders for some odd reason.



8) Leave the defaults for **Configure options**.

On **Set permissions**, under **Manage public bucket policies for this bucket**,

- uncheck both options

- **Block new public bucket policies (Recommended)**

- **Block public and cross-account access if bucket has public policies (Recommended)**

This will allow us to configure the public read settings of the bucket later.

✓ Name and region ✓ Configure options 3 Set permissions 4 Review

Note: You can grant access to specific users after you create the bucket.

Public access settings for this bucket

Use the Amazon S3 block public access settings to enforce that buckets don't allow public access to data. You can also configure the Amazon S3 block public access settings at the account level. [Learn more](#)

Manage public access control lists (ACLs) for this bucket ⓘ

- ☒ Block new public ACLs and uploading public objects (Recommended) ⓘ
- ☒ Remove public access granted through public ACLs (Recommended) ⓘ


Manage public bucket policies for this bucket ⓘ

- ☐ Block new public bucket policies (Recommended) ⓘ
- ☐ Block public and cross-account access if bucket has public policies (Recommended) ⓘ

9) Click past review and upload your files! Your website files are now uploaded!

Overview	Properties	Permissions	Management
Q Type a prefix and press Enter to search. Press ESC to clear.			
Upload + Create folder Download Actions ▾			
<input type="checkbox"/>	Name ↑		Last modified
<input type="checkbox"/>	img		--
<input type="checkbox"/>	lib		--
<input type="checkbox"/>	404.html		Dec 8, 2020
<input type="checkbox"/>	index.html		Dec 8, 2020
<input type="checkbox"/>	main.css		Dec 8, 2020
<input type="checkbox"/>	main.js		Dec 8, 2020

10) Now click **Permission** then **Bucket Policy**



11) Copy and paste this text into your bucket to make it publicly readable. IMPORTANT make sure to replace **example.com** with your actual domain.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": ["s3:GetObject"],
      "Resource": ["arn:aws:s3:::example.com/*"]
    }
  ]
}
```

12) Your bucket should now be public.

The screenshot shows the AWS IAM console interface for a bucket. At the top, there are tabs: Overview, Properties, Permissions (selected), and Management. Below the tabs, there are four buttons: Public access settings, Access Control List, Bucket Policy (selected), and CORS configuration. A warning banner states: "This bucket has public access. You have provided public access to this bucket. We highly recommend that you never grant any kind of public access to your bucket." Below the banner is the "Bucket policy editor" section, showing the ARN: arn:aws:s3:::personal.website.workshop and a text area for editing the policy. The policy is a JSON document that allows public read access to the bucket.

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "PublicReadGetObject",
6       "Effect": "Allow",
7       "Principal": "*",
8       "Action": [
9         "s3:GetObject"
10      ],
11      "Resource": [
12        "arn:aws:s3:::personal.website.workshop/*"
13      ]
14    }
15  ]
16 }
```

13) Now we want to configure your bucket for website hosting. Go to "Properties" and select "Static Website Hosting"


The screenshot shows the AWS IAM console interface for a bucket, specifically the Properties tab. The tabs at the top are Overview, Properties (selected), Permissions, and Management. Below the tabs, there are three cards: Versioning, Server access logging, and Static website hosting. Each card has a description, a "Learn more" link, and a toggle switch. The Versioning and Server access logging toggles are currently disabled.

Versioning
Keep multiple versions of an object in the same bucket.
[Learn more](#)
☐ Disabled

Server access logging
Set up access log records that provide details about access requests.
[Learn more](#)
☐ Disabled

Static website hosting
Host a static website, which does not require server-side technologies.
[Learn more](#)
☐ Disabled

14) Select **Use this bucket to host a website**. In the **Index document** input, type “index.html”. In the **Error document** input, type “404.html”. This way, index.html is the default file to load, and 404.html is the file to load if there is a resource is not found. Save these settings.




The screenshot shows the 'Static website hosting' configuration window. At the top, there's a blue header with the title 'Static website hosting' and a close button (X). Below the header, the 'Endpoint' is displayed as 'http://personal.website.workshop.s3-website-us-east-1.amazonaws.com'. There are three radio button options: 'Use this bucket to host a website' (which is selected), 'Redirect requests', and 'Disable website hosting'. Each option has an information icon and a 'Learn more' link. Under the selected option, there are two text input fields: 'Index document' with 'index.html' entered, and 'Error document' with '404.html' entered. Below these is a text area for 'Redirection rules (optional)'. At the bottom right, there are 'Cancel' and 'Save' buttons.

15) You should now be able to see your website with the **Endpoint URL** provided! For example, <http://personal.website.workshop.s3-website-us-east-1.amazonaws.com/>. I've also shortened it to <http://tiny.cc/pw-example> (You could of course, just shorten your bucket URL and skip the domain name stuff altogether)

16) Now we want to have the **www.example.com** bucket redirect to the **example.com** bucket. This way, if we want to make changes to our site, we only have to update **example.com**, not both buckets.

17) Now go back to your S3 dashboard and click on your **www.example.com** (with www) bucket. Go to **Properties** and **Static Website Hosting**, but this time click **Redirect Requests**. Type in "**example.com**" as the target bucket and click **Save**.




The screenshot shows the 'Static website hosting' configuration window in the AWS console. The window has a blue header with the title 'Static website hosting' and a close button (X). Below the header, the 'Endpoint' is displayed as 'http://personal.website.workshop.s3-website-us-east-1.amazonaws.com'. There are three radio button options: 'Use this bucket to host a website' (unselected), 'Redirect requests' (selected), and 'Disable website hosting' (unselected). Each option has an information icon and a 'Learn more' link. Below the 'Redirect requests' option, there is a text input field for 'Target bucket or domain' containing 'example.com'. Below that is a text input field for 'Protocol' containing 'https or http'. At the bottom right, there are 'Cancel' and 'Save' buttons.

18) Now either bucket's **Endpoint URL** will load your site! Your **www.example.com** bucket simple redirects to your **example.com** bucket. But typing out these super long **Endpoint URLs** is...pretty lame. So let's connect your easier-to-remember domain to this S3 bucket! Anytime you want to make an edit, simply upload the a new **index.html** file and you should see your changes within in a few minutes!


Part 4: Connecting Your Domain to Your S3 Buckets (optional)

<https://docs.aws.amazon.com/AmazonS3/latest/dev/website-hosting-custom-domain-walkthrough.html#root-domain-walkthrough-add-a-record-to-hostedzone>

1) Go back to your **Route 53** console. You can go to your **AWS Management Console** and search for “Route 53” or click this link <https://console.aws.amazon.com/route53/>



2) Click **Hosted zones** on the left side. Route 53 should have automatically created a hosted zone for you when you registered your domain.



3) Click on your hosted zone, click **Create a Record Set**, and a form should appear on the right. You will create 2 records for your **example.com** and **www.example.com** buckets

Name

For **example.com** : leave it blank

Do this again for **www.example.com** : type “www”


Type: For both: choose **A - IPv4 address** (it should be default)

Alias: For both: select **Yes**

Alias Target: For both: click the S3 bucket in the dropdown and select. (If an S3 bucket is not available, it probably means you haven't configured that bucket for web hosting. Go back to 3-14 or 3-17 and try again)

Routing Policy: For both: leave the default value **Simple**

Evaluate Target Health: For both: leave the default value **No**



The screenshot shows the 'Create Record Set' form in the AWS Route 53 console. The 'Name' field contains 'harryxli.com.'. The 'Type' dropdown is set to 'A - IPv4 address'. The 'Alias' section has the 'Yes' radio button selected. The 'Alias Target' dropdown menu is open, showing 'S3 website endpoints' as the selected option. Below the dropdown, there is a hint text: 'You can also type S3 website endpoints'.

4) Create your record and make sure to repeat step 3 for your **www.example.com** bucket!

5) You should be done!!! Check out the URLs **example.com** and **www.example.com** and you should see your personal site! Congratulations!

Bonus: Encrypting your site with SSL and Amazon Cloudfront

<https://medium.com/@itsmattburgess/hosting-a-https-website-using-aws-s3-and-cloudfront-ee6521df03b9>