

```
1. <!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>About Me</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }

    h1, h2, h3 {
      color: #333;
    }

    p {
      line-height: 1.5;
      color: #666;
    }
  </style>
</head>
<body>

  <header>
    <h1>Welcome to My World</h1>
  </header>

  <section>
    <h2>About Me</h2>
    <p>
      Hello! I'm Srishti, a passionate individual who loves reading novels and stories. I am
      always curious and eager to learn new things, and I find joy in sharing my knowledge with
      others.
    </p>

    <h3>Background</h3>
    <p>
      My journey in the world of technology started at a young age when I discovered my love
      for coding at school. Over the years, I have honed my skills in various programming languages.
    </p>

    <h3>Interests</h3>
    <p>
      Outside the realm of technology, I am an avid reader, a lover of the great outdoors, and
      a perpetual seeker of knowledge. Whether it's diving into a good book, embarking on a hiking
      adventure, or experimenting with a new recipe in the kitchen, I believe in embracing a
      well-rounded and fulfilling life.
```

</p>
</section>

<section>
<h2>Contact Me</h2>

<p>
If you share similar interests or have exciting ideas to discuss, feel free to reach out to me. I'm always open to connecting with like-minded individuals.
</p>

<h3>Email</h3>
<p>
You can drop me an email at 22it3055@rgipt.ac.in
</p>
</section>

<footer>
<p>Thank you for visiting my webpage!</p>
</footer>

</body>
</html>



11. <!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Search Engine Link</title>

```
<style>
  body {
    font-family: Arial, sans-serif;
    text-align: center;
    margin: 20px;
  }


  h1 {
    color: #333;
  }

  img {
    cursor: pointer;
  }
</style>
</head>
<body>
  <header>
    <h1>Click the Image to Search</h1>
  </header>

  <section>
    <a href="https://www.google.com" target="_blank">
      
    </a>
  </section>

  <footer>
    <p>Powered by your curiosity!</p>
  </footer>

</body>
</html>
```



10. <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Image Gallery</title>

<style>

body {

font-family: Arial, sans-serif;

text-align: center;

margin: 20px;

}

h1 {

color: #333;

```
}
```

```
img {
```

```
max-width: 100%;
```

```
height: auto;
```

```
margin: 20px 0;
```

```
}
```

```
p {
```

```
color: #666;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Image Gallery</h1>
```

```
</header>
```

```
<section>
```

```
<a href="#" target="_blank">
```

```
 </a>
```

```
<br>
```

```
<p>Sunlight</p>
```

```
<br><br>
```

```
<a href="#" target="_blank">
```

```
 </a>
```


<p>Flower</p>

<p>Taj Mahal</p>

<p>Tree</p>

<p>Mountain</p>

</section>


<footer>

<p>Thanks for exploring the images!</p>

</footer>

</body>

</html>



9. <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Image with Border</title>

<style>

body {

font-family: Arial, sans-serif;

text-align: center;

margin: 20px;

}

h1 {

color: #333;

}

img {

```

        border: 2px solid #333;
        width: 200px;
        height: 200px;
        object-fit: cover;
    }
</style>
</head>
<body>

    <header>
        <h1>Image with Border</h1>
    </header>

    <section>
        
    </section>

    <footer>
        <p>Thanks for checking out the bordered image!</p>
    </footer>

</body>
</html>

```





Image with Border



Thanks for checking out the bordered image!



8. <!DOCTYPE html>
<html lang="en">


```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Jump Links</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }

    h1, h2 {
      color: #333;
    }

    a {
      color: #007BFF;
      text-decoration: none;
      font-weight: bold;
    }

    a:hover {
      text-decoration: underline;
    }
  </style>
</head>
<body>


  <header>
    <h1>Jump Links</h1>
  </header>

  <section>
    <p>
      Welcome to the top of the page!
      <a href="#bottom">Jump to the bottom</a>.
    </p>
  </section>

  <section id="bottom">
    <p>
      Content at the bottom of the page.
    </p>
    <p>
      <a href="#top">Jump back to the top</a>.
    </p>
  </section>

</body>
```

</html>



2. <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Image Description Page</title>

<style>

body {

font-family: Arial, sans-serif;

margin: 20px;

line-height: 1.6;

}

img {

max-width: 100%;

height: auto;

display: block;

margin: 20px 0;

}

</style>

</head>

<body>

<!-- Header with title -->

<header>

<h1>Title for the Image</h1>

</header>

<!-- Image -->

<!-- Paragraph describing the image -->


<p>

this is a painting

</p>

</body>

</html>



3. <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Ordered List with Roman Numerals</title>

<style>

body {

```

        font-family: Arial, sans-serif;
        margin: 20px;
        line-height: 1.6;
    }
</style>
</head>
<body>


<!-- Ordered list with capital Roman numerals -->
<ol type="I">
    <!-- First country -->
    <li>
        Country India
        <!-- Ordered list with lowercase Roman numerals for languages -->
        <ol type="i">
            <li>Language Hindi</li>
            <li>Language Marathi</li>
        </ol>
    </li>

    <!-- Second country -->
    <li>
        Country Switerzland
        <!-- Ordered list with lowercase Roman numerals for languages -->
        <ol type="i">
            <li>Language English</li>
            <li>Language German</li>
        </ol>
    </li>

    <!-- Third country -->
    <li>
        Country Egypt
        <!-- Ordered list with lowercase Roman numerals for languages -->
        <ol type="i">
            <li>Language English</li>
            <li>Language Spanish</li>
        </ol>
    </li>
</ol>

</body>
</html>

```



4. <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Countries and Capitals</title>

<style>

```
body {  
  font-family: Arial, sans-serif;  
  margin: 20px;  
  line-height: 1.6;  
}
```

```
table {  
  width: 100%;  
  border-collapse: collapse;  
  margin-top: 20px;  
}
```

```
th, td {  
  border: 1px solid #ddd;  
  padding: 8px;  
  text-align: left;  
}
```

</style>

</head>

<body>


<!-- Table with two columns -->

```

<table>
  <tr>
    <!-- Left column with a bulleted list of countries -->
    <td>
      <ul>
        <li>India</li>
        <li>Australia</li>
        <li>Sri Lanka</li>
        <li>China</li>
        <li>Canada</li>
      </ul>
    </td>

    <!-- Right column with a numbered list of capitals -->
    <td>
      <ol>
        <li>Delhi</li>
        <li>Canberra</li>
        <li>Colombo</li>
        <li>Beijing</li>
        <li>Ottava</li>
      </ol>
    </td>
  </tr>
</table>

```



```

5. <!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```

<title>Country Politicians Table</title>
<style>
  body {
    font-family: Arial, sans-serif;
    margin: 20px;
    line-height: 1.6;
  }

  table {
    width: 100%;
    border-collapse: collapse;
    margin-top: 20px;
  }

  th, td {
    border: 1px solid #ddd;
    padding: 8px;
    text-align: left;
  }
  th {
    background-color: #f2f2f2;
  }
</style>
</head>
<body>


<!-- Table with header and data -->
<table>
  <thead>
    <tr>
      <th>Country</th>
      <th>Politicians</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td rowspan="2">Turkmenistan</td>
      <td>President Gurbanguly Berdimuhamedow</td>
    </tr>
    <tr>
      <td>Vice-President Raşit Meredow</td>
    </tr>
    <tr>
      <td rowspan="2">Eritrea</td>
      <td>President Isaias Afwerki</td>
    </tr>
    <tr>
      <td>Vice-President None</td>
    </tr>
  </tbody>
</table>

```

```
</tr>
</tbody>
</table>
```

```
</body>
</html>
```

```
</body>
</html>
```

A screenshot of a web browser window showing a table with two columns: 'Country' and 'Politicians'. The table contains data for Turkmenistan and Eritrea. The browser's address bar shows the file path 'C:\Users\CCS_LMI\Desktop\html.html'. The Windows taskbar is visible at the bottom.

Country	Politicians
Turkmenistan	President Gurbanguly Berdimuhamedov
	Vice-President Rapt Merdov
Eritrea	President Isaias Afewerki
	Vice-President None