```
INTERNAL DTD
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE emails [
 <!ELEMENT emails (email+)>
 <!ELEMENT email (from, to, cc?, subject, body)>
 <!ELEMENT from (#PCDATA)>
 <!ELEMENT to (#PCDATA)>
 <!ELEMENT cc (#PCDATA)>
 <!ELEMENT subject (#PCDATA)>
 <!ELEMENT body (#PCDATA)>
]>
<emails>
 <email>
   <from>alice@example.com</from>
   <to>bob@example.com</to>
   <cc>carol@example.com</c>
   <subject>Meeting Reminder</subject>
   <body>Don't forget about the meeting tomorrow at 10 AM.</body>
 </email>
 <email>
   <from>bob@example.com</from>
   <to>alice@example.com</to>
   <subject>RE: Meeting Reminder</subject>
   <body>Thanks for the reminder, Alice. See you there!</body>
```

```
</email>
 <email>
   <from>carol@example.com</from>
   <to>alice@example.com</to>
   <cc>bob@example.com</cc>
   <subject>Project Update</subject>
   <body>I've attached the latest project update for your review.</body>
 </email>
 <email>
   <from>dan@example.com</from>
   <to>bob@example.com</to>
   <subject>Invoice Details</subject>
   <body>Please find the attached invoice for the services rendered.</body>
 </email>
 <email>
   <from>eve@example.com</from>
   <to>carol@example.com</to>
   <subject>Lunch Plans</subject>
   <body>Are you free for lunch this Friday?</body>
 </email>
</emails>
EXTERNAL DTD
```

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE emails SYSTEM "emails.dtd">
<emails>
<email>
```

```
<from>alice@example.com</from>
<to>bob@example.com</to>
<subject>Meeting Reminder</subject>
<body>Don't forget about the meeting tomorrow at 10 AM.</body>
</email>
<from>bob@example.com</from>
<to>alice@example.com</to>
<subject>RE: Meeting Reminder
<body>Thanks for the reminder, Alice. See you there!</body>
</email>
<from>carol@example.com</from>
<to>alice@example.com</to>
<cc>bob@example.com</cc>
<subject>Project Update</subject>
<body>I've attached the latest project update for your review.</body>
</email>
<to>bob@example.com</to>
<subject>Invoice Details</subject>
<body>Please find the attached invoice for the services rendered.</body>
</email>
<from>eve@example.com</from>
<to>carol@example.com</to>
<subject>Lunch Plans</subject>
<body>Are you free for lunch this Friday? ----</body>
</email>
</emails>
```

EMAILS DTD

```
<!ELEMENT emails (email+)>
<!ELEMENT email (from, to, cc?, subject, body)>
<!ELEMENT from (#PCDATA)>
<!ELEMENT to (#PCDATA)>
```

<!ELEMENT cc (#PCDATA)> <!ELEMENT subject (#PCDATA)> <!ELEMENT body (#PCDATA)>