

City Diagnostics & Laboratory Services

NABL Accredited | ISO 9001:2015 Certified

Liver Function Test (LFT) Panel

Patient Name:	Anil Gupta	Report Date:	15/04/2026
Age / Gender:	44 Years / Male	Sample Type:	Venous Blood
Ref. Doctor:	Dr. Anand Sharma	Report ID:	CDL-2024-7736C4

Test Results

Test Name	Patient Value	Unit	Reference Range	Flag
SGPT / ALT	68	U/L	7 - 56	HIGH
SGOT / AST	52	U/L	10 - 40	HIGH
Alkaline Phosphatase (ALP)	148	U/L	44 - 147	HIGH
Gamma GT (GGT)	85	U/L	8 - 61	HIGH
Total Bilirubin	1.8	mg/dL	0.2 - 1.2	HIGH
Direct Bilirubin	0.6	mg/dL	0.0 - 0.3	HIGH
Indirect Bilirubin	1.2	mg/dL	0.2 - 0.9	HIGH
Total Protein	7.2	g/dL	6.0 - 8.0	Normal
Serum Albumin	3.8	g/dL	3.5 - 5.0	Normal
Serum Globulin	3.4	g/dL	2.0 - 3.5	Normal
A/G Ratio	1.1		1.2 - 2.2	LOW
Prothrombin Time	14	seconds	11 - 13	HIGH

■ This report is for informational purposes only. Results must be interpreted by a qualified physician in clinical context. This is a sample/demo document generated for the MediSense AI hackathon project.