Today's Agenda:

What is CRUD

Create ]
Read ]

Updala

D Delete

Cacate :-

Insert a new entay to the table

ENSERT

Sakilla Databox :-

```
SELECT & from film.
 table = [d 3, d 3, d 3, d 3, 2 3, 2 3...].
  aus = [[]]
  for lach now in table:
      ans add (now)
   for each now in ans:
       Print (910W)
delect tetle, description from film
table = [d 3, d 3, d 3, d 3, d 3, d 3...].
                                        Justan
 aus = [[]]
                                        i dea of
 for lach now in table:
                                        now the
                                        queries
      ans add (now)
                                         cent
  for each now in ans:
        paint (now["tille"], now ("descripter"])
```

for only this pair of select distinct (release-year, rating) from film table = [d]. - -) ons = [] for each 910w in table ans: add (now) filtered ans = () for each now in ans filtered ans- add ( now[siel-year], now[ret]) Print (Set (filtered\_ans)) print only distinct set of values Duplicatio.

Select at the end Select 1 / from film priv (1) fær ench now in film ans add (20w) for each now in airs 1000 paint (1) 1000

## WHERE

Lable = d - }
am = d }

for each now in table:

if (910W (nating) == 'PG-13')

ans. add (now)

for each now in aus

paint (now[t], now[

from O when O