

```
select * from film
```

```
/*
```

```
I want to fetch the list of titles having release_year in the range of [2008,2010]
```

```
*/
```

```
select title, release_year from film
```

```
where release_year >= 2008 and release_year <= 2010
```

```
select title, release_year from film
```

```
where release_year between 2008 and 2010
```

```
/*
```

```
I want to fetch all films having "love" as a substring in title  
using like - we do pattern matching within/inside the string
```

```
title like %love% => Love
```

```
sql is a case sensitive language
```

```
*/
```

```
sElect * from film
```

```
where title like '%LoVe%'
```

```
/*
```

```
IS null operator
```

```
*/
```

```
/*
```

```
null = null false
```

```
null != null false
```

```
*/
```

```
select * from film
```

```
where description != null
```

```
/*
```

```
To compare null, you'll have to use an operator which is => is null
```

```
*/
```

```
select * from film
```

```
where description is null
```

```
select * from film
```

```
where description is not null
```

```
/*
```

```
ORDER BY CLAUSE
```

```
*/
```

```
/*
```

```
ascending order or descending order
```

```
It's not mandatory to select the column as per you're sorting all rows
```

```
*/
```

```
select description, release_year from film
```

```
order by title desc
```

```
select * from film
```

```
order by release_year,title
```

```
select distinct title,release_year from film
```

```
order by release_year
```

```
select count(*) from film
```

```
/*  
LIMIT is used to limit no of rows  
it is used to select limited rows no of batches(rows in batches)  
*/  
select * from film  
limit 10 offset 10
```

```
select * from film  
/*  
with update, don't forget to mention where clause  
*/  
update film  
set title = 'classroom'  
where film_id = 1
```

```
update film  
set title = concat('classroom' ,title)  
where film_id >= 1
```

```
/*  
DELETE  
*/  
delete from film  
where film_id = 1
```