

# **MINI PROJECT FINAL**

## **REPORT ON**

# **CANTEEN MANAGEMENT SYSTEM**

**UNDER THE GUIDENCE OF**

**Mr. Akash Chaudhary**

Technical Trainer

T&D dept.

GLA University, Mathura.

**Under taken by**

**PRAKHAR AGARWAL    181500468**

**HARSH AGARWAL        181500246**

## **CONTENT**

- **Abstract**
- **Objective**
- **Introduction**
- **Problem**
- **Implementation**
- **Work completed in 1<sup>st</sup> half**
- **Work completed in 2nd half**
- **DFD**
- **Screenshots**
- **References**

## **Abstract**

The project is entitled to “Online Canteen Management System”.

The project is the outcome of our summer training and the technical skills we have learned in the college on “Full Stack Web Development”. The Full Stack Web Development comprises of two parts Frontend and Backend in Frontend we have used Handlebars and CSS whereas in Backend we have used Node JS and Mongo DB. Using this an online platform has been created for the canteen so that all the orders and the delivery of the meals can be done smoothly.

The main objective of the project is to make the process of the canteen easier and effective. It will save time of the people who waits in the long queues for the food. The people gathering that takes place in large numbers in the canteen will also get reduced.

An online platform has been made successfully, now an individual or a person can make an account on our platform and can order anything from the canteen from the menu and can also pay for the meal via. Online mode and can take away the order from the canteen smoothly. Money can also get added into the accounts wallet and will keep modifying when the payment is made.

With the help of this project every person can order their meal easily and we can prevent a large horde of people gathering and huge queues and rush in the canteen, proper social distancing can be made in this time of Covid-19 and proper norms can be followed in the canteen.

## **Objective**

1. The main objective of the project is to make the process of the canteen easier and effective.
2. It will save time of the people who waits in the long queues for the food.
3. The people gathering that takes place in large numbers in the canteen will also get reduced.

## **Introduction**

As the title suggests Canteen Management System which means how can we manage a canteen in a more effective way as canteens are very crowded in colleges and offices during lunch hours and break time, horde of people gather at one place and we need to consider the Covid-19 era in which these type of situations can be harmful so for this we created a canteen management system where students can place the orders by a web application, the payments can be done online, they just need to go to the canteen to collect the order, the balance can be updated online using any payment method.

## **Problem**

The problem is that during the lunch hours of the office, schools and colleges and when the time is at peak there is a large rush in the canteens and the people rush to get the meal which they want and large queues forms in front of the counter and there is no place to sit and eat your lunch peacefully and moreover no social distancing is followed in the canteen and as we know that how much social distancing is important in this time of Covid-19.

So that is why we have created an online canteen platform where an individual can place any order from the menu via. Online mode and can also pay for it at the same time from the online wallet and then the individual can collect their order from the take away window. This action saves time of the person prevents rush in the canteen and more importantly proper norms of Covid-19 can be followed in the canteen and each and everyone can get the meal they want.

## Implementation

The project uses NodeJS as a working methodology. Various libraries of NodeJS has been used in this project to make this project working more effective, efficient and apprehensive. The project works on Node JS along with other technologies where each tech used in this project has a different purpose. Some techs give us to perform the functions and operations in effective and minimized manner, whereas some tech helps us to perform the operations in the backend without being observed or shown to the user in the front end framework the CSS helps us to make our project more attractive and interactive so that each function can be visualized easily.

The main platform on which the project works is Node JS. The libraries that are included in the project are ‘express’, ‘mongoose’, ‘path’, ‘express-handlebars’, ‘body-parser’, ‘passport’, ‘express-file upload’, ‘express-session’, ‘connect-flash’.

# Frontend and Backend

## **Frontend: -**

Front-end web development, also known as client-side development is the practice of producing HTML, CSS and JavaScript for a website or Web Application so that a user can see and interact with them directly. The challenge associated with front end development is that the tools and techniques used to create the front end of a website change constantly and so the developer needs to constantly be aware of how the field is developing.

Front End of the project lies on Handlebars, CSS AND JavaScript.

- **Handlebars:** - Handlebars is a simple templating language. It uses a template and an input object to generate HTML or other text formats. Handlebars templates look like regular text with embedded Handlebars expressions. With Handlebars, you can separate the generation of HTML from the rest of your JavaScript and write cleaner code.
- **CSS:** - CSS is cascading style sheet which is used to give designer look to HTML using the external file.
- **Java script:** - Java script is used for client-side scripting which can help in using validation on the website and many more other functions.

## **Backend: -**

Back-end Development refers to the server-side development. It focuses on databases, scripting, website architecture. It contains behind-the-scene activities that occur when performing any action on a website. It can be an account login or making a purchase from an online store. Code written by back-end developers helps browsers to communicate with database information.

Back End of the project lies on NodeJS.

**Node.JS:** - It is an open-source, cross platform, backend JavaScript runtime environment that runs on the V8 engine and executes JavaScript code outside a web browser. Node.js lets developers use JavaScript to write command line tools and for server-side scripting—running scripts server-side to produce dynamic web page content before the page is sent to the user's web browser.

## **Work completed in 1<sup>st</sup> half: -**


- Sign-Up page has been made successfully.
- The sign-up page is the place where you can create an account by filling the personal details and setting the credentials of the account.
- Sign-In page has been made successfully.
- The sign-in or the log-in page is the place where you can log-in into your account to see the menu to order something.
- Admin page has been made successfully.
- The admin portal controls all the working of the online canteen system all the orders or meals are approved by the admin through this portal.
- Home page has been made successfully.
- The home page consists of two options sign-in and sign-up where the user can create an account or login into the existing account.

## **Work completed in 2<sup>nd</sup> half: -**


- **Customer wallet:** - In this page the customer can add money from any bank and the meal price will get cut from the wallet only while placing an order.
- **Placing order:** - With the help of this page the customer can select any dish from the menu and can place an order for it.
- **Pre-book order of the customer:** - With the help of this page a customer can pre-book a order and can receive that order later.
- **Subscription of a customer:** - There are two types of customer premium and non-premium customers.
- **Admin menu updation:** - Admin is responsible for updating the menu if any new dish comes in the course.
- **Delivery/Approval:** - The admin is responsible for approving the order of the customer and get it delivered to the customer
- **Admin Dashboard:** - In this page the admin can see the list and names of all the customers who have account on the online platform and can see their order history.

## DFD


### 0 Level DFD:



## 1st Level DFD:




## 2nd Level DFD :




## Implementation of the project work: -

### Screenshots

#### Home.JS





```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M home.js X customer.handlebars M
classes > home.js > ...
24 }
25 register(){
26
27     const newUser = new User({
28         Name:this.name,
29         email: this.email,
30         password: this.password,
31         address:this.address,
32         balance:this.wallet,
33         date:this.date
34     });
35
36     bcrypt.genSalt(10, (err, salt)=>{
37         bcrypt.hash(newUser.password, salt, (err, hash)=>{
38             newUser.password = hash;
39             newUser.save();
40             const less=new subscription(newUser.id,"Less Priority");
41             less.nonpremium();
42
43         });
44     });
45
46     async updateWallet(id,amount){
47         let f=true;
48         this.wallet=amount;
49         await User.findOneAndUpdate({_id:id},{$inc:{'balance':amount}})
50

```


Outline

Timeline

Type here to search

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

ENGLISH 8:04 PM IN 4/21/2021



```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M home.js X customer.handlebars M
classes > home.js > ...
46     async updateWallet(id,amount){
47         let f=true;
48         this.wallet=amount;
49         await User.findOneAndUpdate({_id:id},{$inc:{'balance':amount}})
50
51
52
53
54     }
55 }
56
57 class loginCustomer extends home {
58     constructor(email,password){
59         super(email,password);
60     }
61     login(){
62         passport.use(new LocalStrategy({usernameField: 'email'}),(email, password, done)=> {
63             User.findOne({email:email}).then(user=>{
64                 if(!user) return done(null, false, {message: 'no user found'});
65                 bcrypt.compare(password, user.password, (err, matched)=>{
66                     if (err) return err;
67                     if (matched) {
68                         return done(null, user);
69                     } else {
70                         return done(null, false, {message:'password is incorrect'});
71

```

Outline

Timeline

Type here to search

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

ENGLISH 8:04 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help

home.handlebars - Online-Canteen-Management-System - Visual Studio Code

```

<link rel="stylesheet" href="/style.css">
</head>
<body>

<div class="topnav">
    <h2>Canteen Management System</h2>
    <a href = "/" class="first">Home</a>
    <a href = "/register">Sign up</a>
    <a href = "/customer_login">Sign in</a>
    <a href = "/admin">Admin</a>
</div>
{{body}}
</div>
</body>
</html>

```

OPEN EDITORS 1 UNSAVED

- style.css public
- Settings
- admin\_login.handlebars views...
- admin.handlebars views...
- register.handlebars views...
- customer.css public
- customer.handlebars views...
- home.handlebars views...
- customer\_login.handlebars...
- ONLINE-CANTEEN-M...
- orderhistory.handlebars
- preorder.handlebars
- subscription.handlebars
- wallet.handlebars
- home
- admin\_login.handlebars
- customer\_login.handlebars
- main.handlebars
- register.handlebars
- user.handlebars
- layouts
- admin.handlebars
- customer.handlebars
- home.handlebars

package-lock.json

package.json

README.md

server.js

Synopsis.pdf

OUTLINE

TIMELINE

main\* 0:11 0:0 ▲ 0 Type here to search

In 20, Col 15 Spaces: 2 UTF-8 LF Handlebars

ENG 8:02 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help

home.js - Online-Canteen-Management-System - Visual Studio Code

```

const bcrypt = require('bcryptjs');
const User=require('../models/User');
const Order=require('../models/Order');
const passport = require('passport');
const moment = require('moment');
const LocalStrategy = require('passport-local').Strategy;

class home{
    constructor(email,password){
        this.email=email;
        this.password=password;
    }
}

class Customer extends home{
    constructor(email,password>Name,address,wallet){
        super(email,password);
        this.name=name;
        this.address=address;
        this.wallet=wallet;
        this.date=Date.now();
    }
}

register(){
    const newUser = new User({

```

OPEN EDITORS 1 UNSAVED

- style.css public
- Settings
- admin\_login.handlebars views...
- register.handlebars views...
- customer.css public
- home.js classes
- customer.handlebars views...
- home.handlebars views...
- customer\_login.handlebars...
- ONLINE-CANTEEN-M...
- .gitignore
- misc.xml
- modules.xml
- Online-Canteen-Management...
- vcs.xml
- workspace.xml
- classes
- customerorder.js
- home.js
- helpers
- models
- Menus
- Order.js
- User.js
- node\_modules
- public
- admin.css
- canteen.jpg
- Canteenadm.jpg
- Canteenreg.jpg

OUTLINE

TIMELINE

main\* 0:11 0:0 ▲ 0 Type here to search

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

ENG 8:04 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help

home.js - Online Canteen Management System - Visual Studio Code

```

const newCustomer = new Order({
    user:this.id,
    category:this.category
})
await newCustomer.save();

async premium(){
    const user=await Order.findOne({user:this.id});
    user.category=this.category;
    user.date=this.date;
    await user.save();
}

async expirydate(){
    const user=await Order.findById(this.id);
    const d=user.date.getDate();
    const m=user.date.getMonth()+3;
    const y=user.date.getFullYear();
    const ed=new Date(
        y,m,d
    )
    return moment(ed).format('DD/MM/YYYY') ;
}

async cancel(){
    const user=await Order.findById(this.id);

    const today= moment(Date.now()).format('DD/MM/YYYY')
}

```

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

Type here to search

File Edit Selection View Go Run Terminal Help

home.js - Online Canteen Management System - Visual Studio Code

views > layouts > home.handlebars > html > body > div.topnav

```

<!DOCTYPE html>
<html>
    <head>
        <title>Canteen Management System</title>
        <link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap" rel="stylesheet">
        <link rel="stylesheet" href="/style.css">
    </head>
    <body>

        <div class="topnav">
            <h2>Canteen Management System</h2>
            <a href="/" class="first">Home</a>
            <a href="/register">Sign up</a>
            <a href="/customer_login">Sign in</a>
            <a href="/admin">Admin</a>
        </div>

        <div>
            {{body}}
        </div>

```

In 20, Col 15 Spaces: 2 UTF-8 LF Handlebars

Type here to search

File Edit Selection View Go Run Terminal Help

home.handlebars - Online Canteen Management System - Visual Studio Code

views > layouts > home.handlebars > html > body > div.topnav

```

<!DOCTYPE html>
<html>
    <head>
        <title>Canteen Management System</title>
        <link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap" rel="stylesheet">
        <link rel="stylesheet" href="/style.css">
    </head>
    <body>

        <div class="topnav">
            <h2>Canteen Management System</h2>
            <a href="/" class="first">Home</a>
            <a href="/register">Sign up</a>
            <a href="/customer_login">Sign in</a>
            <a href="/admin">Admin</a>
        </div>

        <div>
            {{body}}
        </div>

```

In 20, Col 15 Spaces: 2 UTF-8 LF Handlebars

Type here to search

File Edit Selection View Go Run Terminal Help

homajs - Online Canteen Management System - Visual Studio Code

```

OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M homajs X customer.handlebars M
classes > home.js > ...
super(email,password);
}
login(){
    if(this.email==="admin123@gmail.com" && this.password==="1234567")
    {
        return true
    }
    else{
        return false;
    }
}

class subscription{
    constructor(id,category){
        this.id=id;
        this.category=category;
        this.date=Date.now();
    }
    async nonpremium(){
        const newCustomer = new Order({
            user:this.id,
            category:this.category
        })
        await newCustomer.save();
    }
}

module.exports={loginCustomer , Customer, Admin,subscription}

```

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

Type here to search

File Edit Selection View Go Run Terminal Help

homajs - Online Canteen Management System - Visual Studio Code

```

OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M homajs X customer.handlebars M
classes > home.js > ...
)
return moment(ed).format('DD/MM/YYYY');
}
async cancel(){
    const user=await Order.findById(this.id);

    const today= moment(Date.now()).format('DD/MM/YYYY')
    const expd=await this.expirydate();


    if(today==expd){
        user.category="Less Priority"
        await user.save();
        return true;
    }
    else{
        return false;
    }
}

module.exports={loginCustomer , Customer, Admin,subscription}

```

In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript

Type here to search



```

File Edit Selection View Go Run Terminal Help
File Explorer Settings admin_login.handlebars register.handlebars customer.css home.js customer.handlebars
OPEN EDITORS 1 UNSAVED
style.css public M
Settings
admin_login.handlebars views\... M
register.handlebars views\... M
customer.css public M
home.js classes
customer.handlebars views\... M
home.handlebars views\layout... M
customer_login.handlebars M
ONLINE-CANTEEN-M...
.gitignore
misc.xml
modules.xml
Online-Canteen-Management...
vcs.xml
workspace.xml
classes
customerorder.js
home.js
helpers
models
Menu.js
Order.js
User.js
node_modules
public
admin.css
canteen.jpg
Canteenadmin.jpg
Canteenreg.jpg
OUTLINE
TIMELINE
main* 0 L 11 0 0 ▲ 0
Type here to search
In 152, Col 1 Spaces: 4 UTF-8 CR LF JavaScript
ENG 8:04 PM IN 4/21/2021
  
```

The screenshot shows the Visual Studio Code interface with the 'home.js' file open in the editor. The code is part of an Online Canteen Management System. It includes logic for passport serialization and deserialization, and a specific login function for an Admin user.

```

    return done(null, false, { message: 'password is incorrect' });
  }
};

});

});


};

passport.serializeUser(function(user, done) {
  done(null, user.id);
});

passport.deserializeUser(function(id, done) {
  User.findById(id, function(err, user) {
    done(err, user);
  });
});

class Admin extends home{
  constructor(email,password){
    super(email,password);
  }
  login(){
    if(this.email==="admin123@gmail.com" && this.password==="1234567")
    {
  
```

## Admin login.handlebars:-



File Edit Selection View Go Run Terminal Help admin\_login.handlebars - Online-Canteen Management System - Visual Studio Code

```

EXPLORER OPEN EDITORS 1 UNSAVED
  admin_login.handlebars M ✘  admin.handlebars ✘  register.handlebars ✘  customer.css M ✘  customer.handlebars M ✘  home.handlebars M ✘  customer_login.handlebars M ✘
  admin.handlebars views\layouts ✘  register.handlebars views\js... M ✘  customer.css public M ✘  customer.handlebars views\js... M ✘  home.handlebars views\layouts... M ✘  customer_login.handlebars... M ✘
  ONLINE-CANTEEN-M... ✘  index.handlebars
    orderhistory.handlebars ✘  preorder.handlebars ✘  subscription.handlebars ✘  wallet.handlebars
    home
      admin_login.handlebars M ✘  customer_login.handlebars M ✘  main.handlebars M ✘  register.handlebars M ✘  user.handlebars M ✘
      layouts
        admin.handlebars ✘  customer.handlebars M ✘  home.handlebars M ✘
    package-lock.json ✘  package.json ✘  README.md ✘  server.js ✘  Synopsis.pdf
  > OUTLINE > TIMELINE
  main* 0 11 0 0 △ 0
  Type here to search

```

views > home > admin\_login.handlebars > div.adminlanding > div.dark-overlay > form.form

```

<input value="{{password}}" type="password" name="password" placeholder="Password">
<p>The Password is Alphanumeric and can contain @ and hyphens(-) Must contain 8 to 20 Characters</p>
<button type="submit" class="registerbtn">Login</button>
<script src="admin_login_js.js"></script>

```

Ln 12, Col 7 Spaces: 4 UTF-8 LF Handlebars ⚙ 8:02 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help admin\_login.handlebars - Online-Canteen Management System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER

views > home > admin\_login.handlebars > div.adminlanding > div.dark-overlay > form.form

```

1   <div class="adminlanding">
2     <div class="dark-overlay">
3       <h2 class="large text-primary">Admin Login</h2>
4       {{#if error}}
5         <br>
6           <div class="fail">
7             <strong>{{error}}</strong>
8           </div>
9         {{/if}}
10    <form action="/admin" method="post" class="form">
11
12      <div class="form-group">
13        <label><b>Username</b></label>
14        <input type="email" value='{{email}}' name="email" placeholder="Username">
15        <p>The username is Alphanumeric and can contain underscores(_) Must contain atleast 5 C</p>
16
17        <div class="form-group">
18          <label><b>Password</b></label>
19          <input value='{{password}}' type="password" name="password" placeholder="Password">
20          <p>The Password is Alphanumeric and can contain @ and hyphens(-) Must contain 8 to 20 C</p>
21
22        </div>
23
24
25
26      <button type="submit" class="registerbtn">Login</button>
27

```

ONLINE-CANTEEN.M...

home

OUTLINE

TIMELINE


main\* 0:11 0:0 ▲ 0

Type here to search

Ln 12, Col 7 Spaces: 4 UTF-8 LF Handlebars

ENG 8:02 PM IN 4/21/2021

## Customer login.handlebars:-




```

File Edit Selection View Go Run Terminal Help customer_login.handlebars - Online-Canteen-Management-System - Visual Studio Code
EXPLORER OPEN EDITORS 1 UNSAVED views > home > customer_login.handlebars > div.customerlanding > div.dark-overlay
  admin.handlebars M register.handlebars M customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M
  style.css public Settings
  admin_login.handlebars view... M
  admin.handlebars view\layouts M
  register.handlebars view\lays... M
  customer.css public
  customer.handlebars view... M
  home.handlebars view\lays... M
  customer_login.handlebars M
ONLINE-CANTEEN-M... main\customer_login.handlebars
  orderhistory.handlebars M
  preorder.handlebars M
  subscription.handlebars M
  wallet.handlebars M
  home M
  admin_login.handlebars M
  customer_login.handlebars M
  main.handlebars M
  register.handlebars M
  user.handlebars M
  layouts M
  admin.handlebars M
  customer.handlebars M
  home.handlebars M
  package-lock.json
  package.json M
  README.md
  server.js
  Synopsis.pdf
  OUTLINE
  TIMELINE
  main* 0:11 0:0 0:0
  Type here to search
  In 34, Col 11  Spaces: 2  UTF-8 LF Handlebars
  8:02 PM IN 4/21/2021
  
```

```

1  <div class = "customerlanding">
2    <div class="dark-overlay">
3      <h2 class="large text-primary">Customer Login</h2>
4      {{#if error}}
5        <br>
6        <div class="fail">
7          <strong>{{error}}</strong>
8        </div>
9        <br>
10       {{/if}}
11      {{#if success}}
12        <div class="success">
13          <strong>{{success}}</strong>
14        </div>
15      {{/if}}
16      <form action="/customer_login" method="post" class="form">
17
18        <div class="form-group">
19          <input name="email" value="{{email}}" type="email" placeholder="email">
20          <p>The username is Alphanumeric and can contain underscores(_) Must contain atleast 5 Characters</p>
21        </div>
22        <div class="form-group">
23          <input name="password" value="{{password}}" type="password" placeholder="Password">
24          <p>The Password is Alphanumeric and can contain @ and hyphens(-) Must contain 8 to 20 Characters</p>
25        </div>
26
27
  
```




The screenshot shows the Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** customer\_login.handlebars - Online-Canteen-Management-System - Visual Studio Code.
- Explorer:** Shows the project structure under "OPEN EDITORS":
  - style.css (public)
  - admin.handlebars
  - register.handlebars
  - customer.css (public)
  - customer.handlebars (views)
  - home.handlebars (views)
  - customer\_login.handlebars (views)Under "ONLINE-CANTEEN-M...":
  - orderhistory.handlebars
  - preorder.handlebars
  - subscription.handlebars
  - wallet.handlebars
  - home
    - admin\_login.handlebars
    - customer\_login.handlebars (selected)
    - main.handlebars
    - register.handlebars
    - user.handlebars
  - layouts
    - admin.handlebars
    - customer.handlebars
    - home.handlebarsOther files listed include package-lock.json, package.json, README.md, server.js, and Synopsis.pdf.
- Code Editor:** The current file is customer\_login.handlebars, showing the following code:

```
<button type="submit" class="registerbtn">Login</button>
<div class="form-group">
    <p>Don't have an account? <a href="/register">Sign up</a></p>
</div>

<script src="customer_login_js.js"></script>
</form>
</div>
```
- Bottom Status Bar:** In 34, Col 11, Spaces: 2, UTF-8, LF, Handlebars, ENG, 8:02 PM, IN, 4/21/2021.

## Register.handlebars:-



File Edit Selection View Go Run Terminal Help register.handlebars - Online: Canteen-Management-System - Visual Studio Code

```

OPEN EDITORS 1 UNSAVED
  register.handlebars M x customer.css M
  Settings
  admin_login.handlebars views... M
  register.handlebars views... M
  customer.css public M
  customer.handlebars views... M
  home.handlebars views... M
  customer_login.handlebars M
  main.handlebars views/home M

ONLINE-CANTEEN-MANAGEMENT-SYSTEM
  menu.handlebars
    orderhistory.handlebars
    preorder.handlebars
    subscription.handlebars
    wallet.handlebars
  home
    admin_login.handlebars M
    customer_login.handlebars M
    main.handlebars M
    register.handlebars M
    user.handlebars M
  layouts
    admin.handlebars M
    customer.handlebars M
    home.handlebars M
  package-lock.json
  package.json
  README.md
  server.js
  Synopsis.pdf

> OUTLINE
> TIMELINE
main* 0:11 0 0 ▲ 0
Type here to search

```

```

<input name="address" value="{{address}}" type="text" placeholder="Enter Address">
<div class="form-group">
<label><b>Password</b></label>
<input name="password" value="{{password}}" type="password" placeholder="Enter Password">
<div class="form-group">
<label><b>Confirm Password</b></label>
<input type="password" placeholder="Repeat Password" name="confirmpassword" id="confirmpassword">
<br>
<br>
<button type="submit" class="registerbtn">Register</button>
<br>
<br>
</div>
</form>
</div>

<div class="container signin">
<p>Already have an account? <a href="/customer_login">Sign in</a>.</p>
</div>

```

In 6, Col 23 Spaces: 2 UTF-8 LF Handlebars

File Edit Selection View Go Run Terminal Help register.handlebars - Online Canteen Management System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

- style.css public
- Settings
- register.handlebars views\home\register.handlebars
- customer.css public
- customer.handlebars views\home\customer.handlebars
- home.handlebars views\layouts\home\home.handlebars
- customer.login.handlebars views\home\customer.login.handlebars
- main.handlebars views\home\main.handlebars

ONLINE-CANTEEN-MANAGEMENT-SYSTEM

- menu.handlebars
- orderhistory.handlebars
- preorder.handlebars
- subscription.handlebars
- wallet.handlebars
- home
- admin\_login.handlebars
- customer\_login.handlebars
- main.handlebars
- register.handlebars
- user.handlebars
- layouts
- admin.handlebars
- customer.handlebars
- home.handlebars

package-lock.json

package.json

README.md

server.js

Synopsis.pdf

OUTLINE

TIMELINE

```


1 <div class="registerlanding">
2   <div class="dark-overlay">
3     <div>
4       <br>
5       {{#if error}}
6         <div class="fail">
7           <strong>{{error}}</strong>
8         </div>
9       {{/if}}
10      <h2 class="large text-primary">&ampnbsp&ampnbsp&ampnbsp&ampnbsp&ampnbspRegister</h2>
11      <p class="lead"><b>Please fill in this form to create an account.</b></p>
12
13      <form action="/register" method="post" class="form">
14        <div class="form-group">
15          <label class="formlabel"><b>Name</b></label>
16          <input name="Name" value="{{Name}}" type="text" placeholder="Enter Full name">
17
18        </div>
19        <div class="form-group">
20          <label><b>Email</b></label>
21          <input name="email" value="{{email}}" type="email" placeholder="Enter Email">
22
23        <div class="form-group">
24          <label><b>Address</b></label>
25          <input name="address" value="{{address}}" type="text" placeholder="Enter Address">
26
27

```

In 6, Col 23 Spaces: 2 UTF-8 LF Handles: 0

Type here to search

## Server.JS: -




```

File Edit Selection View Go Run Terminal Help
EXPLORER OPEN EDITORS 1 UNSAVED style.css M Settings admin_login.handlebars M server.js X register.handlebars M customer.css M customer.handlebars M
server.js > ...
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76

```

expiryDate: expiryDate,  
startDate: startDate  
},  
runtimeOptions: {  
allowProtoPropertiesByDefault: true,  
allowProtoMethodsByDefault: true,  
});  
app.set('view engine', 'handlebars');  
app.use(passport.initialize());  
app.use(passport.session());  
app.use((req,res,next)=>{  
res.locals.user = req.user || null ;  
next();  
});  
app.use('/',home);  
app.use('/admin',require('./routes/admin'));  
app.use('/user',require('./routes/customer'));  
mongoose.connect("mongodb+srv://admin123:cmsoops@cluster.3qqr6.mongodb.net/<dbname>?retryWrites=true");



```

File Edit Selection View Go Run Terminal Help
EXPLORER OPEN EDITORS 1 UNSAVED style.css M Settings admin_login.handlebars M server.js X register.handlebars M customer.css M customer.handlebars M
server.js > ...
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51

```

secret: 'cms',  
resave:true,  
saveUninitialized:true  
});  
app.use(flash());  
app.use((req,res,next)=>{  
res.locals.success=req.flash('success');  
res.locals.error=req.flash('error');  
next();  
});  
const {iftop,ifless,ifpre,formatDate,today,isEmptytop,isEmptyless,isEmptypre,ifsub:ifsub, expiryDate:  
app.engine('handlebars',exphb({defaultLayout:'home',helpers:{iftop:iftop,  
ifless:ifless,  
ifpre:ifpre,  
formatDate:formatDate,  
today:today,  
ifreceived:ifreceived,  
isEmptytop:isEmptytop,  
isEmptyless:isEmptyless,  
isEmptypre:isEmptypre,  
ifsub:ifsub,  
expiryDate: expiryDate,

File Edit Selection View Go Run Terminal Help

server.js - Online-Canteen-Management-System - Visual Studio Code

```

1  const express=require('express');
2  const mongoose=require('mongoose');
3  const path=require('path');
4  const exphb=require('express-handlebars');
5  const home=require('./routes/home');
6  const bodyParser=require('body-parser');
7  const passport=require('passport');
8  const upload=require('express-fileupload');
9  const session=require('express-session');
10 const flash=require('connect-flash');
11 const app=express();
12
13 app.use(express.static(path.join(__dirname,'public')));
14
15 app.use(upload());
16
17
18
19 // parse application/x-www-form-urlencoded
20 app.use(bodyParser.urlencoded({ extended: false }));
21
22 // parse application/json
23 app.use(bodyParser.json())
24
25 app.use(session({
26   secret:'cms',
27   resave:true

```

Ln 10, Col 38 Spaces: 4 UTF-8 CRLF JavaScript

main\* 0:11 0 0 ▲ 0 Initializing JS/TS language features

Type here to search

File Edit Selection View Go Run Terminal Help

server.js - Online-Canteen-Management-System - Visual Studio Code

```

74  app.use('/user',require('./routes/customer'));
75
76  mongoose.connect("mongodb+srv://admin123:cmsoops@cluster.3qqr6.mongodb.net/<dbname>?retryWrites=true&w=majority");
77
78  { useNewUrlParser: true,
79   useUnifiedTopology: true,
80   useCreateIndex:true,
81   useFindAndModify:false
82 },
83  ()=>console.log('db connected');
84
85
86
87  const port=process.env.PORT || 4341;
88
89  app.listen(port, ()=>console.log(`The server has started at ${port}`));

```

Ln 10, Col 38 Spaces: 4 UTF-8 CRLF JavaScript

main\* 0:11 0 0 ▲ 0

Type here to search

File Edit Selection View Go Run Terminal Help

server.js - Online-Canteen-Management-System - Visual Studio Code

```

74  app.use('/user',require('./routes/customer'));
75
76  mongoose.connect("mongodb+srv://admin123:cmsoops@cluster.3qqr6.mongodb.net/<dbname>?retryWrites=true&w=majority");
77
78  { useNewUrlParser: true,
79   useUnifiedTopology: true,
80   useCreateIndex:true,
81   useFindAndModify:false
82 },
83  ()=>console.log('db connected');
84
85
86
87  const port=process.env.PORT || 4341;
88
89  app.listen(port, ()=>console.log(`The server has started at ${port}`));


```

Ln 10, Col 38 Spaces: 4 UTF-8 CRLF JavaScript

main\* 0:11 0 0 ▲ 0

Type here to search


## Style.css: -



```

File Edit Selection View Go Run Terminal Help
style.css - Online-Canteen-Management-System - Visual Studio Code
EXPLORER OPEN EDITORS 1 UNSAVED
style.css public M
public > style.css > ↗.fail
194 .form input[type='email'],
195 .form input[type='password']
196 {
197   display: block;
198   width: 70%;
199   padding: 0.4rem;
200   font-size: 1.2rem;
201   border: 1px solid #ccc;
202 }
203
204 .registerbtn {
205   font: inherit;
206   margin-left: 375px ;
207 }
208
209 }
210
211
212 .customerlanding {
213   position: relative;
214   background: url('./canteen.jpg') no-repeat center center/cover;
215   height: 10vh;
216 }
217
218 .registerlanding {
219   position: relative;
220   background: url('./Canteenreg.jpg') no-repeat center center/cover;
221   height: 130vh;
In 148, Col 22 Spaces: 2 UTF-8 CRLF CSS ⚙
main* 0:11 0:0 ⚙
Type here to search

```



```

File Edit Selection View Go Run Terminal Help
style.css - Online-Canteen-Management-System - Visual Studio Code
EXPLORER OPEN EDITORS 1 UNSAVED
style.css public M
public > style.css > ↗.fail
171 background-color: #thistle;
172 margin-right: 700px;
173 color: #grey ;
174
175 /* .form{
176   display: ;
177 } */
178 .form-group {
179   margin: 1.2rem 10cm;
180   margin-left: 375px ;
181   color: #yellow ;
182
183
184 }
185
186
187 .form-text {
188   display: block;
189   margin-top: 0.3rem;
190   color: ##888;
191 }
192
193 .form input[type='text'],
194 .form input[type='email'],
195 .form input[type='password']
196 {
In 148, Col 22 Spaces: 2 UTF-8 CRLF CSS ⚙
main* 0:11 0:0 ⚙
Type here to search

```

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars M
- register.handlebars M
- user.handlebars M
- customer.css public M
- customer.handlebars views... M
- home.handlebars views\layout... M
- customer\_login.handlebars... M

ONLINE-CANTEEN-M...

- customerorder.js
- home.js
- helpers
- models
- Menu.js
- Order.js
- User.js
- node\_modules
- public
- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg
- P&C-2.pdf U
- style.css M
- routes
- admin.js
- customer.js

OUTLINE

TIMELINE

```

146 }
147 .fail{
148 margin-left:375px ;
149 background-color: #gainsboro;
150 width:50%;
151 color: red;
152 opacity: 80%;
153 padding: 10px;
154 }
155 .large {
156   font-size: 3rem;
157   line-height: 1.2;
158   margin-bottom: 1rem;
159 }
160 .text-primary {
161   color: black;
162   margin-right: 800px;
163   background-color: #wheat;
164   margin-left:375px ;
165 }
166 .lead {
167   font-size: 1.5rem;
168   margin-bottom: 1rem;
169   margin-left:375px ;
170   background-color: #thistle;
171   margin-right: 700px;
172 }
```

In 148, Col 22 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

0 11 0 0 0 0

0 11 0 0 0 0

803 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars M
- register.handlebars M
- user.handlebars M
- customer.css M
- customer.handlebars M

ONLINE-CANTEEN-M...

- customerorder.js
- home.js
- helpers
- models
- Menu.js
- Order.js
- User.js
- node\_modules
- public
- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg
- P&C-2.pdf U
- style.css M
- routes
- admin.js
- customer.js

OUTLINE

TIMELINE

```

122 .button {background-color: #555555;
123   float: left;
124   color: #f2f2f2;
125   text-align: center;
126   padding: 14px 16px;
127   text-decoration: none;
128   font-size: 17px;
129   margin-left: 10px;
130 }
131 .dark-overlay {
132   background-color: rgba(0, 0, 0, 0.5);
133   position: absolute;
134   top: 0;
135   left: 0;
136   width: 100%;
137   height: 100%;
138 }
139 .success{
140   margin-left:375px ;
141   background-color: #gainsboro;
142   width:50%;
143   color: black;
144   opacity: 80%;
145   padding: 10px;
146 }
147 .fail{
```

In 148, Col 22 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

0 11 0 0 0 0

0 11 0 0 0 0

803 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M 98 }  
99  
100 /\* Add a color to the active/current link \*/  
101 .topnav a.active {  
102 background-color: #4CAF50;  
103 color: white;  
104 }  
105  
106 .landing {  
107 position: relative;  
108 background: url('./diy-food-background-5.jpg') no-repeat center center/cover;  
109 height: 100vh;  
110 }  
111 .landing-inner {  
112 color: #fff;  
113 height: 100%;  
114 width: 80%;  
115 margin: auto;  
116 display: flex;  
117 flex-direction: column;  
118 align-items: center;  
119 justify-content: center;  
120 text-align: center;  
121 }  
122 .button {background-color: #555555;  
123 float: left; }

public > style.css > fail

ONLINE-CANTEEN-M... ▾

  - customerorder.js
  - home.js
  - helpers
  - models
    - Menus.js
    - Order.js
    - User.js
  - node\_modules
  - public
    - admin.css
    - canteen.jpg
    - Canteenadm.jpg
    - Canteenreg.jpg
    - customer.css
    - diy-food-background-5.jpg
    - P&C-2.pdf
    - style.css M
  - routes
    - admin.js
    - customer.js

OUTLINE

TIMELINE

main\* 0:11 0 0 △ 0 Type here to search

Ln 148, Col 22 Spaces 2 UTF-8 CRLF CSS R IN 8:03 PM 4/21/2021

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M 73 }  
74  
75 /\* Style the links inside the navigation bar \*/  
76 .topnav a {  
77 float: left;  
78 color: #f2f2f2;  
79 text-align: center;  
80 padding: 14px 16px;  
81 text-decoration: none;  
82 font-size: 17px;  
83 }  
84 .first{  
85 float: left;  
86 color: #f2f2f2;  
87 text-align: center;  
88 padding: 14px 16px;  
89 text-decoration: none;  
90 font-size: 17px;  
91 margin-left: 700px;  
92 }  
93 /\* Change the color of links on hover \*/  
94 .topnav a:hover {  
95 background-color: #ddd;  
96 color: black;  
97 }

public > style.css > fail

ONLINE-CANTEEN-M... ▾

- customerorder.js
- home.js
- helpers
- models
  - Menus.js
  - Order.js
  - User.js
- node\_modules
- public
  - admin.css
  - canteen.jpg
  - Canteenadm.jpg
  - Canteenreg.jpg
  - customer.css M
  - diy-food-background-5.jpg
  - P&C-2.pdf
  - style.css M
- routes
  - admin.js
  - customer.js

OUTLINE

TIMELINE

main\* 0:11 0 0 △ 0 Type here to search

Ln 148, Col 22 Spaces 2 UTF-8 CRLF CSS R IN 8:03 PM 4/21/2021

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars M
- register.handlebars M
- user.handlebars M
- customer.css M
- customer.handlebars views\home M
- home.handlebars views\layout M
- customer\_login.handlebars M

ONLINE-CANTEEN-M...

- customerorder.js
- home.js
- helpers
- models
- Menu.js
- Order.js
- User.js
- node\_modules
- public
- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg
- P&C-2.pdf U
- style.css M
- routes
- admin.js
- customer.js

OUTLINE

TIMELINE

```

49 /* Add a blue text color to links */
50 a {
51   color: #dodgerblue;
52 }
53
54 /* Set a grey background color and center the text of the "sign in" section */
55 .signin {
56   opacity: 0.9;
57
58   background-color: #333;
59   color: #f2f2f2;
60   text-align: center;
61   overflow: hidden;
62 }
63 .topnav {
64   display: flex;
65   align-items: center;
66   padding: 0.7rem 2rem;
67   border-bottom: solid 1px var(--primary-color);
68   opacity: 0.9;
69   border-bottom: solid 1px var(--primary-color);
70   background-color: black;
71   overflow: hidden;
72   padding: 10px;
73 }
74
75 /* Style the links inside the navigation bar */

```

In 148, Col 22 Spaces: 2 UTF-8 CR/LF CSS R

Type here to search ENG 8:03 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help style.css - Online Canteen Management System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars views\home M
- register.handlebars views\home M
- user.handlebars views\home M
- customer.css public M
- customer.handlebars views\home M
- home.handlebars views\layout M
- customer\_login.handlebars M

ONLINE-CANTEEN-M...

- customerorder.js
- home.js
- helpers
- models
- Menu.js
- Order.js
- User.js
- node\_modules
- public
- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg
- P&C-2.pdf U
- style.css M
- routes
- admin.js
- customer.js

OUTLINE

TIMELINE

```

25
26 /* Overwrite default styles of hr */
27 hr {
28   border: 1px solid #f1f1f1;
29   margin-bottom: 25px;
30 }
31
32 /* Set a style for the submit/register button */
33 .registerbtn {
34   background-color: black;
35   color: white;
36   padding: 16px 20px;
37   margin: 8px 0;
38   border: none;
39   cursor: pointer;
40   width: 10%;
41   opacity: 0.9;
42   margin-left: 375px;
43 }
44
45 .registerbtn:hover {
46   opacity: 1;
47 }
48
49 /* Add a blue text color to links */
50 a {
51   color: #dodgerblue;
52 }

```

In 148, Col 22 Spaces: 2 UTF-8 CR/LF CSS R

Type here to search ENG 8:03 PM IN 4/21/2021

File Edit Selection View Go Run Terminal Help

style.css - Online Canteen Management System - Visual Studio Code

```

1  h2{
2
3      color: whitesmoke;
4
5  }
6  *{
7      font-family: 'Roboto', sans-serif;
8      cursor: cell;
9  }
10
11 body{
12
13     font-family: 'Raleway', sans-serif;
14     font-size: 1rem;
15     line-height: 1.6;
16     background-color: #fff;
17     color: #333;
18     margin: 0;
19
20 }
21
22
23
24
25
26 /* Overwrite default styles of hr */
27 hr {

```

In 148, Col 22 Spaces 2 UTF-8 CR/LF CSS R

Type here to search

File Edit Selection View Go Run Terminal Help

style.css - Online Canteen Management System - Visual Studio Code

```

1  h2{
2
3      color: whitesmoke;
4
5  }
6  *{
7      font-family: 'Roboto', sans-serif;
8      cursor: cell;
9  }
10
11 body{
12
13     font-family: 'Raleway', sans-serif;
14     font-size: 1rem;
15     line-height: 1.6;
16     background-color: #fff;
17     color: #333;
18     margin: 0;
19
20 }
21
22
23
24
25
26 /* Overwrite default styles of hr */
27 hr {

```

In 148, Col 22 Spaces 2 UTF-8 CR/LF CSS R

Type here to search

File Edit Selection View Go Run Terminal Help

style.css - Online Canteen Management System - Visual Studio Code

```

1  h2{
2
3      color: whitesmoke;
4
5  }
6  *{
7      font-family: 'Roboto', sans-serif;
8      cursor: cell;
9  }
10
11 body{
12
13     font-family: 'Raleway', sans-serif;
14     font-size: 1rem;
15     line-height: 1.6;
16     background-color: #fff;
17     color: #333;
18     margin: 0;
19
20 }
21
22
23
24
25
26 /* Overwrite default styles of hr */
27 hr {

```

In 148, Col 22 Spaces 2 UTF-8 CR/LF CSS R

Type here to search

File Edit Selection View Go Run Terminal Help

style.css - Online Canteen Management System - Visual Studio Code

```


210
211
212 .customerlanding {
213     position: relative;
214     background: url('./canteen.jpg') no-repeat center center/cover;
215     height: 100vh;
216 }
217 .registerlanding {
218     position: relative;
219     background: url('./Canteenreg.jpg') no-repeat center center/cover;
220     height: 130vh;
221 }
222 .adminlanding {
223     position: relative;
224     background: url('./Canteenadm.jpg') no-repeat center center/cover;
225     height: 130vh;
226 }
227

```

In 148, Col 22 Spaces 2 UTF-8 CR/LF CSS R

Type here to search

## Main.handlebars: -



The screenshot shows the Visual Studio Code interface with the file `main.handlebars` open. The code defines a landing page for a canteen management system:

```

1 <div class="landing">
2   <div class='dark-overlay'>
3     <div class='landing-inner'>
4       <h1 class='large'>Canteen Management System</h1>
5       <p>
6         Sign up and enjoy delicious food<br><br>
7         <a href = "/register" class="button">Sign up</a>
8         <a href = "/customer_login" class="button">Sign in</a>
9       </p>
10    </div>
11  </div>
12 </div>

```

The project structure in the Explorer sidebar includes files like `register.handlebars`, `customer.css`, `customer.handlebars`, `home.handlebars`, `customer_login.handlebars`, and `main.handlebars`. The `main.handlebars` file is currently selected.

## Dashboard.handlebars: -

Canteen Management System

Dashboard Order Subscription Order History Pre Book order wallet Logout

### Dashboard

Name : Harsh Agarwal

Email : harsh.garwal1234@gmail.com

Address : 35 subhash nagar

Wallet Balance : 595

Date of joining : 20/04/2021

File Edit Selection View Go Run Terminal Help

dashboard.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- Settings
- admin\_login.handlebars
- register.handlebars
- customer.css
- home.handlebars
- customer\_login.handlebars
- admin.css
- dashboard.handlebars

views > customer > dashboard.handlebars > div

```

1  <div>
2    <h2 class="large text-primary">Dashboard</h2>
3
4  {{#if success}}
5    <br>
6    <div class="success">
7      <strong>{{success}}</strong>
8    </div>
9    <br>
10 {{/if}}
11   <p class="lead">Name : {{user.Name}}</p>
12   <p class="lead">Email : {{user.email}}</p>
13   <p class="lead">Address : {{user.address}} </p>
14   <p class="lead">Wallet Balance : {{user.balance}} </p>
15   <p class="lead">Date of joining : {{formatDate user.date 'DD/MM/YYYY'}}</p>
16
17
18
19 </div>
20

```

ONLINE-CANTEEN-M... routes views admin customer dashboard.handlebars menu.handlebars orderhistory.handlebars preorder.handlebars subscription.handlebars wallet.handlebars home admin\_login.handlebars customer\_login.handlebars main.handlebars register.handlebars user.handlebars layouts admin.handlebars

OUTLINE TIMELINE

main\* 0 11 0 0 △ 0

Type here to search

Ln 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ⚡ Q

Windows 12:11 PM ENG IN 4/22/2021

## Admin dashboard.handlebars: -

Canteen Management System

Dashboard   Add item   Menu   Orders   Logout

### Dashboard

Welcome to the Admin Section

#### Customers

Premium subscriber customer		Non Premium subscriber customer			
Name	Email	Address	Date of joining	Order history	
bbj	ghgh@123.com	hkhj	19/04/2021	<a href="#">view</a>	<a href="#">DELETE</a>
Harsh Agarwal	harsh.garwal1234@gmail.com	35 subhash nagar	20/04/2021	<a href="#">view</a>	<a href="#">DELETE</a>

File Edit Selection View Go Run Terminal Help dashboard.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css public dashboard.handlebars views\admin

ONLINE-CANTEEN-M... routes admin.js customer.js home.js views admin dashboard.handlebars

customer handlebars views\customer dashboard.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars

The th element represents a header cell in a table.

```

1 <div>
2
3     <h2 class="large text-primary">Dashboard</h2>
4
5     <p class="lead">Welcome to the Admin Section</p>
6
7     <div>
8         <h2 class="textc">Customers</h2>
9         <a class="sub" href="/admin/premium">Premium subscriber customer</a>
10        <a class="sub" href="/admin/nonpremium">Non Premium subscriber customer</a>
11        <br>
12        <br>
13        {{#if customer}}
14            <table class="table">
15                <thead>
16                    <tr>
17                        <th class="hide-sm">Name</th> MDN Reference
18                        <th class="hide-sm">Email</th>
19                        <th class="hide-sm">Address</th>
20                        <th class="hide-sm">Date of joining</th>
21                        <th class="hide-sm">Order history</th>
22                        <th class="hide-sm"></th>
23                    </tr>
24                </thead>
25                <tbody>
26                    {{#each customer}}
27

```

LN 1, Col 1 Spaces: 4 UTF-8 LF Handlebars

Type here to search

File Edit Selection View Go Run Terminal Help

dashboard.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

views > admin > dashboard.handlebars > div

```

<tbody>
  {{#each customer}}
    <tr>
      <td>{{Name}}</td>
      <td>{{email}}</td>
      <td>{{address}}</td>
      <td>{{formatDate date 'DD/MM/YYYY'}}</td>
      <td><a class="view" href="/admin/order/{{id}}">view</a></td>
      <td>
        <form action="/admin/dashboard/{{id}}" method="POST">
          <button type="submit" class="view">DELETE</button>
        </form>
      </td>
    </tr>
  {{/each}}
  {{else}}
    <p class="lead">No customers are present</p>
  {{/if}}
</tbody>

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

Type here to search

Windows Taskbar: File Explorer, Edge, Google Chrome, FileZilla, File Manager, Notepad, Visual Studio Code, Task View, Taskbar Icons.

System Tray: ENG IN 12:13 PM 4/22/2021

File Edit Selection View Go Run Terminal Help

dashboard.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

views > admin > dashboard.handlebars > div

```

<tbody>
  <td>{{formatDate date 'DD/MM/YYYY'}}</td>
  <td><a class="view" href="/admin/order/{{id}}">view</a></td>
  <td>
    <form action="/admin/dashboard/{{id}}" method="POST">
      <button type="submit" class="view">DELETE</button>
    </form>
  </td>
</tbody>

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

Type here to search

Windows Taskbar: File Explorer, Edge, Google Chrome, FileZilla, File Manager, Notepad, Visual Studio Code, Task View, Taskbar Icons.

System Tray: ENG IN 12:13 PM 4/22/2021

## Menu.handlebars: -

### Menu

#### BREAKFAST

bedai

Rs 8

Type: Breakfast

quantity  **Add**

kachori

Rs 10

Type: Breakfast

quantity  **Add**

jalebi

Rs 20

#### LUNCH

Pizza

Rs 200

Type: Lunch

quantity  **Add**

Macroni

Rs 100

Type: Lunch

quantity  **Add**

Paneer Patiz

Rs 35

Type: Lunch

quantity  **Add**

## DINNER

Pav Bhaji

Rs 150

Type: Dinner

quantity  **Add**

## DESSERT

Chocolate Ice cream

Rs 50

Type: Desert

quantity  **Add**

Vanila Ice cream

File Edit Selection View Go Run Terminal Help

menu.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css menu.handlebars X

EXPLORER

ONLINE-CANTEEN-M... routes

views

customer

menu.handlebars

DESSERT

```

<p>type: {{category}}</p>
<p>
<form action="/user/menu/{{id}}" method="post" class="form">
<div class="form-group">
<label>quantity</label>
<input type="number" id="quantity" name="quantity" value="{{quantity}} placeholder="" />
<button type="submit" class="button">Add</button>
</div>
</form>
</p>
</div>
<br><br>
{{/each}}
<p class="lead">DESSERT</p>
{{#each item3}}
<div class="card">
<h4><b>{{Name}}</b></h4>
<div class="container">
<p>Rs {{price}}</p>
<p>Type: {{category}}</p>
<p>
```

Ln 13, Col 24 Spaces: 2 UTF-8 LF Handlebars

main\* 0 11 0 0 △ 0 Type here to search 0 11 0 0 △ 0 ENG 12:11 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

menu.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

views > customer > menu.handlebars > div > div.success

```

51   <p>Rs {{price}}</p>
52   <p>Type: {{category}}</p>
53   <p>
54     <form action="/user/menu/{{id}}" method="post" class="form">
55       <div class="form-group">
56         <p><label>quantity</label>
57           <input type="number" id="quantity" name="quantity" value="{{quantity}} placeholder="" />
58           <button type="submit" class="button">Add</button> </p>
59         </div>
60       </form>
61     </p>
62   </div>
63   <br><br>
64   {{/each}}
65   <p class="lead">DINNER</p>
66   {{#each item2}}
67     <div class="card">
68       <h4><b>{{Name}}</b></h4>
69       <div class="container">
70         <p>Rs {{price}}</p>
71         <p>Type: {{category}}</p>
72       </div>
73     </div>
74   </p>
75   <p>Rs {{price}}</p>
76   <p>Type: {{category}}</p>
    </p>

```

Ln 13, Col 24 Spaces: 2 UTF-8 LF Handlebars ⚙

main\* 0 0 0 0 0 Type here to search ○ ⚙ ENG 12:11 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

menu.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

views > customer > menu.handlebars > div > div.success


```

25   <p>Rs {{price}}</p>
26   <p>Type: {{category}}</p>
27   <p>
28     <form action="/user/menu/{{id}}" method="post" class="form">
29       <div class="form-group">
30         <p><label>quantity</label>
31           <input type="number" id="quantity" name="quantity" value="{{quantity}} placeholder="" />
32           <button type="submit" class="button">Add</button> </p>
33         </div>
34       </form>
35     </p>
36   </div>
37   <br><br>
38   {{/each}}
39   <p class="lead">LUNCH</p>
40   {{#each item1}}
41     <div class="card">
42       <h4><b>{{Name}}</b></h4>
43       <div class="container">
44         <p>Rs {{price}}</p>
        </div>

```

Ln 13, Col 24 Spaces: 2 UTF-8 LF Handlebars ⚙

main\* 0 0 0 0 0 Type here to search ○ ⚙ ENG 12:11 PM IN 4/22/2021



The screenshot shows the Visual Studio Code interface with the following details:


- File Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...". The "menu.handlebars" file is selected in the "views\customer" folder.
- Code Editor:** Displays the content of "menu.handlebars" (Line numbers 101-116). The code includes a form for adding items to a menu.
- Bottom Status Bar:** Shows "Ln 13, Col 24" and "Handlebars".
- Bottom Taskbar:** Includes icons for File, Edit, Selection, View, Go, Run, Terminal, Help, and others.

```

 101 <p>type: {{category}}</p>
 102   <form action="/user/menu/{{id}}" method="post" class="form">
 103     <div class="form-group">
 104       <p><label>quantity</label>
 105         <input type="number" id="quantity" name="quantity" value="{{quantity}}" placeholder="" />
 106         <button type="submit" class="button">Add</button> </p>
 107     </div>
 108   </form>
 109   </p>
 110   </div>
 111   </div>
 112   <br><br>
 113   {{/each}}
 114 </div>
 115
 116

```



## Pre.handlebars: -



Canteen Management System

Name	Email	Address	Duration of subscription	Cancel subscription
Harsh Agarwal	harsh.garwal1234@gmail.com	35 subhash nagar	20/04/2021 to 20/07/2021	<a href="#">Cancel</a>

## Premium subscriber customer

```

<div>
  <h2 class="large text-primary">Premium subscriber customer</h2>
  {{#if success}}
    <div class="success">
      <strong>{{success}}</strong>
    </div>
  {{/if}}
  <br>
  {{#if user}}
    <table class="table">
      <thead>
        <tr>
          <th class="hide-sm">Name</th>
          <th class="hide-sm">Email</th>
          <th class="hide-sm">Address</th>
          <th class="hide-sm">Duration of subscription</th>
          <th class="hide-sm">Cancel subscription</th>
        </tr>
      </thead>
      <tbody>
        {{#each user}}
          <tr>
            <td>{{name}}</td>
            <td>{{email}}</td>
            <td>{{address}}</td>
            <td>{{duration}}</td>
            <td><a href="#">Cancel subscription</a></td>
          </tr>
        {{/each}}
      </tbody>
    </table>
  {{/if}}
</div>

```

File Edit Selection View Go Run Terminal Help

pre.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

views > admin > pre.handlebars > div

```

EXPLORER      ebars M  customer.css M  customer.handlebars M  home.handlebars M  customer_login.handlebars M  admin.css  pre.handlebars X
  Settings
  admin_login.handlebars views... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views... M
  ● home.handlebars views\layout... M
  customer_login.handlebars... M
  admin.css public
  × pre.handlebars views\admin
  ONLINE-CANTEEN-M... Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css
  routes
    admin.js
    customer.js
    home.js
  views
    admin
      dashboard.handlebars
      item.handlebars
      menu.handlebars
      nonpre.handlebars
      order.handlebars
      orders.handlebars
      pre.handlebars
    customer
  OUTLINE
  TIMELINE
  main*  01.11  0 △0
  Type here to search
  
```

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

```

<td>{{user.Name}}</td>
<td>{{user.email}}</td>
<td>{{user.address}}</td>
<td>{{formatDate date 'DD/MM/YYYY'}} to {{expiryDate date }}</td>
<td>
<form class="form" method="post" action="/admin/premium/{{id}}">
  <button type="submit" class="view">Cancel</button>
</form>
</td>
</tr>
{{/each}}
</tbody>
{{else}}
<p class="lead">No customers are present</p>
{{if}}
</div>
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙ 12:17 PM IN 4/22/2021

## Pre-order.handlebars: -

### Menu

#### BREAKFAST

img

**bedai**

Rs 8

Type: Breakfast

quantity  Time  Add

img

**kachori**

Rs 10

Type: Breakfast

quantity  Time  Add

img

quantity  Time  Add

#### LUNCH

img

**Pizza**

Rs 200

Type: Lunch

quantity  Time  Add

img

**Macroni**

Rs 100

Type: Lunch

quantity  Time  Add

## DINNER

img

**Pav Bhaji**

Rs 150

Type: Dinner

quantity  Time  Add

## DESSERT

img

**Chocolate Ice cream**

Rs 50

Type: Desert

quantity  Time  Add

File Edit Selection View Go Run Terminal Help

preorder.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- Settings
- customer.css M
- customer.handlebars M
- home.handlebars M
- customer\_login.handlebars M
- admin.css
- preorder.handlebars X

views > customer > preorder.handlebars > ...

```

1  <div>
2  <h2 class="large text-primary">Menu</h2>
3
4
5
6  {{#if success}}
7  <div class="success">
8  | <strong>{{success}}</strong>
9  </div>
10 {{/if}}
11
12 {{#each error}}
13 <div class="success">
14 | <strong>{{message}}</strong>
15 </div>
16 {{/each}}
17
18
19 <p class="lead">BREAKFAST</p>
20 | {{#each item}}
21 <div class="card">
22 <p>img</p>
23 <div class="container">
24 | <h4><b>{{Name}}</b></h4>
25 <p>Rs {{price}}</p>
26 <p>Type: {{category}}</p>
27

```

ONLINE-CANTEEN-M... routes admin.js customer.js home.js

views > admin > customer dashboard.handlebars menu.handlebars orderhistory.handlebars

preorder.handlebars

subscription.handlebars wallet.handlebars

home admin\_login.handlebars M customer\_login.handlebars M main.handlebars register.handlebars M user.handlebars

layouts admin.handlebars

OUTLINE TIMELINE

main\* 0 11 0 0 △ 0

Type here to search

Ln 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ⚙

ENG 12:12 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css preorder.handlebars X

```

EXPLORER OPEN EDITORS 1 UNSAVED
views > customer > preorder.handlebars ...
26   <p>{{Name}}</p>
27   <p>Type: {{category}}</p>
28   <p>
29     <form action="/user/preorder/{{id}}" method="post" class="form">
30       <div class="form-group">
31         <p><label>quantity</label>
32           <input type="number" id="quantity" name="quantity" value="{{quantity}}" placeholder="" />
33         <label>Time</label>
34           <input type="time" id="time" name="time" value="{{time}}" placeholder="" />
35           <button type="submit" class="button">Add</button> </p>
36       </div>
37     </form>
38   </p>
39   </div>
40   <br><br>
41   {{/each}}
42   <p class="lead">LUNCH</p>
43   {{#each item1}}
44     <div class="card">
45       <p>{{Name}}</p>
46       <div class="container">
47         <h4>{{Name}}</h4>
48         <p>Rs {{price}}</p>
49         <p>Type: {{category}}</p>
50         <p>
51           <form action="/user/preorder/{{id}}" method="post" class="form">
52             <div class="form-group">
53               <p><label>quantity</label>
54                 <input type="number" id="quantity" name="quantity" value="{{quantity}}" placeholder="" />
55               <label>Time</label>
56                 <input type="time" id="time" name="time" value="{{time}}" placeholder="" />
57                 <button type="submit" class="button">Add</button> </p>
58             </div>
59           </form>
60         </p>
61       </div>
62     </div>
63   <br><br>
64   {{/each}}
65   <p class="lead">DINNER</p>
66   {{#each item2}}
67     <div class="card">
68       <p>{{Name}}</p>
69       <div class="container">
70         <h4>{{Name}}</h4>

```

Ln 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ⌂ ⌂

main\* 0:11 ⌂ 0 0 ⌂ 0 Type here to search ⌂ 12:12 PM IN 4/22/2021 ⌂

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css preorder.handlebars X

```

EXPLORER OPEN EDITORS 1 UNSAVED
views > customer > preorder.handlebars ...
51   <div class="container" ...
52     <h4>{{Name}}</h4>
53     <p>Rs {{price}}</p>
54     <p>Type: {{category}}</p>
55     <p>
56       <form action="/user/preorder/{{id}}" method="post" class="form">
57         <div class="form-group">
58           <p><label>quantity</label>
59             <input type="number" id="quantity" name="quantity" value="{{quantity}}" placeholder="" />
60           <label>Time</label>
61             <input type="time" id="time" name="time" value="{{time}}" placeholder="" />
62             <button type="submit" class="button">Add</button> </p>
63         </div>
64       </form>
65     </p>
66   </div>
67   <br><br>
68   {{/each}}
69   <p class="lead">DINNER</p>
70   {{#each item2}}
71     <div class="card">
72       <p>{{Name}}</p>
73       <div class="container">
74         <h4>{{Name}}</h4>
75       </div>
76     </div>
77   <br><br>

```

Ln 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ⌂ ⌂

main\* 0:11 ⌂ 0 0 ⌂ 0 Type here to search ⌂ 12:12 PM IN 4/22/2021 ⌂

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css preorder.handlebars X

```

EXPLORER OPEN EDITORS 1 UNSAVED
views > customer > preorder.handlebars > ...
  Settings
  admin_login.handlebars view... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\layout... M
  customer_login.handlebars M
  admin.css public
  preorder.handlebars views\customer
    routes
      admin.js
      customer.js
      home.js
    views
      admin
      customer
        dashboard.handlebars
        menu.handlebars
        orderhistory.handlebars
        preorder.handlebars
        subscription.handlebars
        wallet.handlebars
      home
        admin_login.handlebars M
        customer_login.handlebars M
        main.handlebars
        register.handlebars M
        user.handlebars
      layouts
        admin.handlebars
  OUTLINE
  TIMELINE
  main* 0:11 0 0 0 0
  Type here to search
  
```

LN 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ENG 12:12 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css preorder.handlebars X

```

EXPLORER OPEN EDITORS 1 UNSAVED
views > customer > preorder.handlebars > ...
  Settings
  admin_login.handlebars view... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\layout... M
  customer_login.handlebars M
  admin.css public
  preorder.handlebars views\customer
    routes
      admin.js
      customer.js
      home.js
    views
      admin
      customer
        dashboard.handlebars
        menu.handlebars
        orderhistory.handlebars
        preorder.handlebars
        subscription.handlebars
        wallet.handlebars
      home
        admin_login.handlebars M
        customer_login.handlebars M
        main.handlebars
        register.handlebars M
        user.handlebars
      layouts
        admin.handlebars
  OUTLINE
  TIMELINE
  main* 0:11 0 0 0 0
  Type here to search
  
```

LN 1, Col 1 Spaces: 2 UTF-8 LF Handlebars ENG 12:12 PM IN 4/22/2021

## Order history.handlebars: -

Canteen Management System

Dashboard Order Subscription Order History Pre Book order wallet Logout

### Customers

#### Pre booked order

Name	Price	quantity	status	Date	Time(24 hrs format)
Pizza	200	1	received	20/04/2021	16:49

#### Top priority

Name	Price	quantity	status	Date	Time
Paneer Patiz	35	3	received	20/04/2021	8:35 PM
Macroni	100	1	received	20/04/2021	8:35 PM

No Less priority order are present

File Edit Selection View Go Run Terminal Help orderhistory.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css M orderhistory.handlebars X

views > customer > orderhistory.handlebars > ...

```

1 <div>
2   <h3 class="textc">Customers</h3>
3   {{#if pre}}
4     <h3 class="textc">Pre booked order</h3>
5   <table class="table">
6     <thead>
7       <tr>
8         <th class="hide-sm">Name</th>
9         <th class="hide-sm">Price</th>
10        <th class="hide-sm">quantity</th>
11        <th class="hide-sm">status</th>
12        <th class="hide-sm">Date</th>
13        <th class="hide-sm">Time(24 hrs format)</th>
14      </tr>
15    </thead>
16    <tbody>
17      {{#each order}}
18        {{#each item}}
19          <tr>
20            {{#ifpre category}}
21              <td>{{Name}}</td>
22              <td>{{price}}</td>
23              <td>{{quantity}}</td>
24              <td>{{status}}</td>
25              <td>{{formatDate date 'DD/MM/YYYY'}}</td>
26            </tr>
27          {{/each}}
28        {{/each}}
29      {{/each}}
30    </tbody>
31  </table>
32  {{#if pre}}
33    <h3 class="textc">Top priority</h3>
34    <table class="table">
35      <thead>
36        <tr>
37          <th>Name</th>
38          <th>Price</th>
39          <th>quantity</th>
40          <th>status</th>
41          <th>Date</th>
42          <th>Time</th>
43        </tr>
44      </thead>
45      <tbody>
46        {{#each order}}
47          {{#each item}}
48            <tr>
49              {{#ifpre category}}
50                <td>{{Name}}</td>
51                <td>{{price}}</td>
52                <td>{{quantity}}</td>
53                <td>{{status}}</td>
54                <td>{{formatDate date 'DD/MM/YYYY'}}</td>
55              </tr>
56            {{/each}}
57          {{/each}}
58        {{/each}}
59      </tbody>
60    </table>
61  {{/if}}
62</div>

```

File Edit Selection View Go Run Terminal Help orderhistory.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css M orderhistory.handlebars X

views > customer > orderhistory.handlebars > ...



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it displays the project structure under "OPEN EDITORS". The file "orderhistory.handlebars" is selected and highlighted in blue.
- Editor:** The main editor area shows the content of "orderhistory.handlebars". The code includes Handlebars templating syntax like {{status}}, {{formatDate date 'DD/MM/YYYY'}}, and {{#if received}}.
- Status Bar:** At the bottom, it shows "Ln 1, Col 1" and "Spaces: 4" and "UTF-8".
- Bottom Icons:** Standard VS Code icons for search, replace, and file operations.

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it displays the project structure under "OPEN EDITORS". The "orderhistory.handlebars" file is currently selected.
- Code Editor:** The main area shows the Handlebars template code. The code includes an  section with six columns: Name, Price, quantity, status, Date, and Time, all styled as "hide-sm". The  section uses <#each> loops to iterate over orders and items. For each item, it displays the category, name, price, quantity, status, formatted date, and formatted time. It also checks if the status is received.
- Status Bar:** At the bottom, it shows the current file is "orderhistory.handlebars" at line 1, column 1. Other status indicators include "Spaces: 4", "UTF-8", "LF", "Handlebars", and "IN 4/22/2021".

File Edit Selection View Go Run Terminal Help orderhistory.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css orderhistory.handlebars X

```

<td>
    <form action="/user/orders/{{id}}" method="POST">
        <button type="submit" class="view">DELETE</button>
    </form>
</td>
{{ifreceived}}
{{iftop}}
```

customer.handlebars views\customer\orderhistory.handlebars

ONLINE-CANTEEN-M... routes

- views
  - admin.js
  - customer.js
  - home.js
- views
  - customer
    - dashboard.handlebars
    - menu.handlebars
    - orderhistory.handlebars
    - preorder.handlebars
    - subscription.handlebars
    - wallet.handlebars
  - home
    - admin\_login.handlebars M
    - customer\_login.handlebars M
    - main.handlebars
    - register.handlebars M
    - user.handlebars
  - layouts
    - admin.handlebars

OUTLINE TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚡ 4/22/2021

Type here to search

File Edit Selection View Go Run Terminal Help orderhistory.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css orderhistory.handlebars X

```

<thead>
    <tr>
        <th class="hide-sm">Name</th>
        <th class="hide-sm">Price</th>
        <th class="hide-sm">quantity</th>
        <th class="hide-sm">status</th>
        <th class="hide-sm">Date</th>
        <th class="hide-sm">Time</th>
    </tr>
</thead>
<tbody>
    {{#each order}}
        {{#each item}}
            <tr>
                {{#ifless category}}
                    <td>{{Name}}</td>
                    <td>{{price}}</td>
                    <td>{{quantity}}</td>
                    <td>{{status}}</td>
                    <td>{{formatDate date 'DD/MM/YYYY'}}</td>
                    <td>{{formatDate date 'LT'}}</td>
                {{#ifreceived status}}
                    <td>
                        <form action="/user/orders/{{id}}" method="POST">
                            <button type="submit" class="view">DELETE</button>
                        </form>
                    </td>
                {{/ifreceived}}
```

customer.handlebars views\customer\orderhistory.handlebars


ONLINE-CANTEEN-M... routes

- views
  - customer
    - dashboard.handlebars
    - menu.handlebars
    - orderhistory.handlebars
    - preorder.handlebars
    - subscription.handlebars
    - wallet.handlebars
  - home
    - admin\_login.handlebars M
    - customer\_login.handlebars M
    - main.handlebars
    - register.handlebars M
    - user.handlebars
  - layouts
    - admin.handlebars

OUTLINE TIMELINE

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚡ 4/22/2021

Type here to search



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...". The "orderhistory.handlebars" file is selected.
- Code Editor:** Displays the content of "orderhistory.handlebars". The code includes Handlebars templating syntax like {{if}}, {{each}}, and {{else}}.
- Status Bar:** Shows "Ln 1, Col 1" and "Handlebars".
- Taskbar:** Shows icons for various applications including Microsoft Edge, Google Chrome, and Visual Studio Code.

```

customer.css M  customer.handlebars M  home.handlebars M  customer_login.handlebars M  admin.css  orderhistory.handlebars X
views > customer > orderhistory.handlebars > ...
124           </form>
125           </td>
126           {{ifreceived}}
127           {{ifless}}
128
129
130           </tr>
131           {{each}}
132           {{each}}
133           </tbody>
134           </table>
135           {{else}}
136           <p class="lead"> No Less priority order are present </p>
137           {{if}}
138
139
140
141           </div>

```

## Wallet.handlebars: -

**Good Day, Sir / Madam**

Your current account balance

**Rs 595**

Fill Details to add money in the wallet

Name of Bank	<input type="text"/>
Branch	<input type="text"/>
Credit card no.	<input type="text"/>
Pin	<input type="text"/>
Amount	<input type="text"/>
<input type="button" value="Add"/>	

wallet.handlebars - Online-Canteen-Management-System - Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M admin.css wallet.handlebars X
EXPLORER ... ars M views > customer > wallet.handlebars > div
OPEN EDITORS 1 UNSAVED
views > customer > wallet.handlebars > div
1 <div>
2 <h2 class="large text-primary">Good Day, Sir / Madam</h2>
3 {{#if success}}
4 <br>
5 <div class="success">
6   <strong>{{success}}</strong>
7 </div>
8 <br>
9 {{/if}}
10 <p class="lead">Your current account balance</p>
11 <p class="large text-primary">Rs {{balance}}</p>
12 <br>
13 <p class="lead">Fill Details to add money in the wallet</p>
14
15 <form action="/user/wallet" method="POST" class="form">
16   <div class="form-group">
17     <div class="form-group">
18       <label>Name of Bank</label>
19       <input type="text" required />
20     </div>
21     <div class="form-group">
22       <label>Branch</label>
23       <input type="text" required />
24     </div>
25     <div class="form-group">
26       <label>Credit card no.</label>
27       <input type="text" required />

```

In 1, Col 1 Spaces: 4 UTF-8 LF Handlebars R Q

Type here to search

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css wallet.handlebars X

OPEN EDITORS 1 UNSAVED

views > customer > wallet.handlebars > div

1 <div>

2 <h2 class="large text-primary">Good Day, Sir / Madam</h2>

3 {{#if success}}

4 <br>

5 <div class="success">

6 <strong>{{success}}</strong>

7 </div>

8 <br>

9 {{/if}}

10 <p class="lead">Your current account balance</p>

11 <p class="large text-primary">Rs {{balance}}</p>

12 <br>

13 <p class="lead">Fill Details to add money in the wallet</p>

14

15 <form action="/user/wallet" method="POST" class="form">

16 <div class="form-group">

17 <div class="form-group">

18 <label>Name of Bank</label>

19 <input type="text" required />

20 </div>

21 <div class="form-group">

22 <label>Branch</label>

23 <input type="text" required />

24 </div>

25 <div class="form-group">

26 <label>Credit card no.</label>

27 <input type="text" required />

File Edit Selection View Go Run Terminal Help

wallet.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER

views > customer > wallet.handlebars > `<div>`

```

26   <label>Credit card no.</label>
27   <input type="text" required/>
28 </div>
29 <div class="form-group">
30   <label>Pin</label>
31   <input type="text" required/>
32 </div>
33 <div class="form-group">
34   <p><label>Amount</label>
35
36   <input type="text" id="amount" name="amount" value='{{amount}}' placeholder="" required>
37 </div>
38
39 <div class="form-group">
40   <button type="submit" class="registerbtn">Add</button>
41 </div>
42
43 </form>
44 </div>
45
46 </div>
47 </div>
48

```

ONLINE-CANTEEN-M...

routes

- admin.js
- customer.js
- home.js

views

- admin
- customer

  - dashboard.handlebars
  - menu.handlebars
  - orderhistory.handlebars
  - preorder.handlebars
  - subscription.handlebars
  - wallet.handlebars

home

- admin\_login.handlebars
- customer\_login.handlebars
- main.handlebars
- register.handlebars
- user.handlebars

layouts

- admin.handlebars

OUTLINE

TIMELINE


main\* 0 L 11 0 0 △ 0

Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

12:13 PM ENG IN 4/22/2021

## Subscription.handlebars: -



### Want faster delivery then join permium membership

Amount to be paid is 120 and subscription is valid for 3 months

Enter details for making payment

Name of Bank

Branch

Credit card no.

Pin

**APPLY**

File Edit Selection View Go Run Terminal Help

subscription.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- Settings
- customer.css M
- customer.handlebars M
- home.handlebars M
- customer\_login.handlebars M
- admin.css public
- subscription.handlebars views\customer\subscription.handlebars M
- ONLINE-CANTEEN-M... routes
- admin.js
- customer.js
- home.js
- views
- customer
- dashboard.handlebars
- menu.handlebars
- orderhistory.handlebars
- preorder.handlebars
- subscription.handlebars
- wallet.handlebars
- home
- admin\_login.handlebars M
- customer\_login.handlebars M
- main.handlebars
- register.handlebars M
- user.handlebars
- layouts
- admin.handlebars

views > customer > subscription.handlebars > div


```

1  <div>
2
3  {{#if error}}
4    <br>
5    <div class="success">
6
7      <strong>{{error}} </strong>
8    </div>
9  {{/if}}
10 <h2 class="large text-primary">Want faster delivery then join permium membership</h2>
11
12 <form action="/user/subscription" method="POST" class="form">
13   <div class="form-group">
14     <p class="lead">Amount to be paid is 120 and subscription is valid for 3 months</p>
15     <p class="lead">Enter details for making payment</p>
16     <div class="form-group">
17       <label>Name of Bank</label>
18       <input type="text" required />
19     </div>
20     <div class="form-group">
21       <label>Branch</label>
22       <input type="text" required/>
23     </div>
24     <div class="form-group">
25       <label>Credit card no.</label>
26       <input type="text" required/>
27

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

Type here to search



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...". The "subscription.handlebars" file is selected and highlighted in blue.
- Code Editor:** Displays the content of the "subscription.handlebars" file. The code includes form fields for credit card number, pin, and a submit button labeled "APPLY".
- Bottom Status Bar:** Shows "Ln 1, Col 1" and other system information like date and time.

```
<div>
  <div>
    <label>Credit card no.</label>
    <input type="text" required/>
  </div>
  <div class="form-group">
    <label>Pin</label>
    <input type="text" required/>
  </div>
  <button type="submit" class="registerbtn">APPLY</button>
</form>
```

## Order.handlebars: -

### Menu

#### BREAKFAST

**bedai**

Rs 8

Type: Breakfast

quantity  **Add**

**kachori**

Rs 10

Type: Breakfast

quantity  **Add**

**jalebi**

Rs 20

#### LUNCH

**Pizza**

Rs 200

Type: Lunch

quantity  **Add**

**Macroni**

Rs 100

Type: Lunch

quantity  **Add**

**Panner Patiz**

Rs 35

Type: Lunch

quantity  **Add**

## DINNER

Pav Bhaji

Rs 150

Type: Dinner

quantity  **Add**

## DESSERT

Chocolate Ice cream

Rs 50

Type: Desert

quantity  **Add**

## Vanila Ice cream

File Edit Selection View Go Run Terminal Help order.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED views > admin > order.handlebars

```

1 <div>
2   <h2 class="textc">Orders</h2>
3
4   {{#ifsub order.category}}
5     <h2 class="textc">Premium subscription taken on date : {{formatDate order.date 'DD/MM/YYYY'}}</h2>
6     <h2 class="textc">Premium subscription expires on date : {{ expiryDate order.date 'DD/MM/YYYY'}}</h2>
7
8   {{/ifsub}}
9
10  {{#each order}}
11    {{#each item}}
12      {{#ifpre category}}
13        <h2 class="textc">Pre booked order</h2>
14      <table class="table">
15        <thead>
16          <tr>
17            <th class="hide-sm">Name</th>
18            <th class="hide-sm">Price</th>
19            <th class="hide-sm">quantity</th>
20            <th class="hide-sm">category</th>
21          </tr>
22        </thead>
23        <tbody>
24
25          <tr>
26
27

```

ONLINE-CANTEEN-M... Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css routes admin.js customer.js home.js views admin dashboard.handlebars item.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars customer OUTLINE TIMELINE

main\* 0 L 11 0 0 △ 0 Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ENG 12:13 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

order.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

views > admin > order.handlebars > div

```

<tr>
    <td>{{Name}}</td>
    <td>{{price}}</td>
    <td>{{quantity}}</td>
    <td>{{category}}</td>
</tr>
</tbody>
</table>
{{/ifpre}}
{{/each}}
{{/each}}
```

ONLINE-CANTEEN-M... Canteenadm.jpg U Canteenreg.jpg U customer.css M diy-food-background-5.jpg P&C-2.pdf style.css routes admin admin.js customer.js home.js views item.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars customer OUTLINE TIMELINE

main\* 0:11 0 0 △ 0 Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ENG 12:13 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

order.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

views > admin > order.handlebars > div

```

<thead>
    <tr>
        <th class="hide-sm">Name</th>
        <th class="hide-sm">Price</th>
        <th class="hide-sm">quantity</th>
        <th class="hide-sm">category</th>
    </tr>
</thead>
<tbody>
```

ONLINE-CANTEEN-M... Canteenadm.jpg U Canteenreg.jpg U customer.css M diy-food-background-5.jpg P&C-2.pdf style.css routes admin admin.js customer.js home.js views item.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars customer OUTLINE TIMELINE

main\* 0:11 0 0 △ 0 Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ENG 12:13 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

order.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER

views > admin > order.handlebars > div

```

76    {{/iftop}}
77    {{/each}}
78        {{/each}}
79
80
81
82
83    <br>
84
85    {{#each order}}
86        {{#each item}}
87            {{#ifless category}}
88                <h2 class="textc">Less priority</h2>
89                <table class="table">
90                    <thead>
91                        <tr>
92                            <th class="hide-sm">Name</th>
93                            <th class="hide-sm">Price</th>
94                            <th class="hide-sm">quantity</th>
95                            <th class="hide-sm">category</th>
96                        </tr>
97                    </thead>
98                    <tbody>
99                        <tr>
100
101
102

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars

main\* 01.11 0 0 △ 0 Type here to search

File Edit Selection View Go Run Terminal Help

order.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER

views > admin > order.handlebars > div

```

101    <tr>
102        <td>{{Name}}</td>
103        <td>{{price}}</td>
104        <td>{{quantity}}</td>
105        <td>{{category}}</td>
106
107
108
109
110    </tr>
111
112    </tbody>
113    </table>
114    {{/ifless}}
115    {{/each}}
116        {{/each}}
117
118
119
120
121    </div>

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars

main\* 01.11 0 0 △ 0 Type here to search

## Orders.handlebars: -

### Canteen Management System

[Dashboard](#)   [Add item](#)   [Menu](#)   [Orders](#)   [Logout](#)

#### Orders placed today

#### Pre booked order

Username	Name	Price	quantity	category	Time
----------	------	-------	----------	----------	------

#### Top priority

Username	Name	Price	quantity	category	Time
----------	------	-------	----------	----------	------

#### Less priority

Username	Name	Price	quantity	category	Time
----------	------	-------	----------	----------	------

File Edit Selection View Go Run Terminal Help    orders.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER    views > admin > orders.handlebars > div

```

1  <div>
2    <h2 class="textc">Orders placed today</h2>
3    {{#if order}}
4      <div>
5        </div>
6      </div>
7    <h2 class="textc">Pre booked order</h2>
8    <table class="table">
9      <thead>
10        <tr>
11          <th class="hide-sm">Username</th>
12          <th class="hide-sm">Name</th>
13          <th class="hide-sm">Price</th>
14          <th class="hide-sm">quantity</th>
15          <th class="hide-sm">category</th>
16          <th class="hide-sm">Time</th>
17        </tr>
18      </thead>
19      <tbody>
20        {{#each order}}
21        {{#isEmptypre item}}
22          <tr><td>{{user.Name}}</td>
23          <td></td>
24          <td></td>
25          <td></td>
26          <td></td>
27        </tr>

```

ONLINE-CANTEEN-M... Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css routes admin.js customer.js home.js views admin dashboard.handlebars item.handlebars menu.handlebars nonpre.handlebars order.handlebars pre.handlebars customer

OUTLINE    TIMELINE

main\* 0 11 Type here to search 0 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27

Ln 1, Col 1   Spaces: 4   UTF-8   LF   Handlebars

ENG 12:16 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css orders.handlebars X

OPEN EDITORS 1 UNSAVED

views > admin > orders.handlebars > div

```

<td></td>
<td></td>
<td>
  <form class="form" action="/admin/orders/{{user.id}}" method="post">
    <button class="view" type="submit">Deliver</button>
  </form>
</td>
{{#each item}}
<tr>
  {{#if pre category}}
  {{#today date}}
  <td></td>
  <td>{{Name}}</td>
  <td>{{price}}</td>
  <td>{{quantity}}</td>
  <td>{{category}}</td>
  <td>{{time}}</td>
  {{/today}}
  {{/if pre}}
</tr>
{{/each}}

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

Type here to search

File Edit Selection View Go Run Terminal Help

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css orders.handlebars X

OPEN EDITORS 1 UNSAVED

views > admin > orders.handlebars > div

```

</tr>
{{/each}}
</tr>
{{/isEmpty}}
```

</tbody>

</table>

<h2 class="textc">Top priority</h2>

<table class="table">

<thead>

<tr>

<th class="hide-sm">Username</th>

<th class="hide-sm">Name</th>

<th class="hide-sm">Price</th>

<th class="hide-sm">quantity</th>

<th class="hide-sm">category</th>

<th class="hide-sm">Time</th>

</tr>

</thead>

<tbody>

<#each order>

<#isEmpty top item>

<tr><td>{{user.Name}}</td>

<td></td>

<td></td>

</tbody>

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙

Type here to search

orders.handlebars - Online-Canteen-Management-System - Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M admin.css orders.handlebars X
views > admin > orders.handlebars > div
 76      <td></td>
 77      <td></td>
 78      <td></td>
 79      <td>
 80          <form class="form" action="/admin/orders/{{user.id}}" method="post">
 81              <button class="view" type="submit">Deliver</button>
 82          </form>
 83      </td>
 84      {{#each item}}
 85          <tr>
 86              {{#if top category}}
 87                  {{#today date}}
 88                  <td>{{Name}}</td>
 89                  <td>{{price}}</td>
 90                  <td>{{quantity}}</td>
 91                  <td>{{category}}</td>
 92                  <td>{{formatDate date 'LT'}}</td>
 93          {{/today}}
 94          {{/if top}}
 95      </tr>
 96      {{/each}}
 97  
```

routes  
 admin.js  
 customer.js  
 home.js  
 views  
 admin  
 dashboard.handlebars  
 item.handlebars  
 menu.handlebars  
 nonpre.handlebars  
 order.handlebars  
 orders.handlebars  
 pre.handlebars  
 customer  
 OUTLINE  
 TIMELINE

main\* 0 11 0 0 △ 0 Type here to search 0 11 0 0 △ 0

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙ ENG 12:16 PM IN 4/22/2021

orders.handlebars - Online-Canteen-Management-System – Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M admin.css orders.handlebars X
views > admin > orders.handlebars > div
 102      </tr>
 103      {{/each}}
 104      </tr>
 105      {{/isTop}}
 106      {{/each}}
 107      </tbody>
 108      </table>
 109      {{else}}
 110          <p class="lead">No Top priority order are present for today </p>
 111      {{/if}}
 112      <br>
 113      {{#if order}}
 114          <h2 class="textc">Less priority</h2>
 115          <table class="table">
 116              <thead>
 117                  <tr>
 118                      <th class="hide-sm">Username</th>
 119                      <th class="hide-sm">Name</th>
 120                      <th class="hide-sm">Price</th>
 121                      <th class="hide-sm">quantity</th>
 122                      <th class="hide-sm">category</th>
 123                      <th class="hide-sm">Time</th>
 124                  </tr>
 125              </thead>
 126              <tbody>
 127      
```

routes  
 admin.js  
 customer.js  
 home.js  
 views  
 admin  
 dashboard.handlebars  
 item.handlebars  
 menu.handlebars  
 nonpre.handlebars  
 order.handlebars  
 orders.handlebars  
 pre.handlebars  
 customer  
 OUTLINE  
 TIMELINE

main\* 0 11 0 0 △ 0 Type here to search 0 11 0 0 △ 0

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙ ENG 12:16 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

orders.handlebars - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      views M  customer.css M  customer.handlebars M  home.handlebars M  customer_login.handlebars M  admin.css  orders.handlebars X
OPEN EDITORS  1 UNSAVED
  Settings
  admin.Login.handlebars views\... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\... M
  customer_login.handlebars M
  admin.css public
  orders.handlebars views\admin
ONLINE-CANTEEN-M...
  Canteenadm.jpg U
  Canteenreg.jpg U
  customer.css M
  diy-food-background-5.jpg
  P&C-2.pdf U
  style.css M
  routes
    admin.js
    customer.js
    home.js
  views
    admin
      dashboard.handlebars
      item.handlebars
      menu.handlebars
      nonpre.handlebars
      order.handlebars
      orders.handlebars
      pre.handlebars
    customer
  OUTLINE
  TIMELINE
  128
  129
  130
  131
  132
  133
  134
  135
  136
  137
  138
  139
  140
  141
  142
  143
  144
  145
  146
  147
  148
  149
  150
  151
  152
  153
  {{#each order}}
    {{#isemptyless item}}
      <tr><td>{{user.Name}}</td>
      <td></td>
      <td></td>
      <td></td>
      <td></td>
      <td>
        <form class="form" action="/admin/orders/{{user.id}}" method="post">
          <button class="view" type="submit">Deliver</button>
        </form>
      </td>
    {{#each item}}
      <tr>
        {{#today date}}
        {{#ifless category}}
          <td></td>
          <td>{{Name}}</td>
          <td>{{price}}</td>
          <td>{{quantity}}</td>
          <td>{{category}}</td>
          <td>{{formatDate date 'LT'}}</td>
        
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙ 12:17 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

orders.handlebars - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      views M  customer.css M  customer.handlebars M  home.handlebars M  customer_login.handlebars M  admin.css  orders.handlebars X
OPEN EDITORS  1 UNSAVED
  Settings
  admin_login.handlebars views\... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\... M
  customer_login.handlebars M
  admin.css public
  orders.handlebars views\admin
ONLINE-CANTEEN-M...
  Canteenadm.jpg U
  Canteenreg.jpg U
  customer.css M
  diy-food-background-5.jpg
  P&C-2.pdf U
  style.css M
  routes
    admin.js
    customer.js
    home.js
  views
    admin
      dashboard.handlebars
      item.handlebars
      menu.handlebars
      nonpre.handlebars
      order.handlebars
      orders.handlebars
      pre.handlebars
    customer
  OUTLINE
  TIMELINE
  153
  154
  155
  156
  157
  158
  159
  160
  161
  162
  163
  164
  165
  166
  167
  168
  169
  170
  <td>{{formatDate date 'LT'}}</td>
  {{/ifless}}
  {{/today}}
  </tr>
  {{/each}}
  {{/isemptyless}}
  {{/each}}
  </tbody>
  </table>
  {{else}}
    <p class="lead"> No Less priority order are present for today </p>
  {{/if}}
  </div>

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙ 12:17 PM IN 4/22/2021

## Item.handlebars: -

Canteen Management System

Dashboard   Add item   Menu   Orders   Logout

### Add product

Name

Price

Category

**add**

File Edit Selection View Go Run Terminal Help item.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER ... bars M customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css item.handlebars X D ⓘ

OPEN EDITORS 1 UNSAVED

views admin > item.handlebars > h2.large.text-primary

```

1 <h2 class="large text-primary">Add product</h2>
2
3 <div>
4   <form action="/admin/addItem" method="post" class="form" enctype="multipart/form-data">
5     <div class="form-group">
6       <label>Name</label>
7       <input type="text" name="Name" value='{{Name}}' placeholder="Name of the item"/></div>
8     <div class="form-group">
9       <label>Price</label>
10      <input type="text" name="price" value='{{price}}' placeholder="price"/></div>
11
12      <div class="form-group">
13        <label>Category</label>
14        <select name="category" value='{{category}}' >
15          <option>Breakfast</option>
16          <option>Lunch</option>
17          <option>Dinner</option>
18          <option>Desert</option>
19        </select>
20      </div>
21      <button type="submit" class="registerbtn">add</button>
22
23    </form>
24
25  </div>
26

```

ONLINE-CANTEEN-M... D F P S

routes admin.js customer.js home.js

views admin dashboard.handlebars item.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars

customer dashboard.handlebars menu.handlebars orderhistory.handlebars preorder.handlebars subscription.handlebars wallet.handlebars

home

OUTLINE

TIMELINE

main\* 0 11 0 0 △ 0

Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⌂ ⌂ ⌂

12:13 PM ENG IN 4/22/2021

## NonPre.handlebars: -

Canteen Management System

Dashboard   Add item   Menu   Orders   Logout

### Non Premium subscriber customer

Name	Email	Address	Date of joining
bbj	ghgh@123.com	hkjh	19/04/2021
Harsh	harsh.agarwal1234@gmail.com	35 subhash	22/04/2021

File Edit Selection View Go Run Terminal Help nonpre.handlebars - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

views > admin > nonpre.handlebars > div

```

1  <div>
2    <h2 class="large text-primary">Non Premium subscriber customer</h2>
3    {{#if success}}
4      <div class="success">
5        <strong>{{success}}</strong>
6      </div>
7    {{/if}}
8    <br>
9    {{#if customer}}
10      <table class="table">
11        <thead>
12          <tr>
13            <th class="hide-sm">Name</th>
14            <th class="hide-sm">Email</th>
15            <th class="hide-sm">Address</th>
16            <th class="hide-sm">Date of joining</th>
17          </tr>
18        </thead>
19        <tbody>
20          {{#each customer}}
21            <tr>
22              <td>{{name}}</td>
23              <td>{{email}}</td>
24              <td>{{address}}</td>
25              <td>{{date}}</td>
26            </tr>
27          {{/each}}
28        </tbody>
29      </table>
30    {{/if}}
31  </div>
32
```

ONLINE-CANTEEN-M... Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css routes admin.js customer.js home.js views admin dashboard.handlebars item.handlebars menu.handlebars nonpre.handlebars order.handlebars orders.handlebars pre.handlebars customer

OUTLINE TIMELINE

main\* 01.11 Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars

12:13 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help nonpre.handlebars - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

EXPLORER

- views > admin > nonpre.handlebars > div
- customer.css M
- customer.handlebars M
- home.handlebars M
- customer\_login.handlebars M
- admin.css
- nonpre.handlebars X

```

27   <tr>
28     <td>{{user.Name}}</td>
29     <td>{{user.email}}</td>
30     <td>{{user.address}}</td>
31     <td>{{formatDate user.date 'DD/MM/YYYY'}}</td>
32   </tr>
33
34
35
36
37
38
39
40   {{/each}}
41 </tbody>
42 {{else}}
43 <p class="lead">No customers are present</p>
44 {{if}}
45 </div>
46 </div>

```

ONLINE-CANTEEN-M... C:\Users\9192\OneDrive\Desktop\Online-Canteen-Management-System

- Canteenadm.jpg
- Canteenreg.jpg
- customer.css
- diy-food-background-5.jpg
- P&C-2.pdf
- style.css

routes

- admin.js
- customer.js
- home.js

views

- admin
- nonpre.handlebars
- order.handlebars
- orders.handlebars
- pre.handlebars

customer

OUTLINE


TIMELINE

main\* 0 1 1 0 0 0 0 Type here to search

Ln 1, Col 1 Spaces: 4 UTF-8 LF Handlebars ⚙️ 🔍

ENG 12:13 PM IN 4/2/2021

## CostumerOrder.js: -




```

const Menu=require('../models/Menu');

class menu {
  constructor(name,price,category){
    this.name=name;
    this.price=price;
    this.category=category;
  }
  addItem(){
    const newItem = new Menu({
      Name:this.name,
      price:this.price,
      category:this.category,
    });
    newItem.save();
  }
}

class orders extends menu{
  constructor(name,price,category,quantity,status){
    super(name,price,category);
    this.quantity=quantity;
    this.status=status;
  }
  neworder(){
    const newOrder={
      Name:this.name,
      price:this.price,
      quantity:this.quantity,
      category:this.category,
      date:this.date,
      status:this.status
    }
    return newOrder;
  }
  newpreorder(time){
    const newpreOrder=[{
      Name:this.name,
      price:this.price,
      quantity:this.quantity,
      category:this.category,
      date:this.date,
      time:time,
      status:this.status
    }]
  }
}


```



```

const newpreOrder=[{
  Name:this.name,
  price:this.price,
  quantity:this.quantity,
  category:this.category,
  date:this.date,
  time:time,
  status:this.status
}]

```



The screenshot shows the Visual Studio Code interface with the following details:


- File Explorer:** Shows the project structure for "ONLINE-CANTEEN-M...". The "classes" folder contains "customerorder.js" (selected), "home.js", and "helpers". The "models" folder contains "Menu.js", "Order.js", and "User.js". The "public" folder contains various CSS files and images.
- Code Editor:** Displays the content of "customerorder.js". The code defines a class "customerorder" with a method "newpreOrder". The method takes parameters: quantity, category, date, time, and status. It returns a variable "newpreOrder". The module exports "menu" and "orders".
- Status Bar:** Shows the current file is "main\*", line 48, column 28, with 4 spaces, using UTF-8 encoding, and the language is set to JavaScript.

```
customerorder.js - Online-Canteen-Management-System - Visual Studio Code

classes > customerorder.js > orders > newpreOrder > newpreOrder

46     quantity:this.quantity,
47     category:this.category,
48     date:this.date,
49     time:time,
50     status:this.status
51   }
52 }
53 }
54 }
55
56 module.exports={menu,orders}
```

## Handlebars-helper.js: -




```

1 const moment = require('moment');
2 const Order=require('../models/Order');

3 module.exports={

4     isEmptyTop:function (item,options){
5         let top=0;
6         item.forEach(item=>{
7             const d=moment(item.date).format('DD/MM/YYYY');
8             const td=moment(Date.now()).format('DD/MM/YYYY');
9             if(item.category=="top" && item.status=="not received" && d==td){
10                 top++;
11             }
12         })
13         return (top >0) ? options.fn(this) : options.inverse(this);
14     },
15     isEmptyLess:function (item,options){
16         let less=0;
17
18         item.forEach(item=>{
19             const d=moment(item.date).format('DD/MM/YYYY');
20             const td=moment(Date.now()).format('DD/MM/YYYY');
21             if(item.category=="less" && item.status=="not received" && d==td){
22                 less++;
23             }
24         })
25         return (less >0) ? options.fn(this) : options.inverse(this);
26     },
27     isEmptyPre:function (item,options){
28
29         let pre=0;
30         item.forEach(item=>{
31             const d=moment(item.date).format('DD/MM/YYYY');
32             const td=moment(Date.now()).format('DD/MM/YYYY');
33             if(item.category=="pre" && item.status=="not received" && d==td){
34                 pre++;
35             }
36         })
37         return (pre >0) ? options.fn(this) : options.inverse(this);
38     },
39     ifReceived:function(status,options){
40         return (status == "not received") ? options.fn(this) : options.inverse(this);
41     },
42     ifTop:function ( category,options){
43         return (category == "top") ? options.fn(this) : options.inverse(this);
44     },
45     ifLess:function ( category,options){
46
47
48
49
50
51
}

```




```

1 const moment = require('moment');
2 const Order=require('../models/Order');

3 module.exports={

4     isEmptyTop:function (item,options){
5         let top=0;
6         item.forEach(item=>{
7             const d=moment(item.date).format('DD/MM/YYYY');
8             const td=moment(Date.now()).format('DD/MM/YYYY');
9             if(item.category=="top" && item.status=="not received" && d==td){
10                 top++;
11             }
12         })
13         return (top >0) ? options.fn(this) : options.inverse(this);
14     },
15     isEmptyLess:function (item,options){
16         let less=0;
17
18         item.forEach(item=>{
19             const d=moment(item.date).format('DD/MM/YYYY');
20             const td=moment(Date.now()).format('DD/MM/YYYY');
21             if(item.category=="less" && item.status=="not received" && d==td){
22                 less++;
23             }
24         })
25         return (less >0) ? options.fn(this) : options.inverse(this);
26     },
27     isEmptyPre:function (item,options){
28
29         let pre=0;
30         item.forEach(item=>{
31             const d=moment(item.date).format('DD/MM/YYYY');
32             const td=moment(Date.now()).format('DD/MM/YYYY');
33             if(item.category=="pre" && item.status=="not received" && d==td){
34                 pre++;
35             }
36         })
37         return (pre >0) ? options.fn(this) : options.inverse(this);
38     },
39     ifReceived:function(status,options){
40         return (status == "not received") ? options.fn(this) : options.inverse(this);
41     },
42     ifTop:function ( category,options){
43         return (category == "top") ? options.fn(this) : options.inverse(this);
44     },
45     ifLess:function ( category,options){
46
47
48
49
50
51
}

```



```

ifless:function ( category,options){
    return (category == "less") ? options.fn(this) : options.inverse(this);
},
ifpre:function ( category,options){
    return (category == "pre") ? options.fn(this) : options.inverse(this);
},
formatDate: function(date, format){
    return moment(date).format(format);
},


today: function(date,options){
    const d=moment(date).format('DD/MM/YYYY');
    const td=moment(Date.now()).format('DD/MM/YYYY');
    return (d == td ) ? options.fn(this) : options.inverse(this);
},
ifsub:function ( category,options){
    return (category == "Top Priority") ? options.fn(this) : options.inverse(this);
},


expiryDate:function(date){

    const d=date.getDate();
    const m=date.getMonth()+3;
    const y=date.getFullYear();
    const ed=new Date(
        y,m,d
    )
    return moment(ed).format('DD/MM/YYYY');
}

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript



```

ifless:function ( category,options){
    return (category == "less") ? options.fn(this) : options.inverse(this);
},
ifpre:function ( category,options){
    return (category == "pre") ? options.fn(this) : options.inverse(this);
},
formatDate: function(date, format){
    return moment(date).format(format);
},

today: function(date,options){
    const d=moment(date).format('DD/MM/YYYY');
    const td=moment(Date.now()).format('DD/MM/YYYY');
    return (d == td ) ? options.fn(this) : options.inverse(this);
},
ifsub:function ( category,options){
    return (category == "Top Priority") ? options.fn(this) : options.inverse(this);
},



expiryDate:function(date){

    const d=date.getDate();
    const m=date.getMonth()+3;
    const y=date.getFullYear();
    const ed=new Date(
        y,m,d
    )
    return moment(ed).format('DD/MM/YYYY');
}

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript

## Menu.js: -



The screenshot shows the Visual Studio Code interface with the file `Menu.js` open. The code defines a MongoDB schema for a menu item:


```
const mongoose = require('mongoose');

const menuSchema = new mongoose.Schema({
  Name: {
    type: String,
    required: true
  },
  price: {
    type: String,
    required: true
  },
  category: [
    {
      type: String,
      required: true
    }
  ]
});

module.exports = mongoose.model('menu', menuSchema);
```

The Explorer sidebar on the left shows the project structure, including files like `style.css`, `admin_login.handlebars`, `register.handlebars`, `customer.css`, `customer.handlebars`, `home.handlebars`, `customer_login.handlebars`, `Online-Canteen-Management...`, `vcs.xml`, `workspace.xml`, `classes`, `customerorder.js`, `home.js`, `helpers`, `handlebars-helper.js`, `models`, `Menu.js`, `Order.js`, `User.js`, `node_modules`, and `public` directory with files like `admin.css`, `canteen.jpg`, `Canteenadm.jpg`, `Canteenreg.jpg`, `customer.css`, and `diy-food-background-5.jpg`.

## Order.js: -



```

File Edit Selection View Go Run Terminal Help
EXPLORER OPEN EDITORS 1 UNSAVED
  style.css public M
  Settings
  admin_login.handlebars views\...
  register.handlebars views\...
  customer.css public M
  Order.js models X
  customer.handlebars views\...
  home.handlebars views\...
  customer_login.handlebars...
ONLINE-CANTEEN-M...
  Online-Canteen-Management...
  vcs.xml
  workspace.xml
  classes
    customerorder.js
    home.js
  helpers
    handlebars-helper.js
  models
    Menu.js
    Order.js
    User.js
  node_modules
  public
    admin.css
    canteen.jpg U
    Canteenadm.jpg U
    Canteenreg.jpg U
    customer.css M
    diy-food-background-5.jpg
  OUTLINE
  TIMELINE
Ln 55, Col 52 Spaces: 4 UTF-8 CRLF JavaScript ⚡
Type here to search


```

The screenshot shows the Visual Studio Code interface with the Order.js file open. The code defines a schema for an 'Order' document in MongoDB. It includes fields for category, status, date, time, and a list of items. Each item has properties for name, price, required status, file, and quantity.

```

models > Order.js > ...
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
}, category:{ type:String }, status:{ type:String }, date:{ type:Date }, time:{ type:String }
],
category:{ type:String },
},
date:{ type:Date },
}
],
const mongoose = require('mongoose');
const menuSchema = new mongoose.Schema({
  user:{
    type:mongoose.Schema.Types.ObjectId,
    ref:'user'
  },
  item:[{
    Name:{
      type:String,
      required:true
    },
    price:{
      type:String,
      required:true,
    },
    file: {
      type: String
    },
    quantity:{
      type:String,
    }
  }
},
  {
    timestamps: true
  }
)
module.exports = mongoose.model('Order', menuSchema);

```



```

File Edit Selection View Go Run Terminal Help
EXPLORER OPEN EDITORS 1 UNSAVED
  style.css public M
  Settings
  admin_login.handlebars views\...
  register.handlebars views\...
  customer.css public M
  Order.js models X
  customer.handlebars views\...
  home.handlebars views\...
  customer_login.handlebars...
ONLINE-CANTEEN-M...
  Online-Canteen-Management...
  vcs.xml
  workspace.xml
  classes
    customerorder.js
    home.js
  helpers
    handlebars-helper.js
  models
    Menu.js
    Order.js
    User.js
  node_modules
  public
    admin.css
    canteen.jpg U
    Canteenadm.jpg U
    Canteenreg.jpg U
    customer.css M
    diy-food-background-5.jpg
  OUTLINE
  TIMELINE
Ln 55, Col 52 Spaces: 4 UTF-8 CRLF JavaScript ⚡
Type here to search


```

The screenshot shows the Visual Studio Code interface with the Order.js file open. The code defines a schema for an 'Order' document in MongoDB. It includes fields for category, status, date, time, and a list of items. Each item has properties for name, price, required status, file, and quantity.

```

models > Order.js > ...
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
}, category:{ type:String }, status:{ type:String }, date:{ type:Date }, time:{ type:String }
],
category:{ type:String },
},
date:{ type:Date },
}
],
const mongoose = require('mongoose');
const menuSchema = new mongoose.Schema({
  user:{
    type:mongoose.Schema.Types.ObjectId,
    ref:'user'
  },
  item:[{
    Name:{
      type:String,
      required:true
    },
    price:{
      type:String,
      required:true,
    },
    file: {
      type: String
    },
    quantity:{
      type:String,
    }
  }
},
  {
    timestamps: true
  }
)
module.exports = mongoose.model('Order', menuSchema);

```



```
models > Order.js > ...
46
47
48
49
50
51
52
53 });
54
55 module.exports =mongoose.model('order',menuSchema);
```

## User.js: -

File Edit Selection View Go Run Terminal Help

User.js - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars view... M
- register.handlebars views\h... M
- customer.css public M
- User.js models
- customer.handlebars views\c... M
- home.handlebars views\layo... M
- customer\_login.handlebars... M

ONLINE-CANTEEN-M... vcs.xml workspace.xml

- classes
  - customerorder.js
  - home.js
- helpers
  - handlebars-helper.js
- models
  - Menu.js
  - Order.js
  - User.js

node\_modules

public
 

- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg

OUTLINE TIMELINE

```

1 const mongoose = require('mongoose');

2
3 const UserSchema = new mongoose.Schema({
4   Name:{
5     type:String,
6     required:true
7   },
8   email:{
9     type:String,
10    required:true,
11    unique:true
12 },
13   password:{
14     type:String,
15     required:true
16   },
17   address:{
18     type:String,
19     required:true
20   },
21   date:{
22     type:Date,
23     default:Date.now()
24 },
25   balance:{
26     type:Number,
27     default:0
28 },
29
30 });
31 });
32
33 module.exports =mongoose.model('user',UserSchema);

```

Ln 33, Col 51 Spaces: 4 UTF-8 CRLF JavaScript

Type here to search

File Edit Selection View Go Run Terminal Help

User.js - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED

- style.css public M
- Settings
- admin\_login.handlebars view... M
- register.handlebars views\h... M
- customer.css public M
- User.js models
- customer.handlebars views\c... M
- home.handlebars views\layo... M
- customer\_login.handlebars... M

ONLINE-CANTEEN-M... vcs.xml workspace.xml

- classes
  - customerorder.js
  - home.js
- helpers
  - handlebars-helper.js
- models
  - Menu.js
  - Order.js
  - User.js

node\_modules

public
 

- admin.css
- canteen.jpg U
- Canteenadm.jpg U
- Canteenreg.jpg U
- customer.css M
- diy-food-background-5.jpg

OUTLINE TIMELINE

```


15   },
16   required:true
17 },
18   address:{
19     type:String,
20     required:true
21 },
22   date:{
23     type:Date,
24     default:Date.now()
25 },
26   balance:{
27     type:Number,
28     default:0
29 },
30 });
31 });
32
33 module.exports =mongoose.model('user',UserSchema);

```

Ln 33, Col 51 Spaces: 4 UTF-8 CRLF JavaScript

Type here to search

## Costumer.css: -



```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M User.js customer.handlebars M
public > customer.css > lead
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
}


.button{
    font: inherit;
    background-color: black;
    color: #f2f2f2;
    text-align: center;
    border: none;
}
.textc {
    font-size: x-large;
    margin-left: 680px;
}
.table{
    margin: 0 auto;
}
.table th,
.table td {
    padding: 1rem;
    text-align: left;
    background-color: whitesmoke;
}
.view{
    padding: 10px;
    background-color: #1E90FF;
}

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS  

Type here to search          

ENGLISH IN 4/22/2021



```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS 1 UNSAVED
style.css M Settings admin_login.handlebars M register.handlebars M customer.css M User.js customer.handlebars M
public > customer.css > lead
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
}

.form-text {
    display: block;
    margin-top: 0.3rem;
    color: #888;
}

.form input[type='text'],
.form select {
    display: block;
    width: 70%;
    padding: 0.4rem;
    font-size: 1.2rem;
    border: 1px solid #ccc;
}

.registerbtn {
    font: inherit;
    background-color: black;
    float: left;
    color: #f2f2f2;
    text-align: center;
    padding: 14px 16px;
    margin-left: 150px;
}

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS  

Type here to search          

ENGLISH IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css - Online-Canteen-Management-System - Visual Studio Code

```

public > customer.css > .card:lead
100
101   .card:lead {
102     box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);
103   }
104
105   .container {
106     padding: 2px 16px;
107     background-color: white;
108   }
109
110   .menu{
111     display: grid;
112     grid-template-columns: 1fr 4fr;
113     grid-gap: 2rem;
114     align-items: center;
115     padding: 1rem 0;
116     margin: 1rem;
117     width: fit-content;
118   }
119
120   /* .form{
121     display: ;
122   }*/
123   .form-group {
124     margin: 1.2rem 0;
125     margin-left:150px ;
126   }

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS ⚙ 4/22/2021

Type here to search

File Edit Selection View Go Run Terminal Help

customer.css - Online-Canteen-Management-System - Visual Studio Code

```

public > customer.css > .card:lead
76
77   background-color: #ddd;
78   color: black;
79 }

/* Add a color to the active/current link */
80 .topnav a.active {
81   background-color: #4CAF50;
82   color: white;
83 }

84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS ⚙ 4/22/2021

Type here to search

File Edit Selection View Go Run Terminal Help customer.css - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED style.css M Settings admin\_login.handlebars M register.handlebars M customer.css M User.js customer.handlebars M

customer.css public admin\_login.handlebars views\... M register.handlebars views\... M customer.css public User.js models home.handlebars views\layout... M customer\_login.handlebars M

ONLINE-CANTEEN-M... home.js helpers handlebars-helper.js models Menu.js Order.js User.js node\_modules public admin.css canteen.jpg Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css routes admin.js customer.js

OUTLINE TIMELINE

```

51 .topnav {
52   display: flex;
53   align-items: center;
54   padding: 0.7rem 2rem;
55   border-bottom: solid 1px var(--primary-color);
56   opacity: 0.9;
57   border-bottom: solid 1px var(--primary-color);
58   background-color: black;
59   overflow: hidden;
60   padding: 10px;
61 }

62 /* Style the links inside the navigation bar */
63 .topnav a {
64   float: left;
65   color: #f2f2f2;
66   text-align: center;
67   padding: 14px 16px;
68   text-decoration: none;
69   font-size: 17px;
70 }

71 /* Change the color of links on hover */
72 .topnav a:hover {
73   background-color: #ddd;
74 }

75 /* Change the color of links on hover */
76 .topnav a:hover {
77   background-color: #ddd;
78 }

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS  

Type here to search        ENG 12:08 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help customer.css - Online-Canteen-Management-System - Visual Studio Code

EXPLORER OPEN EDITORS 1 UNSAVED style.css M Settings admin\_login.handlebars M register.handlebars M customer.css M User.js customer.handlebars M

customer.css public admin\_login.handlebars views\... M register.handlebars views\... M customer.css public User.js models home.handlebars views\layout... M customer\_login.handlebars M

ONLINE-CANTEEN-M... home.js helpers handlebars-helper.js models Menu.js Order.js User.js node\_modules public admin.css canteen.jpg Canteenadm.jpg Canteenreg.jpg customer.css diy-food-background-5.jpg P&C-2.pdf style.css routes admin.js customer.js

OUTLINE TIMELINE

```

26 margin-bottom: 1rem;
27 margin-left: 150px;
28 color: black;
29 }

30 body{
31   font-family: 'Raleway', sans-serif;
32   font-size: 1rem;
33   line-height: 1.6;
34   background-color: #fff;
35   color: #333;
36   margin: 0;
37 }

38 .first{
39   float: left;
40   color: #f2f2f2;
41   text-align: center;
42   padding: 14px 16px;
43   text-decoration: none;
44   font-size: 17px;
45   margin-left: 400px;
46 }

47 .topnav {
48 }

49 .topnav a {
50   float: left;
51   color: #f2f2f2;
52   text-align: center;
53   padding: 14px 16px;
54   text-decoration: none;
55   font-size: 17px;
56   margin-left: 400px;
57 }

58 .topnav a:hover {
59   background-color: #ddd;
60 }

61 .topnav a:hover {
62   background-color: #ddd;
63 }

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS  

Type here to search        ENG 12:08 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css - Online-Canteen-Management-System - Visual Studio Code

```

public > customer.css > .lead

1 h2{
2
3     color: whitesmoke;
4
5 }
6 .large {
7     font-size: 3rem;
8     line-height: 1.2;
9     margin-bottom: 1rem;
10
11 }
12 .success{
13     margin-left: 150px;
14     background-color: gainsboro;
15     width: 50%;
16     color: black;
17     opacity: 80%;
18     padding: 10px;
19 }
20 .text-primary {
21     color: #1E90FF;
22     margin-left: 150px;
23 }
24 .lead {
25     font-size: 1.5rem;
26     margin-bottom: 1rem;
27     margin-left: 150px;
28 }

```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS R D

Type here to search

Windows Taskbar: main\* 0:11 0:0 △ 0 Type here to search

System Tray: ENG 12:08 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css - Online-Canteen-Management-System - Visual Studio Code

```

public > customer.css > .lead

3 color: whitesmoke;
4
5 }
6 .large {
7     font-size: 3rem;
8     line-height: 1.2;
9     margin-bottom: 1rem;
10
11 }
12 .success{
13     margin-left: 150px;
14     background-color: gainsboro;
15     width: 50%;
16     color: black;
17     opacity: 80%;
18     padding: 10px;
19 }
20 .text-primary {
21     color: #1E90FF;
22     margin-left: 150px;
23 }
24 .lead {
25     font-size: 1.5rem;
26     margin-bottom: 1rem;
27     margin-left: 150px;
28     color: black;
29 }


```

Ln 28, Col 16 Spaces: 2 UTF-8 CRLF CSS R D

Type here to search

Windows Taskbar: main\* 0:11 0:0 △ 0 Type here to search

System Tray: ENG 12:08 PM IN 4/22/2021



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...".
  - public folder contains style.css, admin.css, canteen.jpg, Canteenadm.jpg, Canteenreg.jpg, customer.css, diy-food-background-5.jpg, P&C-2.pdf, and style.css.
  - models folder contains Menu.js, Order.js, and User.js.
  - helpers folder contains handlebars-helper.js.
  - routes folder contains admin.js and customer.js.
- Code Editor:** The "customer.css" file is open, showing CSS styles for a table header.

```
public > customer.css > .lead
175 }
176 .view{
177   padding: 10px;
178   background-color: #1E90FF;
179   color: white;
180   text-align: center;
181   font-size: 17px;
182   text-decoration: none;
183 }
184 .table th {
185   background: #fff6347;
186   color: #f2f2f2;
187   border: 1px solid black;
188 }
```
- Bottom Status Bar:** Shows "Ln 28, Col 16" and other system information like "Spaces: 2", "UTF-8", "CRLF", "CSS", and "IN 4/22/2021".

## Admin.css: -

File Edit Selection View Go Run Terminal Help

customer.css M User.js customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css X

```

public > admin.css > body
151 .registerbtn {
152   font: inherit;
153   background-color: black;
154   float: left;
155   color: #f2f2f2;
156   text-align: center;
157   padding: 14px 16px;
158   margin-left: 150px;
159 }
160 }
161 .card {
162   box-shadow: 0 4px 8px 0 rgba(0,0,0,0.2);
163   transition: 0.3s;
164   width: 40%;
165   padding: 10px;
166   margin-left: 150px;
167 }
168 }
169
170 .card:hover {
171   box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);
172 }
173
174 .container {
175   padding: 2px 16px;
176   background-color: white;

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R D

Type here to search

ENG 12:09 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

customer.css M User.js customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css X

```

public > admin.css > body
126   display: ;
127 }
128 */
129 .form-group {
130   margin: 1.2rem;
131   margin-left: 150px;
132 }
133
134
135 .form-text {
136   display: block;
137   margin-top: 0.3rem;
138   color: #888;
139 }
140
141 .form input[type='text'],
142 .form select {
143
144   display: block;
145   width: 70%;
146   padding: 0.4rem;
147   font-size: 1.2rem;
148   border: 1px solid #ccc;
149
150 }
151 .registerbtn {
152   font: inherit;

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R D

Type here to search

ENG 12:09 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

public > admin.css > body
  99   text-align: center;
 100  padding: 14px 16px;
 101  text-decoration: none;
 102  font-size: 17px;
 103
 104}
 105.fist{
 106  float: left;
 107  color: #f2f2f2;
 108  text-align: center;
 109  padding: 14px 16px;
 110  text-decoration: none;
 111  font-size: 17px;
 112  margin-left: 500px;
 113
 114/* Change the color of links on hover */
 115.topnav a:hover {
 116  background-color: #ddd;
 117  color: black;
 118}
 119
 120/* Add a color to the active/current link */
 121.topnav a.active {
 122  background-color: #4CAF50;
 123  color: white;
 124}
 125/* .form{
```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

Windows Taskbar: File Explorer, Edge, File Manager, Google Chrome, FileZilla, Visual Studio Code

Bottom Right: ENG 12:09 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

public > admin.css > body
  74  text-align: center;
  75  font-size: 17px;
  76  text-decoration: none;
  77 }
  78.table th {
  79  background: #ff6347;
  80  color: #f2f2f2;
  81  border: 1px solid black;
  82 }
  83.topnav {
  84  display: flex;
  85  align-items: center;
  86  padding: 0.7rem 2rem;
  87  border-bottom: solid 1px var(--primary-color);
  88  opacity: 0.9;
  89  border-bottom: solid 1px var(--primary-color);
  90  background-color: black;
  91  overflow: hidden;
  92  padding: 10px;
  93
  94
  95  /* Style the links inside the navigation bar */
  96  .topnav a {
  97    float: left;
  98    color: #f2f2f2;
  99    text-align: center;
 100   padding: 14px 16px;
```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

Windows Taskbar: File Explorer, Edge, File Manager, Google Chrome, FileZilla, Visual Studio Code

Bottom Right: ENG 12:09 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

public > admin.css > body
49 color: white;
50 margin-left:350px ;
51 text-decoration: none;
52
53 }
54 .fail{
55 margin-left:150px ;
56 background-color:#gainsboro;
57 width:50%;
58 color:#red;
59 opacity: 80%;
60 padding: 10px;
61 }
62 .success{
63 margin-left:150px ;
64 background-color:#gainsboro;
65 width:50%;
66 color:#black;
67 opacity: 80%;
68 padding: 10px;
69 }
70 .view{
71 padding: 10px;
72 background-color:##1E90FF;
73 color: white;
74 text-align: center;
75 font-size: 17px;

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

public > admin.css > body
25 }
26 .textc {
27 margin-left:680px ;
28 }
29 .lead {
30 font-size: 1.5rem;
31 margin-bottom: 1rem;
32 margin-left:150px ;
33 color:##1E90FF;
34 }
35 .table{
36 margin: 0 auto;
37 }
38 .table th,
39 .table td {
40 padding: 1rem;
41 text-align: left;
42 background-color: #whitesmoke;
43 }
44 .sub{
45 padding: 10px;
46 background-color:#black;
47 color: white;
48 margin-left:350px ;
49 text-decoration: none;
50 }
51

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS R

Type here to search

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

body{
    font-family: 'Raleway', sans-serif;
    font-size: 1rem;
    line-height: 1.6;
    background-color: #ffff;
    color: #333;
    margin: 0;
}

h1{
    font-family: 'Lato', sans-serif;
    color: whitesmoke;
}

.large {
    font-size: 3rem;
    line-height: 1.2;
    margin-bottom: 1rem;
}

.text-primary {
    color: #1E90FF;
    margin-left: 150px;
}

.textc {
}

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS ⚙ 4/22/2021

Type here to search

File Edit Selection View Go Run Terminal Help

admin.css - Online-Canteen-Management-System - Visual Studio Code

```

.container {
    padding: 2px 16px;
    background-color: white;
}

.button{
    background-color: black;
    padding: 10px;
    color: white;
}

```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF CSS ⚙ 4/22/2021

Type here to search

## Admin.js: -

File Edit Selection View Go Run Terminal Help adminjs - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER routes > admin.js > ...
OPEN EDITORS 1 UNSAVED
  Settings
    admin_login.handlebars views... M
    register.handlebars views\... M
    customer.css public M
    customer.handlebars views... M
    home.handlebars views\... M
    customer_login.handlebars... M
    admin.css public
    adminjs routes
      ONLINE-CANTEEN-M...
        style.css M
        routes
          admin.js
          customer.js
          home.js
        views
          admin
        customer
          dashboard.handlebars
          menu.handlebars
          orderhistory.handlebars
          preorder.handlebars
          subscription.handlebars
          wallet.handlebars
        home
          admin_login.handlebars M
          customer_login.handlebars... M
          main.handlebars
          register.handlebars M
          user.handlebars
        layouts
      > OUTLINE
      > TIMELINE
  routes
    admin.js
    customer.js
    home.js
  views
    admin
    customer
      dashboard.handlebars
      menu.handlebars
      orderhistory.handlebars
      preorder.handlebars
      subscription.handlebars
      wallet.handlebars
    home
      admin_login.handlebars M
      customer_login.handlebars... M
      main.handlebars
      register.handlebars M
      user.handlebars
    layouts
  > OUTLINE
  > TIMELINE
  main* 0:11 0 0 0
  Type here to search
  
```

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css admin.js

```

routes > admin.js > ...
  router.get('/admin/item',(req,res)=>
  120    res.render('admin/item');
  121  }
  122  router.post('/addItem',(req,res)=>{
  123
  124    let item=new menu(req.body.Name,req.body.price,req.body.category);
  125    item.addItem();
  126    res.render('admin/item');
  127  }
  128  router.get('/menu',async(req,res)=>{
  129
  130    const item=await Menu.find({category:'Breakfast'});
  131    const item1=await Menu.find({category:'Lunch'});
  132    const item2=await Menu.find({category:'Dinner'});
  133    const item3=await Menu.find({category:'Desert'});
  134
  135    res.render('admin/menu',{item:item,item1:item1,item2:item2,item3:item3});
  136
  137  }
  138  router.post('/menu/:id',(req,res)=>{
  139    Menu.findOne({_id:req.params.id})
  140      .then(item=>{
  141        item.remove()
  142        .then(res=>
  143          res.redirect('/admin/menu')
  144        )
  145      )
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 4/22/2021

File Edit Selection View Go Run Terminal Help adminjs - Online-Canteen-Management-System - Visual Studio Code

```


EXPLORER routes > admin.js > ...
OPEN EDITORS 1 UNSAVED
  Settings
    admin_login.handlebars views... M
    register.handlebars views\... M
    customer.css public M
    customer.handlebars views... M
    home.handlebars views\... M
    customer_login.handlebars... M
    admin.css public
    adminjs routes
      ONLINE-CANTEEN-M...
        style.css M
        routes
          admin.js
          customer.js
          home.js
        views
          admin
        customer
          dashboard.handlebars
          menu.handlebars
          orderhistory.handlebars
          preorder.handlebars
          subscription.handlebars
          wallet.handlebars
        home
          admin_login.handlebars M
          customer_login.handlebars... M
          main.handlebars
          register.handlebars M
          user.handlebars
        layouts
      > OUTLINE
      > TIMELINE
  routes
    admin.js
    customer.js
    home.js
  views
    admin
    customer
      dashboard.handlebars
      menu.handlebars
      orderhistory.handlebars
      preorder.handlebars
      subscription.handlebars
      wallet.handlebars
    home
      admin_login.handlebars M
      customer_login.handlebars... M
      main.handlebars
      register.handlebars M
      user.handlebars
    layouts
  > OUTLINE
  > TIMELINE
  main* 0:11 0 0 0
  Type here to search
  
```

customer.css M customer.handlebars M home.handlebars M customer\_login.handlebars M admin.css admin.js

```

routes > admin.js > ...
  95
  96  router.get('/nonpremium',async(req,res)=>{
  97    const order=await Order.find({}).populate('user', ['Name','address','email','date']);
  98    const nonpre=[];
  99
  100   order.forEach(user=>{
  101     if(user.category=='Less Priority'){nonpre.push(user)}
  102   }
  103   );
  104   if(nonpre){
  105     res.render('admin/nonpre',{customer:nonpre});
  106   }
  107   else{
  108     req.flash('success','No user are present in this category');
  109     res.render('admin/nonpre');
  110   }
  111
  112  })
  113
  114  router.get('/addItem',(req,res)=>{
  115    res.render('admin/item');
  116  }
  117
  118
  119  router.get('/menu',async(req,res)=>{
  120    const item=await Menu.find({category:'Breakfast'});
  121    const item1=await Menu.find({category:'Lunch'});
  122    const item2=await Menu.find({category:'Dinner'});
  123    const item3=await Menu.find({category:'Desert'});
  124
  125    res.render('admin/menu',{item:item,item1:item1,item2:item2,item3:item3});
  126
  127  }
  128  router.post('/menu/:id',(req,res)=>{
  129    Menu.findOne({_id:req.params.id})
  130      .then(item=>{
  131        item.remove()
  132        .then(res=>
  133          res.redirect('/admin/menu')
  134        )
  135      )
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 4/22/2021



```

File Edit Selection View Go Run Terminal Help
admin.js - Online-Canteen-Management-System - Visual Studio Code
OPEN EDITORS 1 UNSAVED
EXPLORER routes > admin.js > ...
customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M admin.css admin.js X admin.js ...
Settings admin.Login.handlebars vie... M register.handlebars views\... M customer.css public M customer.handlebars views\... M home.handlebars views\... M customer_login.handlebars M admin.css public M admin.js routes
ONLINE-CANTEEN-M... style.css routes
  admin.js
    customer.js
    home.js
  views
    admin
    customer
      dashboard.handlebars
      menu.handlebars
      orderhistory.handlebars
      preorder.handlebars
      subscription.handlebars
      wallet.handlebars
    home
      admin_login.handlebars M
      customer_login.handlebars M
      main.handlebars
      register.handlebars M
      user.handlebars
    layouts
    _layouts
    _partials
    _views
  OUTLINE
  TIMELINE
main* 0:11 0 0 △ 0 Type here to search
  
```

admin.js routes

```

routes > admin.js > ...
  /4
  if(user.category=='Top Priority'){pre.push(user)}
  }
  )
  );


  res.render('admin/pre',{user:pre});

}
router.post('/premium/:id',async(req,res)=>{
  const cancelSub=new subscription(req.params.id,"Top Priority")
  const sub=await cancelSub.cancel();
  if(sub){
    req.flash('success','subscription cancelled successfully');
    res.redirect('/admin/premium');
  }
  else{
    const expd=await cancelSub.expirydate();
    req.flash('success','Can't cancel subscription is valid till ${expd}');
    res.redirect('/admin/premium');
  }
}

router.get('/nonpremium',async(req,res)=>{
  const order=await Order.find({}).populate('user', ['Name','address','email','date']);
  const nonpre=[]

  order.forEach(user=>{
    
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 12:09 PM IN 4/22/2021



```

File Edit Selection View Go Run Terminal Help
admin.js - Online-Canteen-Management-System - Visual Studio Code
OPEN EDITORS 1 UNSAVED
EXPLORER routes > admin.js > ...
customer.css M customer.handlebars M home.handlebars M customer_login.handlebars M admin.css admin.js X admin.js ...
Settings admin.Login.handlebars vie... M register.handlebars views\... M customer.css public M customer.handlebars views\... M home.handlebars views\... M customer_login.handlebars M admin.css public M admin.js routes
ONLINE-CANTEEN-M... style.css routes
  admin.js
    customer.js
    home.js
  views
    admin
    customer
      dashboard.handlebars
      menu.handlebars
      orderhistory.handlebars
      preorder.handlebars
      subscription.handlebars
      wallet.handlebars
    home
      admin_login.handlebars M
      customer_login.handlebars M
      main.handlebars
      register.handlebars M
      user.handlebars
    layouts
    _layouts
    _partials
    _views
  OUTLINE
  TIMELINE
main* 0:11 0 0 △ 0 Type here to search
  
```

admin.js routes

```

routes > admin.js > ...
  .populate('user', ['Name'])
  res.render('admin/orders',{order:order});

}

router.post('/orders/:userid',async(req,res)=>{
  const user=await Order.findOne({user:req.params.userid});
  user.item.forEach(item=>{
    const d=moment(item.date).format('DD/MM/YYYY');
    const td=moment(Date.now()).format('DD/MM/YYYY');
    if(d==td){
      item.status="received";
    }
  });
  await user.save();
  res.redirect('/admin/orders');

}

router.get('/premium',async(req,res)=>{
  const order=await Order.find({}).populate('user', ['Name','address','email']);
  const pre=[]
  order.forEach(user=>
    if(user.category=='Top Priority'){pre.push(user)}
  }
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 12:09 PM IN 4/22/2021

File Edit Selection View Go Run Terminal Help

admin.js - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      routes > admin.js > ...
  Settings
  admin.Login.handlebars views... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\... M
  customer_login.handlebars... M
  admin.css public
  admin.js routes
    admin.js
      customer.js
      home.js
    views
      admin
        ...
      customer
        dashboard.handlebars
        menu.handlebars
        orderhistory.handlebars
        preorder.handlebars
        subscription.handlebars
        wallet.handlebars
      home
        admin_login.handlebars M
        customer_login.handlebars M
        main.handlebars
        register.handlebars M
        user.handlebars
    style.css
  ONLINE-CANTEEN-M...
    style.css
    routes
      admin.js
      customer.js
      home.js
    views
      admin
        ...
      customer
        dashboard.handlebars
        menu.handlebars
        orderhistory.handlebars
        preorder.handlebars
        subscription.handlebars
        wallet.handlebars
      home
        admin_login.handlebars M
        customer_login.handlebars M
        main.handlebars
        register.handlebars M
        user.handlebars
    style.css
  OUTLINE
  TIMELINE
  main* 0:11 0 0 △0
  Type here to search
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 12:09 PM IN 4/22/2021


File Edit Selection View Go Run Terminal Help

admin.js - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      routes > admin.js > ...
  Settings
  admin_login.handlebars views... M
  register.handlebars views\... M
  customer.css public M
  customer.handlebars views\... M
  home.handlebars views\... M
  customer_login.handlebars... M
  admin.css public
  admin.js routes
    admin.js
      customer.js
      home.js
    views
      admin
        ...
      customer
        dashboard.handlebars
        menu.handlebars
        orderhistory.handlebars
        preorder.handlebars
        subscription.handlebars
        wallet.handlebars
      home
        admin_login.handlebars M
        customer_login.handlebars M
        main.handlebars
        register.handlebars M
        user.handlebars
    style.css
  ONLINE-CANTEEN-M...
    admin.css
    canteen.jpg U
    Canteenadm.jpg U
    Canteenreg.jpg U
    customer.css M
    diy-food-background-5.jpg
    P&C-2.pdf U
    style.css M
  routes
    admin.js
    customer.js
    home.js
  views
    admin
      ...
    customer
      dashboard.handlebars
      menu.handlebars
      orderhistory.handlebars
      preorder.handlebars
      subscription.handlebars
      wallet.handlebars
    home
      admin_login.handlebars M
      customer_login.handlebars M
      main.handlebars
      register.handlebars M
      user.handlebars
    style.css
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡ 12:09 PM IN 4/22/2021



The screenshot shows the Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Editor Area:** The file `admin.js` is open, showing code related to a Node.js application using Express.js and Handlebars. The code includes routes for admin and customer pages, and exports a router object.

```
routes > admin.js > ...
145     res.redirect('/admin/menu')
146
147     )
148   }
149 }
150 })
151 router.get('/customer',(req,res)=>{
152   res.render('admin/customers');
153 })
154
155
156 module.exports = router;
```

- Explorer Panel:** Shows the project structure with files like `customer.css`, `customer.handlebars`, `home.handlebars`, `customer_login.handlebars`, `admin.css`, `admin.js`, `customer.js`, `home.js`, `admin`, `customer`, `home`, and `layouts`.
- Search Bar:** Type here to search.
- Status Bar:** Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | JavaScript | ENG 12:09 PM IN 4/22/2021

### Costumer.js: -

The screenshot shows the Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** customer.js - Online-Canteen-Management-System - Visual Studio Code.
- Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...".
  - routes
  - style.css
  - views
  - customer
  - home
- Editor:** The "customer.js" file is open, showing code related to handling orders. The code uses ES6 syntax and includes template literals for rendering views.

```
122
123
124 router.get('/orders',async(req,res)=>{
125   const order=await Order.findOne({user:req.user.id});
126   if(order){
127     let top=0;
128     let less=0;
129     let pre=0;
130     order.item.forEach(item=>{
131       if(item.category=="top"){
132         top++;
133       }
134       else if(item.category=="less"){
135         less++;
136       }
137       else{
138         pre++;
139       }
140     })
141     res.render('customer/orderhistory',{order:order,top:top,less:less,pre:pre});
142   }
143   else{
144     req.flash('success','You have not placed any order yet');
145     res.redirect('/user/menu');
146   }
147 }
148 }
```
- Bottom Status Bar:** In 1, Col 1 | Spaces: 4 | UTF-8 | LF | JavaScript | R
- Bottom Icons:** Windows Start button, Task View, Edge browser, File Explorer, Google Chrome, Taskbar, and a blue square icon.
- Bottom Right:** ENG 12:10 PM, IN 4/22/2021.

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it shows the project structure for "ONLINE-CANTEEN-M...". The file "customer.js" is currently selected.
- Code Editor:** The main area displays the "customer.js" file content. The code handles a POST request for '/orders/:id' to update an order's quantity and save it. It includes validation for insufficient balance and redirection after saving.
- Status Bar:** At the bottom, it shows "Line 1, Col 1" and "Spaces: 4" as the code editor settings.
- Bottom Taskbar:** Shows icons for File, Edit, Selection, View, Go, Run, Terminal, Help, and various browser tabs like "customer.css M", "customer.handlebars M", etc.

```
routes > customer.js > ...
98     }
99     else{
100         req.flash('success','Order cannot placed due to insufficient balance');
101         res.redirect('/user/menu');
102     }
103 }
104 );
105
106
107 router.post('/orders/:id',async(req,res)=>{
108     const order=await Order.findOne({user:req.user.id});
109
110     const Item=order.item.find(item=>item.id==req.params.id);
111     await User.findOneAndUpdate({_id:req.user.id},{$inc:{'balance': (Item.price*Item.quantity)}});
112     const it=order.item=order.item.filter(
113         ({id})=>id!=req.params.id
114     );
115     order.save();
116     res.redirect('/user/orders');
117 })
118
119
120
121
122
123
```

File Edit Selection View Go Run Terminal Help

customer.js - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      routes > customer.js > ...
customer.js    routes
  / 3
  74 } customer.item.unshift(order.neworder());
  75 }
  76 else{
  77   const order=new orders(item.Name,item.price,"less",req.body.quantity,"not received");
  78   customer.item.unshift(order.neworder());
  79 }
  80 await customer.save();
  81 req.flash('success','Order placed successfully and money has been deducted from wallet');
  82 res.redirect('/user/menu');
  83 }
  84 else{
  85   const newCustomer = new Order({
  86     user:req.user.id,
  87     category:"Less Priority"
  88   })
  89 await newCustomer.save();
  90 const order=await Order.findOne({user:req.user.id});
  91 const norder=new orders(item.Name,item.price,"less",req.body.quantity,"not received");
  92   order.item.unshift(norder.neworder());
  93 await order.save();
  94 req.flash('success','Order placed successfully and money has been deducted from wallet');
  95 res.redirect('/user/menu');
  96 }
  97 }
  98 else{
  99 }

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡

Type here to search

File Edit Selection View Go Run Terminal Help

customer.js - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      routes > customer.js > ...
customer.js    routes
  / 3
  49 })
  50 router.post('/subscription',async(req,res)=>{
  51
  52   const top=new subscription(req.user.id,"Top Priority");
  53   top.premium();
  54
  55   res.render('customer/dashboard');
  56
  57 }
  58 )
  59 }
  60
  61
  62
  63 router.post('/menu/:id',async(req,res)=>{
  64   const item=await Menu.findById(req.params.id);
  65   const user=await User.findOne({_id:req.user.id});
  66   const customer=await Order.findOne({user:req.user.id});
  67   if(user.balance>=item.price){
  68
  69     await User.findOneAndUpdate({_id:req.user.id},{$inc:{'balance': -(req.body.quantity*item.price)}});
  70     if(customer){
  71       if(customer.category=="Top Priority"){
  72         const order=new orders(item.Name,item.price,"top",req.body.quantity,"not received");
  73         customer.item.unshift(order.neworder());
  74     }
  75   }
  76 }
  77 }
  78
  79 }
  80
  81
  82
  83
  84
  85
  86
  87
  88
  89
  90
  91
  92
  93
  94
  95
  96
  97
  98
  99

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡

Type here to search

File Edit Selection View Go Run Terminal Help

customer.js - Online-Canteen-Management-System - Visual Studio Code

```

EXPLORER      routes > customer.js > ...
customer.js    routes
  / 3
  49 })
  50 router.post('/subscription',async(req,res)=>{
  51
  52   const top=new subscription(req.user.id,"Top Priority");
  53   top.premium();
  54
  55   res.render('customer/dashboard');
  56
  57 }
  58 )
  59 }
  60
  61
  62
  63 router.post('/menu/:id',async(req,res)=>{
  64   const item=await Menu.findById(req.params.id);
  65   const user=await User.findOne({_id:req.user.id});
  66   const customer=await Order.findOne({user:req.user.id});
  67   if(user.balance>=item.price){
  68
  69     await User.findOneAndUpdate({_id:req.user.id},{$inc:{'balance': -(req.body.quantity*item.price)}});
  70     if(customer){
  71       if(customer.category=="Top Priority"){
  72         const order=new orders(item.Name,item.price,"top",req.body.quantity,"not received");
  73         customer.item.unshift(order.neworder());
  74     }
  75   }
  76 }
  77 }
  78
  79 }
  80
  81
  82
  83
  84
  85
  86
  87
  88
  89
  90
  91
  92
  93
  94
  95
  96
  97
  98
  99

```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡

Type here to search

File Edit Selection View Go Run Terminal Help

customer.js - Online-Canteen-Management-System - Visual Studio Code

```

  routes > customer.js > ...
  26
  27 router.get('/menu',async(req,res)=>{
  28
  29   const item=await Menu.find({category:'Breakfast'});
  30   const item1=await Menu.find({category:'Lunch'});
  31   const item2=await Menu.find({category:'Dinner'});
  32   const item3=await Menu.find({category:'Desert'});
  33
  34   res.render('customer/menu',[item:item,item1:item1,item2:item2,item3:item3]);
  35
  36 });
  37 router.get('/subscription',async (req,res)=>{
  38   const user=await Order.findOne({user:req.user.id});
  39   if(user.category=="Top Priority"){
  40     req.flash('success','You already have permium subscription');
  41
  42     res.redirect('/user/dashboard');
  43   }
  44   else{
  45     res.render('customer/subscription');
  46   }
  47
  48 })
  49 router.post('/subscription',async(req,res)=>{
  50
  51
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡

Type here to search

File Explorer

Customer.js

Customer.js routes

Online-Canteen-Management-System

Customer.css

Customer.handlebars

Home.handlebars

Customer\_login.handlebars

Admin.css

Customer.js

Home.js

Views

Customer

Dashboard.handlebars

Menu.handlebars

OrderHistory.handlebars

Preorder.handlebars

Subscription.handlebars

Wallet.handlebars

Home

Admin\_login.handlebars

Customer\_login.handlebars

Main.handlebars

Register.handlebars

User.handlebars

Outlines

Timeline

main\*

0 0 0 0 0

Windows Taskbar

File Explorer

Customer.js

Customer.js routes

Online-Canteen-Management-System

Customer.css

Customer.handlebars

Home.handlebars

Customer\_login.handlebars

Admin.css

Customer.js

Home.js

Views

Customer

Dashboard.handlebars

Menu.handlebars

OrderHistory.handlebars

Preorder.handlebars

Subscription.handlebars

Wallet.handlebars

Home

Admin\_login.handlebars

Customer\_login.handlebars

Main.handlebars

Register.handlebars

User.handlebars

Outlines

Timeline

main\*

0 0 0 0 0

Windows Taskbar

File Edit Selection View Go Run Terminal Help

customer.js - Online-Canteen-Management-System - Visual Studio Code

```

  routes > customer.js > ...
  1 const express=require('express');
  2 const router=express.Router();
  3 const Menu=require('../models/Menu');
  4 const User = require('../models/User');
  5 const Order=require('../models/Order');
  6 const {Customer,subscription} =require('../classes/home');
  7 const {orders}=require('../classes/customerorder');
  8
  9 router.all('/*',(req,res,next)=>{
 10   req.app.locals.layout = 'customer';
 11   next();
 12 });
 13
 14
 15
 16 router.get('/',async(req,res)=>{
 17   const user=await User.findById(req.user.id);
 18
 19   res.render('customer/dashboard',{user:user });
 20
 21 })
 22
 23 router.get('/dashboard',(req,res)=>{
 24   res.render('customer/dashboard');
 25 })
 26
 27 router.get('/menu',async(req,res)=>{
  
```

Ln 1, Col 1 Spaces: 4 UTF-8 LF JavaScript ⚡

Type here to search

File Explorer

Customer.js

Customer.js routes

Online-Canteen-Management-System

Customer.css

Customer.handlebars

Home.handlebars

Customer\_login.handlebars

Admin.css

Customer.js

Home.js

Views

Customer

Dashboard.handlebars

Menu.handlebars

OrderHistory.handlebars

Preorder.handlebars

Subscription.handlebars

Wallet.handlebars

Home

Admin\_login.handlebars

Customer\_login.handlebars

Main.handlebars

Register.handlebars

User.handlebars


Outlines

Timeline

main\*

0 0 0 0 0

Windows Taskbar



The screenshot shows the Visual Studio Code interface with the following details:


- File Explorer:** Shows the project structure under "ONLINE-CANTEEN-M...". The "customer.js" file is selected in the routes folder.
- Code Editor:** Displays the content of the "customer.js" file, which contains JavaScript code for a router. The code includes asynchronous logic using promises and handles POST requests to add funds to a user's wallet.
- Bottom Status Bar:** Shows the current file is "main\*", line 1, column 1, with 111 lines of code, and the language is set to JavaScript.
- Bottom Taskbar:** Includes icons for file operations like Open, Save, and Close, along with system status indicators for battery, signal, and volume.

```

194     User.findOne({_id:req.user.id})
195     .then(user=>{
196
197         res.render('customer/wallet',{balance:user.balance});
198     })
199
200 });
201
202
203 router.post('/wallet',async(req,res)=>{
204     const user=await User.findById(req.user.id);
205     const customer=new Customer(user.email,user.password,user.Name,user.address,user.balance);
206     customer.updateWallet(req.user.id ,req.body.amount);
207     req.flash('success', `Rs ${req.body.amount} added to your wallet`);
208     res.redirect('/user/wallet');
209 }
210
211
212
213
214 module.exports = router;

```

## Home.js: -



```

File Edit Selection View Go Run Terminal Help
home.js - Online-Canteen-Management-System - Visual Studio Code
OPEN EDITORS 1 UNSAVED
EXPLORER routes handlebars M customer.css M ~ customer.handlebars M ~ home.handlebars M ~ customer_login.handlebars M admin.css M home.js X
customer.css public M
customer.handlebars views\... M
home.handlebars views\... M
customer_login.handlebars M
admin.css public M
home.routes M
ONLINE-CANTEEN-M... style.css M
routes admin.js M customer.js M home.js M
views admin M
customer dashboard.handlebars M menu.handlebars M orderhistory.handlebars M preorder.handlebars M subscription.handlebars M wallet.handlebars M
home admin_login.handlebars M customer_login.handlebars M main.handlebars M register.handlebars M user.handlebars M
layouts
OUTLINE
TIMELINE
Ln 4, Col 4 Spaces: 4 UTF-8 CRLF JavaScript ⚡
main* 0 11 0 0 0 Type here to search ○ ⊞ 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 ENG 12:10 PM IN 4/22/2021


```

routes > home.js > ...

```

48     newLogin.login();
49     passport.authenticate('local',{
50       successRedirect: '/user',
51       failureRedirect: '/customer_login',
52       failureFlash: true
53     })(req, res, next);
54   });
55   router.get('/logout', (req, res)=>{
56     req.logOut();
57     res.redirect('/');
58   });
59   router.get('/admin',(req,res)=>{
60     res.render('home/admin_login')
61   });
62   router.post('/admin',(req,res)=>{
63     let admin= new Admin(req.body.email,req.body.password);
64     let flag=admin.login();
65     if(flag){
66       res.redirect('/admin/dashboard')
67     }
68     else {
69       let error="Invalid credentials";
70       res.render('home/admin_login',{error:error});
71     }
72   });
73 }
74

```



```

File Edit Selection View Go Run Terminal Help
home.js - Online-Canteen-Management-System - Visual Studio Code
OPEN EDITORS 1 UNSAVED
EXPLORER routes handlebars M customer.css M ~ customer.handlebars M ~ home.handlebars M ~ customer_login.handlebars M admin.css M home.js X
customer.css public M
customer.handlebars views\... M
home.handlebars views\... M
customer_login.handlebars M
admin.css public M
home.routes M
ONLINE-CANTEEN-M... style.css M
routes admin.js M customer.js M home.js M
views admin M
customer dashboard.handlebars M menu.handlebars M orderhistory.handlebars M preorder.handlebars M subscription.handlebars M wallet.handlebars M
home admin_login.handlebars M customer_login.handlebars M main.handlebars M register.handlebars M user.handlebars M
layouts
OUTLINE
TIMELINE
Ln 4, Col 4 Spaces: 4 UTF-8 CRLF JavaScript ⚡
main* 0 11 0 0 0 Type here to search ○ ⊞ 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐 ENG 12:10 PM IN 4/22/2021

```

routes > home.js > ...

```

23   router.post( '/register',(req,res)=>{
24     let error="";
25     if(req.body.password!=req.body.confirmPassword){
26       error="Password does not match";
27       res.render('home/register',{error:error});
28     }
29     else{
30       let user=new Customer(req.body.email,req.body.password,req.body.Name,req.body.address,0);
31       user.register();
32
33       req.flash('success','Registered successfully');
34       res.redirect('/customer_login');
35     }
36
37   });
38
39 });
40
41 router.get('/customer_login',(req,res)=>{
42   res.render('home/customer_login')
43 };
44
45 router.post('/customer_login', (req, res, next)=>{
46
47   const newLogin=new loginCustomer(req.body.email,req.body.password);
48   newLogin.login();
49   passport.authenticate('local',{

```

File Edit Selection View Go Run Terminal Help home.js - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

routes > home.js > ...

```

1 const express=require('express');
2 const router=express.Router();
3 const passport = require('passport');
4 // const User=require('../models/User');
5 const {loginCustomer,Customer,Admin,subscription}=require('../classes/home');

6

7

8
9 router.all('/*',(req,res,next)=>{
10     req.app.locals.layout = 'home';
11     next();
12 });

13
14 router.get('/',(req,res)=>{
15     res.render('home/main')
16 }
17 )
18
19
20 router.get('/register',(req,res)=>{
21 res.render('home/register')
22 })
23 router.post('/register',(req,res)=>{
24     let error="";
25     if(req.body.password!=req.body.confirmPassword){
26         error="Password does not match";
27         res.redirect('home/register',{error:error});
28     }
29 }
30 )
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81

```

Ln 4, Col 4 Spaces: 4 UTF-8 CRLF JavaScript ⚡ 12:10 PM IN 4/22/2021

Type here to search

File Edit Selection View Go Run Terminal Help home.js - Online-Canteen-Management-System - Visual Studio Code

OPEN EDITORS 1 UNSAVED

routes > home.js > ...

```

1 req.logout();
2 res.redirect('/');
3 });
4 router.get('/admin',(req,res)=>{
5     res.render('home/admin_login')
6 });
7 router.post('/admin',(req,res)=>{
8     let admin= new Admin(req.body.email,req.body.password);
9     let flag=admin.login();
10    if(flag){
11        res.redirect('/admin/dashboard')
12    }
13    else {
14        let error="Invalid credentials";
15        res.render('home/admin_login',{error:error});
16    }
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81

```

Ln 4, Col 4 Spaces: 4 UTF-8 CRLF JavaScript ⚡ 12:10 PM IN 4/22/2021

Type here to search

## References

- <https://www.w3schools.com/>
- <https://www.wikipedia.org/>
- <https://stackoverflow.com/>
- <https://www.javatpoint.com/>
- [YouTube](#)