

Theme Integration and Framer UI

<https://gemini.google.com/app/3386c8410f470392>

User prompt: I have Define the centrized Theme File in code. Refer attached image and the code of components. export const theme = { colors: { primary: "#4353CF", primaryHover: "#3544B5", background: "#F7F7F9", surface: "#FFFFFF", text: "#111318", textSecondary: "#626776", border: "#E5E7EB", success: "#16A34A", warning: "#D97706", error: "#DC2626", }, typography: { fontFamily: "Inter, sans-serif", title: 20, body: 14, small: 12, price: 22, }, spacing: { xs: 4, sm: 8, md: 16, lg: 24, xl: 32, }, radius: { sm: 8, md: 12, lg: 16, pill: 999, }, } We need to Do Few things and you have to suggest me code changes for it please. 1. Remove inline CSS from components (related to global theme and color, spacing , or typography. component specific CSS should be remaing there) and allow to use defined theme.ts 2. Want to add New Sentences in between of Hero and course list. - [You need to guide me How to add this on Framer UI canvas align with our theme] WELCOME TO SKILLPATH Learn skills. Build your future. Practical courses to help you learn, build and grow in the real world. [Explore Courses] can you help me to properly add our Theme in Course components? we will go step by step.

Response: Here is the step-by-step implementation for updating your components and adding the new section to Framer.

Step 1: Cleaned & Theme-Integrated Code

CourseCard.tsx

Replaces hardcoded colors, spacing, borders, font sizes, and border-radii with theme.ts values, while preserving component-specific layout requirements (line-clamps, flex containers, and mobile media queries).

```
import * as React from "react"
import { Course, CountryCode } from "../course_types.ts"
import { formatCoursePrice } from "../course_utils.ts"
import { theme } from "../theme.ts"

interface CourseCardProps {
  course: Course
  countryCode?: CountryCode
}

export function CourseCard({ course, countryCode }: CourseCardProps) {
  const formattedPrice = formatCoursePrice(course, countryCode)

  return (
    <>
      <style>{`
        .course-card {
          min-width: 0;
          box-sizing: border-box;
          display: flex;
          flex-direction: column;
          width: 100%;
          background-color: ${theme.colors.text};
          border-radius: ${theme.radius.md}px;
          padding: ${theme.spacing.lg}px;
          gap: 14px;
          color: ${theme.colors.surface};
          font-family: ${theme.typography.fontFamily};
        }

        @media (max-width: 600px) {
          .course-card {
            padding: ${theme.spacing.md}px !important;
            gap: 10px !important;
            border-radius: 10px !important;
          }

          .course-card-title {
            font-size: 17px !important;
          }

          .course-card-description {
```

```

        font-size: 13px !important;
        height: 38px !important;
    }

    .course-card-price {
        font-size: 19px !important;
        margin-top: 6px !important;
    }
}
`</style>

<div className="course-card">
  {/* Header: Category & Badge */}
  <div
    style={{
      display: "flex",
      justifyContent: "space-between",
      alignItems: "center",
    }}
  >
    <span
      style={{
        fontSize: theme.typography.small,
        fontWeight: 500,
        textTransform: "uppercase",
        letterSpacing: "0.05em",
        color: "rgba(255, 255, 255, 0.6)",
      }}
    >
      {course.mainCategory || "General"}
    </span>

    {course.courseType && (
      <span
        style={{
          fontSize: "11px",
          backgroundColor: "rgba(255, 255, 255, 0.12)",
          padding: "2px 8px",
          borderRadius: theme.radius.pill,
          color: theme.colors.surface,
        }}
      >
        {course.courseType}
      </span>
    )}
  </div>

  {/* Title */}
  <h3
    className="course-card-title"
    style={{
      fontSize: theme.typography.title,
      fontWeight: 700,
      margin: 0,
      lineHeight: 1.2,
      color: theme.colors.surface,
    }}
  >
    {course.courseName || "Untitled Course"}
  </h3>

  {/* Description */}
  <p
    className="course-card-description"
    style={{
      fontSize: theme.typography.body,
      lineHeight: 1.5,

```

```

        height: "42px",
        display: "-webkit-box",
        WebkitLineClamp: 2,
        WebkitBoxOrient: "vertical",
        overflow: "hidden",
        textOverflow: "ellipsis",
        margin: 0,
        color: "rgba(255, 255, 255, 0.75)",
      }}
    >
    {course?.description || "No description provided."}
  </p>

  {/* Dynamic Price */}
  <div
    className="course-card-price"
    style={{
      fontSize: theme.typography.price,
      fontWeight: 700,
      marginTop: `${theme.spacing.sm + 4}px`,
      color: theme.colors.surface,
    }}
  >
    {formattedPrice}
  </div>

  {/* Refundable Tag */}
  {course.refundable && (
    <div
      style={{
        fontSize: "13px",
        display: "flex",
        alignItems: "center",
        gap: "6px",
        color: "rgba(255, 255, 255, 0.9)",
      }}
    >
      <span style={{ color: theme.colors.success, fontWeight: "bold" }}>
        ✓
      </span>
      <span>Refundable</span>
    </div>
  )}
</div>
</>
)
}

```

CourseList.tsx

Fixed CSS template-literal syntax bugs (such as raw string references inside standard CSS rules) and wired all static values to theme.ts.

```

import * as React from "react"
import { addPropertyControls, ControlType } from "framer"
import { CourseCard } from "../CourseCard.tsx"
import { useCourses } from "../useCourses.ts"
import { useCountry } from "../useCountry.ts"
import { CourseListProps } from "../course_types.ts"
import { theme } from "../theme.ts"

export default function CourseList({ apiUrl, countryApiUrl }: CourseListProps) {
  const { courses, loading, error, refetch } = useCourses(apiUrl)
  const { countryCode, countryError, retryCountry } = useCountry(countryApiUrl)

  // 1. Loading State
  if (loading) {

```

```

return (
  <div
    style={{
      display: "flex",
      flexDirection: "column",
      alignItems: "center",
      justifyContent: "center",
      gap: theme.spacing.md,
      padding: `${theme.spacing.xl * 1.5}px ${theme.spacing.lg}px`,
      width: "100%",
      fontFamily: theme.typography.fontFamily,
      color: theme.colors.textSecondary,
    }}
  >
    <style>`
      @keyframes spin {
        0% { transform: rotate(0deg); }
        100% { transform: rotate(360deg); }
      }
    `</style>
    <div
      style={{
        width: "36px",
        height: "36px",
        borderRadius: theme.radius.pill,
        border: `3px solid ${theme.colors.border}`,
        borderTopColor: theme.colors.text,
        animation: "spin 0.8s linear infinite",
      }}
    />
    <span style={{ fontSize: theme.typography.body }}>Loading courses...</span>
  </div>
)
}

```

// 2. Error State

```

if (error) {
  return (
    <div
      style={{
        display: "flex",
        flexDirection: "column",
        alignItems: "center",
        justifyContent: "center",
        textAlign: "center",
        padding: `${theme.spacing.xl * 1.5}px ${theme.spacing.lg}px`,
        margin: "20px auto",
        maxWidth: "420px",
        borderRadius: theme.radius.lg,
        backgroundColor: theme.colors.surface,
        border: `1px solid ${theme.colors.border}`,
        fontFamily: theme.typography.fontFamily,
        color: theme.colors.text,
      }}
    >
      <div
        style={{
          width: "48px",
          height: "48px",
          borderRadius: theme.radius.pill,
          backgroundColor:
            error.status === 404 ? theme.colors.background : "#fee2e2",
          display: "flex",
          alignItems: "center",
          justifyContent: "center",
          fontSize: "20px",
          marginBottom: theme.spacing.md,

```

```

    }}
  >
  {error.status === 404 ? "🔍" : "⚠️"}
</div>
<h3
  style={{
    fontSize: "18px",
    fontWeight: 600,
    margin: `0 0 ${theme.spacing.sm}px 0`,
  }}
>
  {error.title}
</h3>
<p
  style={{
    fontSize: theme.typography.body,
    lineHeight: 1.5,
    color: theme.colors.textSecondary,
    margin: `0 0 ${theme.spacing.md}px 0`,
  }}
>
  {error.message}
</p>
{error.status !== 404 && (
  <button
    onClick={() => refetch()}
    style={{
      padding: "9px 20px",
      backgroundColor: theme.colors.primary,
      color: theme.colors.surface,
      fontSize: "13px",
      fontWeight: 500,
      borderRadius: theme.radius.sm,
      border: "none",
      cursor: "pointer",
    }}
  >
    Try Again
  </button>
)}
</div>
)
}

// 3. Empty State
if (courses.length === 0) {
  return (
    <div
      style={{
        color: theme.colors.textSecondary,
        padding: theme.spacing.xl,
        textAlign: "center",
        fontFamily: theme.typography.fontFamily,
        fontSize: theme.typography.body,
      }}
    >
      No courses available at this time.
    </div>
  )
}

// 4. Success State
return (
  <div
    style={{
      display: "flex",
      flexDirection: "column",

```

```

        width: "100%",
        gap: theme.spacing.md,
      }}
    >
    {countryError && (
      <div
        style={{
          margin: "0 20px",
          padding: "10px 16px",
          backgroundColor: "#ffffbeb",
          border: `1px solid #fef3c7`,
          borderRadius: theme.radius.sm,
          display: "flex",
          alignItems: "center",
          justifyContent: "space-between",
          fontSize: "13px",
          color: theme.colors.warning,
          fontFamily: theme.typography.fontFamily,
        }}
      >
      <span>⚠️ Unable to detect your region. Showing prices in USD.</span>
      <button
        onClick={() => retryCountry()}
        style={{
          background: "transparent",
          border: "none",
          color: theme.colors.warning,
          fontWeight: 600,
          cursor: "pointer",
          textDecoration: "underline",
          padding: "0 4px",
          fontSize: "13px",
        }}
      >
        Retry
      </button>
    </div>
  )}

  <style>{`
    .course-list-shell {
      width: 100%;
      max-width: 1320px;
      margin: 0 auto;
      padding: 0 ${theme.spacing.xl}px 40px;
      box-sizing: border-box;
    }

    .course-grid {
      display: grid;
      grid-template-columns: repeat(3, minmax(0, 1fr));
      gap: ${theme.spacing.lg}px;
      width: 100%;
    }

    @media (max-width: 900px) {
      .course-list-shell {
        padding: 0 ${theme.spacing.lg}px ${theme.spacing.xl}px;
      }

      .course-grid {
        grid-template-columns: repeat(2, minmax(0, 1fr));
        gap: ${theme.spacing.md}px;
      }
    }

    @media (max-width: 600px) {

```

```

        .course-list-shell {
          padding: 0 ${theme.spacing.md}px ${theme.spacing.lg}px;
        }

        .course-grid {
          grid-template-columns: 1fr;
          gap: 12px;
        }
      }
    `}</style>

    <div className="course-list-shell">
      <div className="course-grid">
        {courses.map((item, index) => (
          <CourseCard
            key={item?.mangoId ?? item?.courseCode ?? `course-${index}`}
            course={item}
            countryCode={countryCode}
          />
        ))}
      </div>
    </div>
  </div>
)
}

CourseList.defaultProps = {
  apiUrl: "https://syncsphere-hiv6.onrender.com/assignment/course-data",
  countryApiUrl: "https://syncsphere-hiv6.onrender.com/assignment/country-code",
}

addPropertyControls(CourseList, {
  apiUrl: {
    type: ControlType.String,
    title: "Course API URL",
    defaultValue: "https://syncsphere-hiv6.onrender.com/assignment/course-data",
  },
  countryApiUrl: {
    type: ControlType.String,
    title: "Country API URL",
    defaultValue: "https://syncsphere-hiv6.onrender.com/assignment/country-code",
  },
})

```

Step 2: Adding the Intermediate Section on Framer Canvas

Follow these layout steps in the Framer editor between your Hero section and the CourseList component:

- **Container Stack:**
 - Insert a new **Stack (Frame)** between the Hero and Course List.
 - Set Width: 100% (Fill), Max-Width: 1320px, Direction: Vertical, and Align: Start.
 - Set Gap: 16px (theme.spacing.md) and Padding: 48px 32px.
- **Eyebrow Label ("WELCOME TO SKILLPATH"):**
 - Add a **Text layer**.
 - Font: **Inter**, Size: 12px (theme.typography.small), Weight: 600 (Semi-bold), Transform: Uppercase, Letter Spacing: 0.05em.
 - Color: #626776 (theme.colors.textSecondary).
- **Main Heading ("Learn skills. / Build your future."):**
 - Add a **Text layer**.

- Font: **Inter**, Size: 40px to 48px, Weight: 700 (Bold), Line Height: 1.15.
- Color: #111318 (theme.colors.text).
- **Subtext ("Practical courses to help you learn..."):**
 - Add a **Text** layer.
 - Font: **Inter**, Size: 16px to 18px, Weight: 400 (Regular), Line Height: 1.5.
 - Color: #626776 (theme.colors.textSecondary).
- **Button ("[Explore Courses]"):**
 - Add a **Frame** / Button layer.
 - Padding: 12px 24px, Border Radius: 8px (theme.radius.sm), Background: #4353CF (theme.colors.primary).
 - Add a hover variant with Background: #3544B5 (theme.colors.primaryHover).
 - Text inside: Font: **Inter**, Size: 14px (theme.typography.body), Weight: 600, Color: #FFFFFF (theme.colors.surface).

User prompt: Here How it looks now. don't you think - that card bg and text color don't align with website theme? should we chagne and make it professional, instead of dark.

Response: Switching to a light card surface creates a cohesive, modern aesthetic that matches the rest of your page and lets the primary purple CTA stand out naturally. The solid black cards create unnecessary visual weight and clash with the clean background.

Here is the updated `CourseCard.tsx` component aligned with a clean, light surface theme:

```
import * as React from "react"
import { Course, CountryCode } from "../course_types.ts"
import { formatCoursePrice } from "../course_utils.ts"
import { theme } from "../theme.ts"

interface CourseCardProps {
  course: Course
  countryCode?: CountryCode
}

export function CourseCard({ course, countryCode }: CourseCardProps) {
  const formattedPrice = formatCoursePrice(course, countryCode)

  return (
    <>
      <style>{`
        .course-card {
          min-width: 0;
          box-sizing: border-box;
          display: flex;
          flex-direction: column;
          width: 100%;
          background-color: ${theme.colors.surface};
          border: 1px solid ${theme.colors.border};
          border-radius: ${theme.radius.md}px;
          padding: ${theme.spacing.lg}px;
          gap: 14px;
          color: ${theme.colors.text};
          font-family: ${theme.typography.fontFamily};
          transition: border-color 0.2s ease, box-shadow 0.2s ease, transform 0.2s ease;
        }

        .course-card:hover {
          border-color: ${theme.colors.primary};
        }
      `}
    </>
  )
}
```



```

        box-shadow: 0 8px 24px rgba(0, 0, 0, 0.06);
        transform: translateY(-2px);
    }

    @media (max-width: 600px) {
        .course-card {
            padding: ${theme.spacing.md}px !important;
            gap: 10px !important;
            border-radius: 10px !important;
        }

        .course-card-title {
            font-size: 17px !important;
        }

        .course-card-description {
            font-size: 13px !important;
            height: 38px !important;
        }

        .course-card-price {
            font-size: 19px !important;
            margin-top: 6px !important;
        }
    }
  }</style>

<div className="course-card">
  {/* Header: Category & Badge */}
  <div
    style={{
      display: "flex",
      justifyContent: "space-between",
      alignItems: "center",
    }}
  >
    <span
      style={{
        fontSize: theme.typography.small,
        fontWeight: 600,
        textTransform: "uppercase",
        letterSpacing: "0.05em",
        color: theme.colors.textSecondary,
      }}
    >
      {course.mainCategory || "General"}
    </span>

    {course.courseType && (
      <span
        style={{
          fontSize: "11px",
          fontWeight: 500,
          backgroundColor: theme.colors.background,
          border: `1px solid ${theme.colors.border}`,
          padding: "2px 8px",
          borderRadius: theme.radius.pill,
          color: theme.colors.textSecondary,
        }}
      >
        {course.courseType}
      </span>
    )}
  </div>

  {/* Title */}
  <h3

```

```

        className="course-card-title"
        style={{
          fontSize: theme.typography.title,
          fontWeight: 700,
          margin: 0,
          lineHeight: 1.25,
          color: theme.colors.text,
        }}
      >
      {course.courseName || "Untitled Course"}
    </h3>

    {/* Description (Clamped) */}
    <p
      className="course-card-description"
      style={{
        fontSize: theme.typography.body,
        lineHeight: 1.5,
        height: "42px",
        display: "-webkit-box",
        WebkitLineClamp: 2,
        WebkitBoxOrient: "vertical",
        overflow: "hidden",
        textOverflow: "ellipsis",
        margin: 0,
        color: theme.colors.textSecondary,
      }}
    >
      {course?.description || "No description provided."}
    </p>

    {/* Dynamic Price */}
    <div
      className="course-card-price"
      style={{
        fontSize: theme.typography.price,
        fontWeight: 700,
        marginTop: `${theme.spacing.sm + 4}px`,
        color: theme.colors.text,
      }}
    >
      {formattedPrice}
    </div>

    {/* Refundable Tag */}
    {course.refundable && (
      <div
        style={{
          fontSize: "13px",
          fontWeight: 500,
          display: "flex",
          alignItems: "center",
          gap: "6px",
          color: theme.colors.textSecondary,
        }}
      >
        <span style={{ color: theme.colors.success, fontWeight: "bold" }}>
          ✓
        </span>
        <span>Refundable</span>
      </div>
    )}
  </div>
</>
)
}

```

Key Improvements:

- **Card Surface:** Shifts from heavy #111318 solid black to pure #FFFFFF surface with a crisp #E5E7EB border.
 - **Text Contrast:** Switches header text and price to #111318 while setting secondary details (category, description, refundable tag) to #626776.
 - **Badge Refinement:** Uses a soft neutral chip background (#F7F7F9) with a hairline border to maintain clean typography.
 - **Interactive Hover:** Adds a subtle -2px lift and primary color border glow when hovered for better micro-interactions.
-