```
WebForm1.aspx.cs □ × WebForm1.aspx
                                                       👣 WebApplication2.WebForm1
WebApplication2
            using System. Web;
      5
            using System.Web.UI;
            using System.Web.UI.WebControls;
      6
     7
     8
          ⊟namespace WebApplication2
     9
                public partial class WebForm1 : System.Web.UI.Page
    10
    11
                    protected void OnCommand(object sender, CommandEventArgs e)
    12
    13
                       int a = Convert.ToInt32(TextBox1.Text);
    14
                        int b = Convert.ToInt32(TextBox2.Text);
    15
    16
                        if (e.CommandName.ToString()=="operate")
    17
    18
                            if(e.CommandArgument.ToString()=="ADD")
    19
    20
                                 c = a + b;
    21
                                TextBox3.Text = c.ToString();
    22
    23
                         else if (e.CommandArgument.ToString() == "SUB")
    24
    25
    26
                                c = a - b;
                                TextBox3.Text = c.ToString();
    27
    28
                            else if (e.CommandArgument.ToString() == "MUL")
    29
    30
                                c = a * b;
    31
                                TextBox3.Text = c.ToString();
    32
    33
    34
                        else if(e.CommandName.ToString()=="clear1")
    35
    36
                            TextBox1.Text = "":
    37
                           TextBox2.Text = "";
    38
                           TextBox3.Text = "";
    39
                       }
    40
                   }
    41
    42
    43
```

91 %

```
Page Language C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs" Inherits="WebApplication2.WebForm1" 🐉
1
3
    <!DOCTYPE html>
5
  F<html xmlns="http://www.w3.org/1999/xhtml">
6 = <head runat="server">
7
        <title></title>
8
    </head>
9
10
        <form id="form1" runat="server">
11
        <div>
12
13
        </div>
14
15
16
                <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
17
                <asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
18
                <asp:TextBox ID="TextBox3" runat="server" ReadOnly="True"></asp:TextBox>
 19
             20
             >
 21
                 
 22
                <asp:Button ID="Button2" runat="server" CommandArgument="SUB" CommandName="operate" OnCommand="OnCommand" Text="SUBTRACTION" />
 23
 24
 25
             >
                 <asp:Button ID="Button1" runat="server" CommandArgument="ADD" CommandName="operate" OnCommand="OnCommand" Text="ADDITION" />
 26
 27
 28
             >
                 <asp:Button ID="Button3" runat="server" CommandArgument="MUL" CommandName="operate" OnCommand="OnCommand" Text="MULTIPLY" />
 29
 30
             31
             >
 32
                 <asp:Button ID="Button4" runat="server" CommandArgument="CLEAR" CommandName="clear1" OnCommand="OnCommand" Text="CLEAR" />
  33
             34
             >
  35
                  
  36
  37
      k/body>
     </html>
  38
  39
Design □ Split O Source
```

