```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login Page</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
      display: flex;
      align-items: center;
      justify-content: center;
      height: 100vh;
      background:
      url(
        https://utsavcaterer.in/wp-content/uploads/2019/09/event-management2-
1.jpg;
    }
    #loginForm {
        background-color: #899ba7;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }
    label {
      display: block;
      margin-bottom: 8px;
    }
    input {
      width: 100%;
      padding: 8px;
      margin-bottom: 16px;
      box-sizing: border-box;
    }
    button {
      width: 100%;
      padding: 10px;
      margin-bottom: 8px;
      border: none;
      border-radius: 4px;
      cursor: pointer;
    }
    #googleBtn {
      background-color: #4285f4;
      color: #fff;
    }
    #facebookBtn {
      background-color: #3b5998;
      color: #fff;
    }
    #twitterBtn {
      background-color: #1da1f2;
      color: #fff;
    }
```

```
</style>
</head>
<body>
  <div id="loginForm">
    <h2>Login to event management</h2>
    <form>
      <label for="username">Username:</label>
      <input type="text" id="username" name="username" required>
      <label for="password">Password:</label>
      <input type="password" id="password" name="password" required>
      <button id="googleBtn" type="button" onclick="loginWithGoogle()">Login
with Google</button>
      <button id="facebookBtn" type="button" onclick="loginWithFacebook()">Login
with Facebook</button>
      <button id="twitterBtn" type="button" onclick="loginWithTwitter()">Login
with Twitter</button>
      <button type="submit">Login
  </div>
  <script>
    function loginWithGoogle() {
      alert("Google login functionality not implemented in this example.");
    }
    function loginWithFacebook() {
      alert("Facebook login functionality not implemented in this example.");
    }
    function loginWithTwitter() {
      alert("Twitter login functionality not implemented in this example.");
  </script>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
      <style>
            body {
                 margin: 0;
                  padding: 0;
            section {
                 width: 100%;
                  height: 100vh;
                  background:
                        url(
```

```
https://www.moretimepa.co.uk/wp-content/uploads/shutterstock_378811030.jpg
            background-size: cover;
      section .leftBox {
            width: 50%;
            height: 100%;
            float: left;
            padding: 50px;
            box-sizing: border-box;
      }
      section .leftBox .content {
            color: #fff;
            background: rgba(0, 0, 0, 0.5);
            padding: 40px;
            transition: .5s;
      }
      section .leftBox .content:hover {
            background: #e91e63;
      }
      section .leftBox .content h1 {
            margin: 0;
            padding: 0;
            font-size: 50px;
            text-transform: uppercase;
      }
      section .leftBox .content p {
            margin: 10px 0 0;
            padding: 0;
      }
      section .events {
            position: relative;
            width: 50%;
            height: 100%;
            background: rgba(0, 0, 0, 0.5);
            float: right;
            box-sizing: border-box;
      }
      section .events ul {
            position: absolute;
            top: 50%;
            transform: translateY(-50%);
            margin: 0;
            padding: 40px;
            box-sizing: border-box;
      }
      section .events ul li {
            list-style: none;
            background: #fff;
            box-sizing: border-box;
            height: 200px;
            margin: 15px 0;
      }
      section .events ul li .time {
            position: relative;
```

```
padding: 20px;
      background: #262626;
      box-sizing: border-box;
      width: 30%;
      height: 100%;
      float: left;
      text-align: center;
      transition: .5s;
}
section .events ul li:hover .time {
      background: #e91e63;
section .events ul li .time h2 {
      position: absolute;
      margin: 0;
      padding: 0;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
      color: #fff;
      font-size: 60px;
      line-height: 30px;
}
section .events ul li .time h2 span {
      font-size: 30px;
}
section .events ul li .details {
      padding: 20px;
      background: #fff;
      box-sizing: border-box;
      width: 70%;
      height: 100%;
      float: left;
}
section .events ul li .details h3 {
      position: relative;
      margin: 0;
      padding: 0;
      font-size: 22px;
}
section .events ul li .details p {
      position: relative;
      margin: 10px 0 0;
      padding: 0;
      font-size: 16px;
}
section .events ul li .details a {
      display: inline-block;
      text-decoration: none;
      padding: 10px 15px;
      border: 1.5px solid #262626;
      margin-top: 8px;
      font-size: 18px;
      transition: .5s;
}
```

```
section .events ul li .details a:hover {
                  background: #e91e63;
                  color: #fff;
                  border-color: #e91e63;
      </style>
</head>
<body>
      <section>
            <div class="leftBox">
                  <div class="content">
                        <h1>
                              Events and shows
                        </h1>
                        >
                              The most difficult part of hosting any event is
managing it.welcome everyone to event management.therefore, leading
                              companies need to aadd virtual event
managementsoftware into frame work. An event plannig software can increase
                              the revenue of any virtual event by helping the
company easily manage the event.
                              Virtual Days helps corporations host the best
virtual events by providingthem with state-of the art event management
                              services. Our advanced tech and tools aid us in
the streamlined flow of work in creating a user-friendly virtual
                              event.so our virtual event programming can help
the people to easily save their time by register in our
                              platform.and our prices are also too low.
                        </div>
            </div>
            <div class="events">
                  ul>
                        <
                              <div class="time">
                                    <h2>
                                          25 <br><span>March</span>
                                    </h2>
                              </div>
                              <div class="details">
                                    <h3>
                                         Where is the event happening?
                                    </h3>
                                    >
                                         EVENT: Eve of Holi<br>
                                         Guest:Prabhas<br>
                                         Venue:Lovely Proffesional
University, Punjab <br>
                                         Timing: 7:00am - 11:00am
                                    <a href="#">View Details</a>
                              </div>
                              <div style="clear: both;"></div>
                        <
                              <div class="time">
                                    <h2>
                                          27 <br><span>May</span>
                                    </h2>
                              </div>
                              <div class="details">
                                    <h3>
                                         Where is the event happening?
                                    </h3>
```

```
>
                                         EVENT:Coke Studio India<br>
                                         Guest:A.R.Rahaman<br>
                                         Venue: Hyderabad < br>
                                         Timing: 6:00pm-10:00pm<br>
                                   <a href="#">View Details</a>
                             </div>
                             <div style="clear:both;"></div>
                        <
                             <div class="time">
                                   <h2>
                                         12 <br><span>August</span>
                                   </h2>
                             </div>
                             <div class="details">
                                   <h3>
                                         Where is the event happening?
                                   </h3>
                                   >
                                         EVENT: Tito's club<br>
                                         Guest:Pooja Hegde<br>
                                         Venue: Vishakapatnam <br/> 
                                         Timing:8:00pm - 12:00am<br>
                                   <a href="#">View Details</a>
                             </div>
                             <div style="clear:both;"></div>
                       </div>
      </section>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Stock Trading Platform - Register</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
      height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
    }
    body:nth-child(odd) {
      background: linear-gradient(to right, #3498db, #2c3e50);
    }
    body:nth-child(even) {
      background:
```

```
background-repeat: no-repeat;
      background-size: cover;
    #register-form {
      background-color: #fff;
      padding: 20px;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      width: 300px;
      text-align: center;
    }
    label {
      display: block;
      margin-bottom: 8px;
    input {
      width: 100%;
      padding: 8px;
      margin-bottom: 16px;
      box-sizing: border-box;
    }
    button {
      background-color: #3498db;
      color: #fff;
      padding: 10px;
      border: none;
      border-radius: 4px;
      cursor: pointer;
  </style>
</head>
<body>
  <div id="register-form">
    <h2>Register</h2>
    <form action="#" method="post">
      <label for="username">Username:</label>
      <input type="text" id="username" name="username" required>
      <label for="email">Email:</label>
      <input type="email" id="email" name="email" required>
      <label for="password">Password:</label>
      <input type="password" id="password" name="password" required>
      <button type="submit">Register</button>
    </form>
  </div>
</body>
</html>
```