

```
... # Flip one bit in C1
... ecb_error[0] = bytes([ecb_error[0][0] ^ 1]) + ecb_error[0][1:]
... cbc_error[0] = bytes([cbc_error[0][0] ^ 1]) + cbc_error[0][1:]
...
... print("\nAfter Error in C1:")
...
... print("\nECB:")
... for i, block in enumerate(ecb_error):
...     print("C" + str(i + 1), block)
...
... print("\nCBC:")
... for i, block in enumerate(cbc_error):
...     print("C" + str(i + 1), block)
...
```

Original ECB Ciphertext:

```
b's~|w~\x06\x07\t'
b's~|w~\x06\x07\n'
b's~|w~\x06\x07\x0b'
b's~|w~\x06\x07\x0c'
```

Original CBC Ciphertext:

```
b'2<?3;@@A'
b'ABCDEFGK'
b'2<?3;@@@'
b'ABCDEFGL'
```

After Error in C1:

ECB:

```
C1 b'r~|w~\x06\x07\t'
C2 b's~|w~\x06\x07\n'
C3 b's~|w~\x06\x07\x0b'
C4 b's~|w~\x06\x07\x0c'
```

CBC:

```
C1 b'3<?3;@@A'
C2 b'ABCDEFGK'
C3 b'2<?3;@@@'
C4 b'ABCDEFGL'
```

```
>>>
```