Cucumber Report

| Start : Nov 27, 12:41:22.787 PM	End : Nov 27, 12:44:16.844 PM	Duration : 2 m 54.057 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 4 SKIPPED - 0	PASSED - 22 FAILED - 4 SKIPPED - 8

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To select a product and use filters to see if the product gets sorted and displays only limited products	51.068 s	1	0	1	0	6	4	1	1
Get to know us in SportsJam	52.776 s	4	4	0	0	12	12	0	0
Checking the login functionality of the sportsjam web application	1 m 10.169 s	3	0	3	0	16	6	3	7

#	Feature Name	Scenario Name
1	*To select a product and use filters to see if the product gets sorted and displays only limited products*	*Looking for product, sorting it and adding filters*
2	*Checking the login functionality of the sportsjam web application*	*User logins to the web application with valid credentials*
3		*User logins to the web application with Invalid credentials*
4		*User uses the forgot password feature to recover their password*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@ValidCredentials	1	0	1	0	1	0	1	0
@InValidCredentials	1	0	1	0	1	0	1	0
@ForgotPassword	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To select a product and use filters to see if the product gets sorted and displays only limited products	1	0	1	0	51.068 s
2	Get to know us in SportsJam	4	4	0	0	52.776 s
3	Checking the login functionality of the sportsjam web application	3	0	3	0	1 m 10.169 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To select a product and use filters to see if the product gets sorted and *	Looking for product, sorting it and adding filters	6	4	1	1	51.036 s
2	Get to know us in SportsJam	User clicking About us	3	3	0	0	10.631 s
3		User clicking contact us	3	3	0	0	5.821 s
4		User clicking inqury/feedback	3	3	0	0	31.793 s
5		User clicking sportsjam team	3	3	0	0	4.515 s
6	Checking the login functionality of the sportsjam web application	User logins to the web application with valid credentials	5	4	1	0	7.926 s
7		User logins to the web application with Invalid credentials	5	1	1	3	51.390 s
8		User uses the forgot password feature to recover their password	6	1	1	4	10.840 s

* The feature name and/or scenario name has been cropped to fit in the available space.

To select a product and use filters to see if the product gets sorted and displays only limited products

FAILED	DURATION - 51.068 s		Scenarios		Steps	
			Total - 1		Total - 6	
/ 12:41:22.787 PM // 12:42:13.855 PM /			Pass - 0		Pass - 4	
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 1	

Looking for product, sorting it and adding filters

| FAILED	DURATION - 51.036 s		Steps	
			Total - 6	
/ 12:41:22.819 PM // 12:42:13.855 PM /			Pass - 4	
To select a product and use filters to see if the product gets sorted and displays only limited products			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	5.312 s
2	When User selects fitness	PASSED	4.255 s
3	When User selects the cycle option	PASSED	10.812 s
4	And User sorts the product to low to high	PASSED	1.527 s
5	And User selects the Giants brand	FAILED	1.604 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <td class="rslink_id">...</td> is not clickable at point (129, 479). Other element would receive the click: <div id="body-curtain" style="height: 2000px; display: block;"></div> (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [25b74880d7e3db2bd87f0a8292519232, clickElement {id=3563219DFEADCF29B928B08F0A7972AF_element_148}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:64091}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\SSENTH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64091/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (25b74880d7e3db2bd87f0a8292519232)] -> xpath: //a[@title='Go to Giant']//parent::td] Session ID: 25b74880d7e3db2bd87f0a8292519232 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.actions.AllActions.clickElement(AllActions.java:37) at com.actions.AllActions.selectBrand(AllActions.java:178) at com.StepDefinition.AllStepDefinition.user_selects_the_giants_brand(AllStepDefinition.java:184) at ?.User selects the Giants brand(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Fitness.feature:8) * Not displayable characters are replaced by '?'.		
6	Then User verifies the number of products displayed	SKIPPED	0.000 s

Get to know us in SportsJam

PASSED	DURATION - 52.776 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 12:42:13.881 PM // 12:43:06.657 PM /					

User clicking About us

PASSED	DURATION - 10.631 s
/ 12:42:13.881 PM // 12:42:24.512 PM /	
Get to know us in SportsJam	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.414 s
2	When User clicks About us	PASSED	0.139 s
3	Then Hello Strikers message is shown	PASSED	9.077 s

User clicking contact us

PASSED	DURATION - 5.821 s
/ 12:42:24.518 PM // 12:42:30.339 PM /	
Get to know us in SportsJam	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.320 s
2	When User clicks contact us	PASSED	0.265 s
3	Then Sportsjam.in Showrooms message is shown	PASSED	4.234 s

User clicking inqury/feedback

PASSED	*DURATION - 31.793 s*
/ 12:42:30.344 PM // 12:43:02.137 PM /	
Get to know us in SportsJam	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.251 s
2	When User clicks inqury/feedback	PASSED	0.190 s
3	Then Sportsjam.in Showrooms message is showns	PASSED	30.350 s

User clicking sportsjam team

PASSED	*DURATION - 4.515 s*
/ 12:43:02.142 PM // 12:43:06.657 PM /	
Get to know us in SportsJam	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	0.590 s
2	When User clicks sportsjam team	PASSED	0.231 s
3	Then WHO WE ARE @ SPORTSJAM.IN message is shown	PASSED	3.692 s

## Checking the login functionality of the sportsjam web application

FAILED	DURATION - 1 m 10.169 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 16 Pass - 6 Fail - 3 Skip - 7	16
/ 12:43:06.675 PM // 12:44:16.844 PM /					

User logins to the web application with valid credentials

FAILED	DURATION - 7.926 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	5
/ 12:43:06.675 PM // 12:43:14.601 PM /				
Checking the login functionality of the sportsjam web application				
@ValidCredentials				

| #	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	0.498 s
2	And User clicks the log in button	PASSED	0.168 s
3	When User gives valid Credentials	PASSED	2.438 s
	email / pass harshavarthiniv2000@gmail.com / Harsha@16		
4	And User clicks the login button	PASSED	0.106 s
5	Then User is shown looged in to the website	FAILED	4.713 s

	java.lang.ClassCastException: class jdk.proxy2.$Proxy39 cannot be cast to class org.openqa.selenium.By (jdk.proxy2.$Proxy39 is in module jdk.proxy2 of loader 'app'; org.openqa.selenium.By is in unnamed module of loader 'app')
	   at com.actions.AllActions.logout(AllActions.java:63)
	   at com.StepDefinition.AllStepDefinition.user_is_shown_looged_in_to_the_website(AllStepDefinition.java:48)
	   at ?.User is shown looged in to the website(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Login.feature:13)
	* Not displayable characters are replaced by '?'.		

User logins to the web application with Invalid credentials

FAILED	DURATION - 51.390 s

/ 12:43:14.607 PM // 12:44:05.997 PM /

Checking the login functionality of the sportsjam web application

@InValidCredentials

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

5

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	41.358 s
2	And User clicks the log in button	FAILED	10.030 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Sign in']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [25b74880d7e3db2bd87f0a8292519232, findElement {using=xpath, value=//a[text()='Sign in']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:64091}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\SSENTH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64091/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 25b74880d7e3db2bd87f0a8292519232
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source) at com.actions.AllActions.clickElement(AllActions.java:35) at com.actions.AllActions.clickSignIn(AllActions.java:47) at com.StepDefinition.AllStepDefinition.user_clicks_the_log_in_button(AllStepDefinition.java:34) at ?.User clicks the log in button(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'.		
3	When User gives Invalid Credentials 	email	pass
dasdasdasd@gmail.com	sdgsdf		SKIPPED	0.000 s
4	And User clicks the login button	SKIPPED	0.001 s
5	Then User is shown No customer account found message	SKIPPED	0.000 s

User uses the forgot password feature to recover their password

FAILED	DURATION - 10.840 s		Steps	
/ 12:44:06.004 PM // 12:44:16.844 PM /			Total - 6	6
Checking the login functionality of the sportsjam web application			Pass - 1	
			Fail - 1	
@ForgotPassword			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	0.779 s
2	And User clicks the log in button	FAILED	10.060 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Sign in']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [25b74880d7e3db2bd87f0a8292519232, findElement {using=xpath, value=//a[text()='Sign in']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:64091}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\SSENTH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64091/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 25b74880d7e3db2bd87f0a8292519232		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.isDisplayed(Unknown Source) at com.actions.AllActions.clickElement(AllActions.java:35) at com.actions.AllActions.clickSignIn(AllActions.java:47) at com.StepDefinition.AllStepDefinition.user_clicks_the_log_in_button(AllStepDefinition.java:34) at ?.User clicks the log in button(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Login.feature:28) * Not displayable characters are replaced by '?'.		
3	When User clicks the forrgot password button	SKIPPED	0.000 s
4	And user enter the details using sheetname "sheet1" and rownumber 0	SKIPPED	0.000 s
5	And the user clicks submit	SKIPPED	0.000 s
6	Then a pop is shown with a message sucessfully sent recovery email	SKIPPED	0.000 s