


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
To select a product and use filters to see if the product gets sorted and displays only limited products	28.109 s	1	1	0	0	6	6	0	0	
Get to know us in SportsJam	30.803 s	4	4	0	0	12	12	0	0	
Checking the login functionality of the sportsjam web application	32.371 s	3	0	3	0	16	6	3	7	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checking the login functionality of the sportsjam web application	User logins to the web application with valid credentials
2		User logins to the web application with Invalid credentials
3		User uses the forgot password feature to recover their password


TAG	Scenario			Feature				
Name	Т	P	F	S	Т	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0
@InValidCredentials	1	0	1	0	1	0	1	0
@ForgotPassword	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5



#	Feature Name	T	P	F	S	Duration
1	To select a product and use filters to see if the product gets sorted and displays only limited products	1	1	0	0	28.109 s
2	Get to know us in SportsJam	4	4	0	0	30.803 s
3	Checking the login functionality of the sportsjam web application	3	0	3	0	32.371 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To select a product and use filters to see if the product gets sorted and *	Looking for product, sorting it and adding filters	6	6	0	0	28.106 s
2	Get to know us in SportsJam	<u>User clicking About us</u>	3	3	0	0	10.102 s
3		<u>User clicking contact us</u>	3	3	0	0	3.748 s
4		User clicking inqury/feedback	3	3	0	0	12.078 s
5		User clicking sportsjam team	3	3	0	0	4.859 s
6	Checking the login functionality of the sportsjam web application	User logins to the web application with valid credentials	5	4	1	0	7.772 s
7		User logins to the web application with Invalid credentials	5	1	1	3	12.596 s
8		User uses the forgot password feature to recover their password	6	1	1	4	11.978 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

To select a product and use filters to see if the product gets sorted and displays only limited products

PASSED	DURATION - 28.109 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:46:05.076 PM /	// 12:46:33.185 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Looking for product, sorting it and adding filters



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	3.623 s
2	When User selects fitness	PASSED	2.106 s
3	When User selects the cycle option	PASSED	2.357 s
4	And User sorts the product to low to high	PASSED	0.270 s
5	And User selects the Giants brand	PASSED	0.293 s
6	Then User verifies the number of products displayed	PASSED	3.096 s

Get to know us in SportsJam

PASSED	DURATION - 30.803 s	Scenarios		Steps	
		Total - 4		Total - 12	
/ 12:46:33.199 PM //	12:47:04.002 PM /	Pass - 4	4	Pass - 12	12
				Fail - 0 Skip - 0	


DETAILED SECTION -- 8 --

User clicking About us

PASSED DURATION - 10.102 s	6 Steps	
/ 12:46:33.199 PM // 12:46:43.301 PM /	Total - 3	
7 12.40.33.133 7 W // 12.40.43.301 7 W /	Pass - 3	
Get to know us in SportsJam	Fail - 0	3
	Skip - 0	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	4.735 s
2	When User clicks About us	PASSED	0.161 s
3	Then Hello Strikers message is shown	PASSED	5.205 s


User clicking contact us



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	0.798 s
2	When User clicks contact us	PASSED	0.145 s
3	Then Sportsjam.in Showrooms message is shown	PASSED	2.804 s


User clicking inqury/feedback

DETAILED SECTION -- 9 --



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.365 s
2	When User clicks inqury/feedback	PASSED	0.166 s
3	Then Sportsjam.in Showrooms message is showns	PASSED	10.547 s


User clicking sportsjam team




#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.018 s
2	When User clicks sportsjam team	PASSED	0.153 s
3	Then WHO WE ARE @ SPORTSJAM.IN message is shown	PASSED	3.687 s

Checking the login functionality of the sportsjam web application

DETAILED SECTION -- 10 --




User logins to the web application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.049 s
2	And User clicks the log in button	PASSED	0.111 s
3	When User gives valid Credentials	PASSED	0.543 s
	email pass harshavarthiniv2000@gmail.com Harsha@16		
4	And User clicks the login button	PASSED	0.095 s
5	Then User is shown looged in to the website	FAILED	5.968 s
	java.lang.ClassCastException: class jdk.proxy2.\$Proxy39 cannot be cast to class org.openqa.selenium.By (jdk.proxy2.\$Proxy39 is in module jdk.proxy2 of loader 'app'; org.openqa.selenium.By is in unnamed module of loader 'app') at com.actions.AllActions.logout(AllActions.java:63) at com.StepDefinition.AllStepDefinition.user_is_shown_looged_in_to_the_website(AllStepDefinition.java:48) at ?.User is shown looged in to the website(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Login.feature:13) * Not displayable characters are replaced by '?'.		

User logins to the web application with Invalid credentials


DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	2.471 s
2	And User clicks the log in button	FAILED	10.123 s
2	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Sign in]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'am664', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [39e3d6e5792546e96b15cb41dcc8e01b, findElement {using=xpath, value=//a[text()='Sign in]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedem:accounts: true, ms:edgeOptions: (debuggerAddress: localhost:64498), msedge: {msedgedirverVersion: 119.0.2151.72 (se2tSce8e447, userDatabir: C'UsersISSENTH=1\AppDatalL), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64498/devtoo, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:pri: true, webauthn:virtualAuthenticators: true} Session ID: 39e3d6e5792546e96b15cb41dcc8e01b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpRes	FAILED	10.123 s
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy39.isDisplayed(Unknown Source) at com.actions.AllActions.clickElement(AllActions.java:35) at com.actions.AllActions.clickSignIn(AllActions.java:47) at com.StepDefinition.AllStepDefinition.user_clicks_the_log_in_button(AllStepDefinition.java:34) at ?.User clicks the log in button(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'.		
3	When User gives Invalid Credentials	SKIPPED	0.000 s
	email pass dasdasdasd@gmail.com sdgsdf		
4	And User clicks the login button	SKIPPED	0.000 s
5	Then User is shown No customer account found message	SKIPPED	0.000 s

User uses the forgot password feature to recover their password



#	Step / Hook Details	Status	Duration
1	Given user is in the home page of sportsjam	PASSED	1.930 s
2	And User clicks the log in button	FAILED	10.047 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Sign in']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [39e3d6e5792546e96b15cb41dcc8e01b, findElement {using=xpath, value=//a[text()='Sign in']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:64498}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\SSENTH~1\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64498/devtoo, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true} Session ID: 39e3d6e5792546e96b15cb41dcc8e01b		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy39.isDisplayed(Unknown Source)		
	at com.actions.AllActions.clickElement(AllActions.java:35)		
	at com.actions.AllActions.clickSignIn(AllActions.java:47)		
	at com.StepDefinition.AllStepDefinition.user_clicks_the_log_in_button(AllStepDefinition.java:34)		
	at ?.User clicks the log in button(file:///C:/Users/ssenthilvel/eclipse-workspace/Purple_Rangers-Pilot_Project/SportsJam/src/test/resources/		
	Features/Login.feature:28) * Not displayable characters are replaced by '?'.		
		OLUBBER	0.000
3	When User clicks the forrgot password button	SKIPPED	0.000 s
4	And user enter the details using sheetname "sheet1" and rownumber 0	SKIPPED	0.000 s
5	And the user clicks submit	SKIPPED	0.000 s
6	Then a pop is shown with a message sucessfully sent recovery email	SKIPPED	0.000 s