Start: Nov 21, 10:56:33.340 AM End: Nov 21, 10:57:03.529 AM **Duration: 30.189 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 13 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 53 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking Availability of Football Shoes	30.189 s	1	0	1	0	13	7	1	5

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Checking Availability of Football Shoes	<u>User Searching for Football shoes</u>

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Checking Availability of Football Shoes	1	0	1	0	30.189 s


SCENARIOS SUMMARY -- 5




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Availability of Football Shoes	User Searching for Football shoes	13	7	1	5	30.185 s

DETAILED SECTION -- 6 --

Checking Availability of Football Shoes



User Searching for Football shoes



#	Step / Hook Details	Status	Duration
1	Given User is on SportsJam in HomePage	PASSED	9.464 s
2	When User is clicking shoes	PASSED	0.223 s
3	When user is selecting Football	PASSED	3.352 s
4	When User Selecting the Brand	PASSED	0.123 s
5	When User clicking Shoes category	PASSED	0.298 s
6	When User Selecting the Shoes category	PASSED	0.107 s
7	When User clicking Soccer Shoe Type	PASSED	0.210 s
8	When User Selecting the Soccer Shoe Type	FAILED	10.136 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6fc9890ca65088dc50cddbe65ebb4950, clickElement [id=DFC021D412874D3D93144C9DA13F4A6F_element_235]] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, msedgeOptions: {debuggerAddress: localhost:53639}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\VBALAM~1\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53639/devtoo, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

msedge on windows (6fc9890ca65088dc50cddbe65ebb4950)] -> xpath: -2']] Session ID: 6fc9890ca65088dc50cddbe65ebb4950 orlmpl.newInstance0(Native Method) orlmpl.newInstance(NativeConstructorAccessorImpl.java:77) essorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) chCaller(Constructor.java:499) onstructor.java:480) onseCodec.createException(W3CHttpResponseCodec.java:200) onseCodec.decode(W3CHttpResponseCodec.java:133) onseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) executor.invokeExecute(DriverCommandExecutor.java:200) executor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) k(RemoteWebElement.java:77) ol.invoke0(Native Method) ol.invoke(NativeMethodAccessorImpl.java:77)		
orlmpl.newInstance(NativeConstructorAccessorImpl.java:77) essorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) thCaller(Constructor.java:499) enstructor.java:480) eonseCodec.createException(W3CHttpResponseCodec.java:200) eonseCodec.decode(W3CHttpResponseCodec.java:133) eonseCodec.decode(W3CHttpResponseCodec.java:52) execute(HttpCommandExecutor.java:191) executor.invokeExecute(DriverCommandExecutor.java:200) executor.execute(DriverCommandExecutor.java:175) ete(RemoteWebDriver.java:602) ecute(RemoteWebElement.java:224) ex(RemoteWebElement.java:77) eol.invoke0(Native Method)		
orlmpl.newInstance(NativeConstructorAccessorImpl.java:77) essorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) thCaller(Constructor.java:499) onstructor.java:480) onseCodec.createException(W3CHttpResponseCodec.java:200) onseCodec.decode(W3CHttpResponseCodec.java:133) onseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) executor.invokeExecute(DriverCommandExecutor.java:200) executor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) x(RemoteWebElement.java:77) ol.invoke0(Native Method)		
essorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) chCaller(Constructor.java:499) constructor.java:480) conseCodec.createException(W3CHttpResponseCodec.java:200) conseCodec.decode(W3CHttpResponseCodec.java:133) conseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) cxecutor.invokeExecute(DriverCommandExecutor.java:200) cxecutor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) x(RemoteWebElement.java:77) col.invoke0(Native Method)		
chCaller(Constructor.java:499) constructor.java:480) conseCodec.createException(W3CHttpResponseCodec.java:200) conseCodec.decode(W3CHttpResponseCodec.java:133) conseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) cixecutor.invokeExecute(DriverCommandExecutor.java:200) cixecutor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) cx(RemoteWebElement.java:77) col.invoke0(Native Method)		
onserructor.java:480) onseCodec.createException(W3CHttpResponseCodec.java:200) onseCodec.decode(W3CHttpResponseCodec.java:133) onseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) ixecutor.invokeExecute(DriverCommandExecutor.java:200) ixecutor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) ix(RemoteWebElement.java:77) ol.invoke0(Native Method)		
conseCodec.createException(W3CHttpResponseCodec.java:200) conseCodec.decode(W3CHttpResponseCodec.java:133) conseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) cxecutor.invokeExecute(DriverCommandExecutor.java:200) cxecutor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) cx(RemoteWebElement.java:77) col.invoke0(Native Method)		
conseCodec.decode(W3CHttpResponseCodec.java:133) conseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) executor.invokeExecute(DriverCommandExecutor.java:200) executor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) x(RemoteWebElement.java:77) col.invoke0(Native Method)		
conseCodec.decode(W3CHttpResponseCodec.java:52) xecute(HttpCommandExecutor.java:191) ixecutor.invokeExecute(DriverCommandExecutor.java:200) ixecutor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) x(RemoteWebElement.java:77) ol.invoke0(Native Method)		
xecute(HttpCommandExecutor.java:191) ixecutor.invokeExecute(DriverCommandExecutor.java:200) ixecutor.execute(DriverCommandExecutor.java:175) ite(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) ix(RemoteWebElement.java:77) iol.invoke0(Native Method)		
Executor.invokeExecute(DriverCommandExecutor.java:200) Executor.execute(DriverCommandExecutor.java:175) Executor.execute(DriverCommandExecutor.java:175) Executor.execute(DriverCommandExecutor.java:175) Executor.execute(DriverCommandExecutor.java:175) Executor.invokeOtexecutor.java:224) Executor.invokeOtexecutor.java:277) Executor.invokeOtexecutor.java:277) Executor.invokeOtexecutor.java:277) Executor.invokeOtexecutor.java:277) Executor.invokeExecutor.java:277) Executor.executor.java:277) Executor.executor.executor.java:277) Executor.executor.executor.executor.java:277) Executor.exe		
Executor.execute(DriverCommandExecutor.java:175) te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) c(RemoteWebElement.java:77) ol.invoke0(Native Method)		
te(RemoteWebDriver.java:602) cute(RemoteWebElement.java:224) c(RemoteWebElement.java:77) ol.invoke0(Native Method)		
cute(RemoteWebElement.java:224) k(RemoteWebElement.java:77) pl.invoke0(Native Method)		
k(RemoteWebElement.java:77) ol.invoke0(Native Method)		
ol.invoke0(Native Method)		
	I	
on invoke (Native Method Accessoring) java. 11)		
orlmnl invoke(DelegatingMethodAccessorImnl java:43)		
•		
)		
, , , , , , , , , , , , , , , , , , , ,		
	SKIPPED	0.002 s
	SKIPPED	0.001 s
	SKIPPED	0.000 s
	SKIPPED	0.000 s
sfully	SKIPPED	0.001 s
cucumber.java.Scenario)	PASSED	0.363 s
	I .	The second secon
	orImpl.invoke(DelegatingMethodAccessorImpl.java:43) 568) titingElementHandler.invoke(LocatingElementHandler.java:51) s.java:51) j_the_soccer_shoe_type(ShoesStepDefinition.java:59) 20project%20Push/PurpleRangers_PilotProject/src/test/resources/Features/Shoes.	orlmpl.invoke(DelegatingMethodAccessorImpl.java:43) 568) stingElementHandler.invoke(LocatingElementHandler.java:51) s.java:51) j_the_soccer_shoe_type(ShoesStepDefinition.java:59) 20project%20Push/PurpleRangers_PilotProject/src/test/resources/Features/Shoes. SKIPPED SKIPPED SKIPPED SKIPPED SKIPPED SKIPPED