Req ID	Type	Description	Priority
FR-001	Functional	The system shall allow subscribers to swap monthly box items or pause deliveries at least 48 hours before the billing renewal date.	High
FR-002	Functional	The system shall allow a subscriber to select one or more preference tags (e.g., “coffee”, “fiction”, “vegan”) that filter the products offered for that month's box.	High
FR-003	Functional	The system shall allow a subscriber to skip a single upcoming billing cycle without cancelling the underlying subscription.	High
FR-004	Functional	The system shall generate a fulfillment manifest listing all confirmed box selections for the current billing cycle and make it available to the Fulfillment Lead by 06:00 the day after the customization window closes.	Medium
FR-005	Functional	The system shall allow a subscriber to view the delivery status of their current box (e.g., Processing, Shipped, Delivered) in near real time.	Medium
NFR-001	Nonfunctional – Performance & Security	The fulfillment manifest generator must export shipping labels for 10,000 monthly boxes in under 1 minute.	High
NFR-002	Nonfunctional – Security & Privacy	The system shall encrypt all stored subscriber payment and personal data using AES-256 at rest and TLS 1.2+ in transit.	High

Acceptance Criteria	Rationale
Pass (swap): The subscriber swaps an item at least 48 hours before renewal, the selection updates immediately, and the fulfillment manifest reflects the new item. Pass (pause): The subscriber pauses a delivery at least 48 hours before renewal, the cycle is marked “Paused,” and no charge or box is generated for that cycle. Fail: Either action is accepted within 48 hours of renewal, or a paused cycle still generates a charge or box.	Core value proposition of the product — subscriber control over box contents directly reduces churn from mismatched deliveries. (Given in problem statement.)
Pass: When a subscriber selects a preference tag, the displayed product list updates to show only matching items within 2 seconds. Fail: Unrelated products remain visible, or the list does not refresh within 2 seconds.	Preference-tag filtering is the primary personalization mechanism described in the problem statement and is what differentiates the box from a generic subscription.
Pass: After the subscriber confirms “Skip This Month,” no charge is generated for that cycle and the subscription status reads “Skipped – resumes <next month>.” Fail: A charge is still generated, or the subscription is cancelled instead of skipped.	The scenario explicitly calls out pausing/skipping billing cycles as required flexibility for subscribers.
Pass: The manifest contains exactly one row per subscriber with a confirmed box selection for the current billing cycle, with product SKUs and a generation timestamp before 06:00. Fail: The manifest is missing subscribers, contains duplicate rows, or is generated late.	The Fulfillment Lead needs accurate, timely data to pick, pack, and ship boxes on schedule.
Pass: The status shown to the subscriber matches the most recent carrier/fulfillment update within 15 minutes. Fail: The displayed status is stale by more than 15 minutes or is not shown at all.	Delivery visibility reduces support inquiries and builds subscriber trust in the service.
Pass: A benchmark run exporting shipping labels for 10,000 monthly boxes completes in under 1 minute (wall-clock, measured from export start to last label written). Fail: The 10,000-box export takes 1 minute or longer.	Peak-season fulfillment runs must scale without delaying shipment of thousands of boxes at month-end. (Given in problem statement.)
Pass: A security audit confirms every payment/PII field is encrypted at rest and all API traffic is served over TLS 1.2+. Fail: Any payment or PII field is found stored in plaintext, or any endpoint accepts unencrypted traffic.	Subscriber payment data must be protected and the billing feature (skip/pause, recurring charge) implies PCI-DSS-adjacent compliance obligations.

Comments (Peer Critique)
Reviewer noted the original criterion only verified the swap path — revised to test swap and pause separately.
Reviewer asked for a numeric response-time bound instead of “quickly” — added the 2-second criterion.
Reviewer confirmed this is directly relevant and unambiguous.
Reviewer asked “available when, to whom?” — added the explicit 06:00 deadline and named recipient.
Reviewer flagged “real time” as untestable — revised to a measurable 15-minute sync window.
Reviewer noted the criterion described the test but not the pass/fail threshold directly — revised to state the < 1 minute bound explicitly, and moved the NFR type out of the description into the Type column.
Reviewer suggested naming a concrete standard rather than “secure storage” — added AES-256 / TLS 1.2+, and moved the NFR type out of the description into the Type column.

Lab 1 — Requirements Table

Problem Statement #35: Customizable Subscription Box Scheduler

FR-001 and NFR-001 are the requirements given in the problem statement; FR-002–FR-005 and NFR-002 were authored t
complete the set. The 'Comments (Peer Critique)' column records the peer-review feedback and how each requirement
was revised in response (Clarity / Testability / Relevance).