

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

All Bookmarks

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494



SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Harshavardhan

1925111719C

Class Work(28.07.26)

Back

QUESTIONS

Q1  
Keyword Arguments  
5 marks

Q2  
Keyword Arguments  
5 marks

Q3  
Variable-Length Arguments  
(\*args)  
5 marks

Q4  
Variable-Length Arguments  
(\*args)  
5 marks

Q5  
Variable-Length Arguments  
(\*args)  
5 marks

Q6  
Variable-Length Arguments  
(\*args)  
5 marks

Q7  
Recursive Functions  
5 marks

Q8  
Recursive Functions  
5 marks

Q1 Keyword Arguments 5 marks

Write a function employee(empid, name, salary) and call the function by changing the order of the arguments using keywords.

Your Code

```
1 def employee(empid, name, salary):  
2     print("empid", empid)  
3     print("name", name)  
4     print("salary", salary)  
5 employee(name="harsha", empid=192511171, salary=49000)
```

Input

stdin Input

Output

Run

Save

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

All Bookmarks



SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Marshavardhan

1925111719C

Class Work(28.07.26)

Back

QUESTIONS

Q1

Keyword Arguments

5 marks

Q2

Keyword Arguments

5 marks

Q3

Variable-Length Arguments

(\*args)

5 marks

Q4

Variable-Length Arguments

(\*args)

5 marks

Q5

Variable-Length Arguments

(\*args)

5 marks

Q6

Variable-Length Arguments

(\*args)

5 marks

Q7

Recursive Functions

5 marks

Q8

Recursive Functions

5 marks

Q2

Keyword Arguments

5 marks

Write a function book(title, author, price) and display the book details using keyword arguments.

Your Code

```
1 def book(title, author, price):
2     print("title", title)
3     print("author", author)
4     print("price", price)
5 book(title="pa", author="jk", price=500)
```

Input

stdin Input

Output

Run

Save

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

All Bookmarks

SIMATS

ENGINEERING

SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Marshavardhan

192511719C

Class Work(28.07.26)

Back

QUESTIONS

Q1  
Keyword Arguments  
5 marks

Q2  
Keyword Arguments  
5 marks

Q3  
Variable-Length Arguments  
(\*args)  
5 marks

Q4  
Variable-Length Arguments  
(\*args)  
5 marks

Q5  
Variable-Length Arguments  
(\*args)  
5 marks

Q6  
Variable-Length Arguments  
(\*args)  
5 marks

Q7  
Recursive Functions  
5 marks

Q8  
Recursive Functions  
5 marks

Q3 Variable-Length Arguments (\*args) 5 marks

Write a function that accepts any number of integers and returns their sum.

Your Code

```
1 def add(*args):
2     total=0
3     for i in args:
4         total+=i
5     return total
6 n=int(input("enter how many number:\n"))
7 number=[]
8 for i in range(n):
9     num=int(input("enter the number:\n"))
10    number.append(num)
11 print("sum :-",add(number))
```

Run Save

Input

2  
1  
1

Output

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

All Bookmarks

SIMATS

ENGINEERING

SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Marshavardhan

1925111719C

Class Work(28.07.26)

Back

QUESTIONS

Q1

Keyword Arguments

5 marks

Q2

Keyword Arguments

5 marks

Q3

Variable-Length Arguments

("args")

5 marks

Q4

Variable-Length Arguments

("args")

5 marks

Q5

Variable-Length Arguments

("args")

5 marks

Q6

Variable-Length Arguments

("args")

5 marks

Q7

Recursive Functions

5 marks

Q8

Recursive Functions

5 marks

Q4

Variable-Length Arguments ("args")

5 marks

Write a function that accepts any number of marks and returns the average.

Your Code

```
1 def avg(*args):
2     total=0
3     for i in args:
4         total+=i
5     return total/len(args)
6 n=int(input("enter how many number:\n"))
7 number=[]
8 for i in range(n):
9     num=int(input("enter a number:\n"))
10    number.append(num)
11 print("Average =",avg(*number))
12
13
```

Run

Save

Input

4

2

3

4

Output

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

All Bookmarks



SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Marshavardhan

1925111719C

Class Work(28.07.26)

Back

QUESTIONS

Q1

Keyword Arguments

5 marks

Q2

Keyword Arguments

5 marks

Q3

Variable-Length Arguments (\*args)

5 marks

Q4

Variable-Length Arguments (\*args)

5 marks

Q5

Variable-Length Arguments (\*args)

5 marks

Q6

Variable-Length Arguments (\*args)

5 marks

Q7

Recursive Functions

5 marks

Q8

Recursive Functions

5 marks

Q3

Variable-Length Arguments (\*args)

5 marks

Write a function that accepts any number of strings and prints each string on a new line.

Your Code

```
1 def display(*args):
2     for i in args:
3         print(i)
4     string=input().split()
5     display(*string)
6
```

Input

hi bro jason

Output

Run

Save

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

All Bookmarks

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

SIMATS

ENGINEERING

SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Harshavardhan

1925111719C

Class Work(28.07.26)

Back

QUESTIONS

Q1

Keyword Arguments

5 marks

Q2

Keyword Arguments

5 marks

Q3

Variable-Length Arguments

("args")

5 marks

Q4

Variable-Length Arguments

("args")

5 marks

Q5

Variable-Length Arguments

("args")

5 marks

Q6

Variable-Length Arguments

("args")

5 marks

Q7

Recursive Functions

5 marks

Q8

Recursive Functions

5 marks

Q6

Variable-Length Arguments ("args")

5 marks

Write a function that accepts any number of numbers and returns the largest value.

Your Code

```
1 def num(n):
2     n.sort()
3     print("the largest number is",n[-1])
4 n=list(map(int,input().split()))
5 num(n)
```

Input

100 1 2 3 4

Output

the largest number is 100

Run

Save

[← Back](#)

5 marks

### Your Code

### Input

18

### Output

0 1 1 2 3 5 8 13 21 34

Run

 Save

**Q1**  
Keyword: Arguments  
5 marks

**Q2**  
Keyword Arguments  
5 marks

**Q3**  
Variable-Length Argument List  
(\*args)  
5 marks

**Q4**  
Variable-Length Argument Lists  
(\*args)  
5 marks

**Q5**  
Variable-Length Arguments  
(\*args)  
5 marks

**Q6**  
Variable-Length Argument (varargs)  
(5 marks)

**Q7**  
Recursive Functions  
5 marks

**Q8:**  
Recursive Functions.  
5 marks

SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

All Bookmarks

SIMATS  
ENGINEERING

SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Harshavardhan

1925111710C

Class Work(28.07.26)

Back

QUESTIONS

Q1  
Keyword Arguments  
5 marks

Q2  
Keyword Arguments  
5 marks

Q3  
Variable-Length Arguments  
(\*args)  
5 marks

Q4  
Variable-Length Arguments  
(\*args)  
5 marks

Q5  
Variable-Length Arguments  
(\*args)  
5 marks

Q6  
Variable-Length Arguments  
(\*args)  
5 marks

Q7  
Recursive Functions  
5 marks

Q8  
Recursive Functions  
5 marks

Q8 Recursive Functions 5 marks

Write a recursive function to find the sum of digits of a number.

Your Code

```
1 def ad(n):  
2     if n==0:  
3         return 0  
4     return (n%10)+ad(n//10)  
5 n=int(input())  
6 print(ad(n))
```

Run Save

Input

1234

Output

10



SIMATS Online Lab

Download file | iLovePDF

New Tab

Ask Gemini

Verify that it's you

All Bookmarks

Not secure

simatslab.saveetha.com/practice\_app/classactivity/attempt?assignment\_id=494

SIMATS  
ENGINEERING

SIMATS Online Programming Lab

PYTHON PROGRAMMING

H Marshavardhan

192511719C

Class Work(28.07.26)

Back

QUESTIONS

Q1  
Keyword Arguments  
5 marks

Q2  
Keyword Arguments  
5 marks

Q3  
Variable-Length Arguments  
(\*args)  
5 marks

Q4  
Variable-Length Arguments  
(\*args)  
5 marks

Q5  
Variable-Length Arguments  
(\*args)  
5 marks

Q6  
Variable-Length Arguments  
(\*args)  
5 marks

Q7  
Recursive Functions  
5 marks

Q8  
Recursive Functions  
5 marks

Recursive Functions

5 marks

Write a recursive function to reverse a string.

Your Code

```
1 def rev(s):  
2     if s=="":  
3         return s  
4     return rev(s[1:])+s[0]  
5 text=input()  
6 print(rev(text))
```

Input

hi bro

Output

Run

Save

[← Back](#)

5 marks

**Q8**  
Recursive Functions  
5 marks

32

 Save