

# Cucumber Report

03-Sep-2022, 10:22:29 pm

Start : Sep 03, 10:22:20.899 pm

End : Sep 03, 10:22:28.888 pm

Duration : 7.989 s

Features


Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 0


PASSED - 7  
FAILED - 1  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>API</u>	7.989 s	4	3	1	0	8	7	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>API</u>	4	3	1	0	7.989 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>API</u>	<u>API get request</u>	3	3	0	0	4.533 s
2	<u>API</u>	<u>API get request log and verify the data</u>	2	2	0	0	1.128 s
3	<u>API</u>	<u>API get request and reponse logs</u>	1	1	0	0	1.563 s
4	<u>API</u>	<u>API get post code</u>	2	1	1	0	0.663 s

**API**



<b>FAILED</b>	DURATION - 7.989 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 10:22:20.899 pm // 10:22:28.888 pm /					

**API get request**

<b>PASSED</b>	DURATION - 4.533 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:22:20.903 pm // 10:22:25.436 pm /				
API				



#	Step / Hook Details	Status	Duration
1	Given Get the request	PASSED	2.839 s
2	Then check Status Code is "200"	PASSED	0.531 s
3	Then check the content Type is "application/json"	PASSED	0.510 s

**API get request log and verify the data**

<div>PASSED</div>	<div>DURATION - 1.128 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:22:25.496 pm // 10:22:26.624 pm /</div>				
<div>API</div>				



#	Step / Hook Details	Status	Duration
1	Given Get the request	PASSED	0.535 s
2	Then Extract the place name and Veirfy if place name is "Canillo"	PASSED	0.585 s

### API get request and reponse logs

PASSED	DURATION - 1.563 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 10:22:26.639 pm // 10:22:28.202 pm /				
API				

#	Step / Hook Details	Status	Duration
1	Given Print the request and reponse	PASSED	1.560 s

### API get post code

FAILED	DURATION - 0.663 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 10:22:28.225 pm // 10:22:28.888 pm /				
API				

#	Step / Hook Details	Status	Duration
1	Given check Status Code is "200"	PASSED	0.381 s
2	Then Change the country to "US"	FAILED	0.277 s
	<pre>java.util.ServiceConfigurationError: com.fasterxml.jackson.databind.Module: Provider com.fasterxml.jackson.datatype.jdk8.Jdk8Module not found     at java.base/java.util.ServiceLoader.fail(ServiceLoader.java:593)     at java.base/java.util.ServiceLoader\$LazyClassPathLookupIterator.nextProviderClass(ServiceLoader.java:1219)     at java.base/java.util.ServiceLoader\$LazyClassPathLookupIterator.hasNextService(ServiceLoader.java:1228)     at java.base/java.util.ServiceLoader\$LazyClassPathLookupIterator.hasNext(ServiceLoader.java:1273)</pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ServiceLoader\$2.hasNext(ServiceLoader.java:1309) at java.base/java.util.ServiceLoader\$3.hasNext(ServiceLoader.java:1393) at com.fasterxml.jackson.databind.ObjectMapper.findModules(ObjectMapper.java:1063) at com.fasterxml.jackson.databind.ObjectMapper.findModules(ObjectMapper.java:1047) at com.fasterxml.jackson.databind.ObjectMapper.findAndRegisterModules(ObjectMapper.java:1097) at io.restassured.path.json.mapper.factory.DefaultJackson2ObjectMapperFactory.create(DefaultJackson2ObjectMapperFactory.java:29) at io.restassured.path.json.mapper.factory.DefaultJackson2ObjectMapperFactory.create(DefaultJackson2ObjectMapperFactory.java:27) at io.restassured.common.mapper.factory.ObjectMapperFactory\$create.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) at io.restassured.internal.mapping.Jackson2Mapper.createJackson2ObjectMapper(Jackson2Mapper.groovy:44) at io.restassured.internal.mapping.Jackson2Mapper.this\$2\$createJackson2ObjectMapper(Jackson2Mapper.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:50) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:194) at io.restassured.internal.mapping.Jackson2Mapper.serialize(Jackson2Mapper.groovy:50) at io.restassured.internal.mapping.Jackson2Mapper.serialize(Jackson2Mapper.groovy) at io.restassured.mapper.ObjectMapper\$serialize.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.mapping.ObjectMapping.serializeWithJackson2(ObjectMapping.groovy:217) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at org.codehaus.groovy.runtime.callsite.StaticMetaMethodSite\$StaticMetaMethodSiteNoUnwrapNoCoerce.invoke(StaticMetaMethodSite.java:153) at org.codehaus.groovy.runtime.callsite.StaticMetaMethodSite.callStatic(StaticMetaMethodSite.java:102) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:54) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240) at io.restassured.internal.mapping.ObjectMapping.serialize(ObjectMapping.groovy:154) at io.restassured.internal.mapping.ObjectMapping\$serialize.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:46)		

#	Step / Hook Details	Status	Duration
	<pre>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:756) at stepdefinitions.ApiTestSteps.serializeExample(ApiTestSteps.java:105) at ?.Change the country to "US"(file:///Users/sindhuddi/IdeaProjects/MUPCUFrameWork/src/test/resources/Features/ApiFeatures.feature:19) * Not displayable characters are replaced by '?'.</pre>		