INKWALLTECHNOLOGIES

FULL STACK WEB DEVELOPMENT INTERNSHIP



CERTIFICATE

This is to certify that the project report entitled "Matrimony website" being submitted by V.Gayathri,M.Rajiv,N.V.Sairam sreejith,S.Sriyuktha, Sayed abed basha and A.Srikar has successfully completed the one month internship cum handson training program conducted by Inkwall in "FULL STACK WEB DEVELOPMENT" under the guidance of Mr.prashanth kumar,full stack developer. During the period of this internship with us,they were found punctual, hardworking and inquisitive.

Supervisor: Mr. Prashanth Kumar

ACKNOWLEDGEMENT

Before getting into the thickest of the things, We would like to thank the personalities who were part of our project in numerous ways , those who gave us outstanding support from the birth of the project.

We are extremely thankful to Mr prashanth for providing necessary resources for the accomplishment of our project by Inkwall in "FULL STACK WEB DEVELOPMENT".

We here by express our deep sense of gratitude to Inkwall for giving us this opportunity.

Thanks for your valuable guidance and support.

ABOUT THE INTERNSHIP

This thirty day internship program is much informative and definetly a great experience for me. Training for 15 days on web development was given by Mr. prashanth which made learning easy and quick, we also had a hands on session where we built our own social media website and we were also given mentorship and had a great support. We as a team got indulged into a real time project which is to build a matrimony website. We worked together ,shared our views and ideas to build a good project on our own which is a good quality time I spent with my team and gained a skill, I thank my mentor and my team for being more cooperative and helpful in every step .I experienced excellent training and great team work .This internship will definetly be helpful to my career.

TABLE OF CONTENTS

- . Day to day report
- . Abstract
- . Introduction
- . Materials and methods
- . Results and discussions
- . Conclusion
- . Future Perspective
- . References

FULL STACK WEB DEVELOPMENT PROJECT REPORT

DAY TO DAY REPORT

DAY	REPORT
DAY 1 (14/05/20)	Introduction to php, html5, client and server sidescripting, structure of html5 document, UI and UX.
DAY 2 (15/05/20)	Different types of tags,creating tables and forms,check boxes,placeholders.
DAY 3 (18/05/20)	Attributes, row and column span, divisions, css, padding, introduction to bootstrap.
DAY 4 (19/05/20)	Forms and navbar,Bootstrap,introduction to java script,classes and containers.
DAY 5 (20/05/20)	Object model in java script, introduction to jquery, Jquery library.

DAY 6 (21/05/20)	Concepts of jquery,php,description about xampp and atom.
DAY 7 (22/05/20)	Object oriented programming Semitics: inheritance, encapsulation, abstraction, class, object, polymorphism, method overloading and overriding.
DAY 8 (23/05/20)	My sql,types of sql commands,DDL,joins,overview of RDBMS.
DAY 9 (25/05/20)	Gone through controllers,.htaccess,home.php,layout folder,form_validation library.
DAY 10 (26/05/20)	Started hands on session, downloaded atom,xampp,codeigniter files,hosted a project in atom.
DAY 11 (27/05/20)	sample templates in controllers, created home.php header and footer files in views, integrating bootstrap and modified routes.

DAY 12 (28/05/20)	Set up the Codelgniter project and linking the required bootstrap files
DAY 13 (29/05/30)	Downloaded bootstrap and extracted it to assets folder, created layout in views, linked style sheets.
DAY 14 (30/05/20)	Downloaded jQuery and included it to assets folder, created navbar, textarea, submit button.
DAY 15 (31/05/20)	Seen how to upload an image into database and using it in the project.
DAY 16 (01/06/20)	Started the real time project "MATRIMONIAL WEBSITE", decided the title and specifications, discussed the user and admin dashboards, began with login and register pages.
DAY 17 (02/06/20)	Completed login and register pages with the database, discussed the UI and UX part.

DAY 18 (03/06/20)	done with the admin login and admin dashboard UI and UX and completed login and register controllers.
DAY 19 (04/06/20)	Completed login and register screens along with the database.
DAY 20 (05/06/20)	Set target to complete login and register controllers, models required, prepared layouts for user and admin dashboards.
DAY 21 (06/06/20)	UI/UX design for user dashboard, Userprofile,matches,settings,logout
DAY 22 (07/06/20)	Designed admin dashboard, navbar and UI/UX design for it.
DAY 23 (08/06/20)	Listing the registered profiles, developed code for logout controller for admin.

DAY 24 (09/06/20)	Designed UI for news section, news updates can be viewed in homepage.
DAY 25 (10/06/20)	Completed the match function, exchanging of male and female profiles, dropdowns and match button.
DAY 26 (11/06/20)	completed the admin dashboard including the match and news functions, added contact us and about us features.
DAY 27 (12/06/20)	Checked weather the user and admin dashboards are working properly and verified the whole project before submitting it.
DAY 28 (13/06/20)	Project submission
DAY 29 (14/06/20)	Report submission
DAY 30 (15/06/20)	Project pitching

PROJECT TITLE: matrimony website

submitted by : V.Gayathri

Team members: M.Rajiv

N.V.Sairam Sreejith

V.Gayathri

A.Srikar

S.Sriyuktha

Sayed abed basha

SUPERVISOR: Mr. Prashanth Krishna

ABSTRACT

The purpose of building websites is to help a company or an organization to maintain communication with their clients and also to increase popularity, clients can easily get the product knowledge and understand the services provided by a particular company by visiting their website, this makes work easier. web development has a very good scope in coming days as every organization prefer to have their own website.

In this internship we built a social media website and also a matrimonial website using frontend and backend languages this gave me good knowledge.

PROBLEM STATEMENT: In the practical world we have many matrimonial websites which provide various services but they may also have fake profiles, incorrect details and information about a person, few clients lack seriousness and include wrong information just because it is for free this may cause problems later.

SOLUTION: To avoid the existing problems we come with 100% verified profiles and including much information about every client, dividing website to different communities, transparent access to all the registered profiles and showing results according to preference, providing security.

INTRODUCTION

This internship is all about developing a website, our project is to develop a matrimony website which helps a user to find a perfect match .keeping this objective in mind we have developed an authentic match making website.

For this website we provided the following capabilities

- . User registration
- . user login
- . user profile
- . User profile update
- . Profile picture update
- . Matches found
- . Admin login
- . Admin page(list of registered candidates)
- . Match made by admin
- .Profiles exchange
- . News update
- . Home page
 - -about us
 - -Contact us

MATERIALS AND METHODS

Software's and platforms used: Frame works:

Codelgniter

Html5 Bootstrap

CSS 3

JavaScript

Php-Codelgniter

My sql

xampp

text editor: atom

SCREEN-1: Home page



CODES USED:

HOME.PHP

```
<?php $this->load->view('layout/header'); ?>
<div class="">
<div class="row">
 <!-- Carousel -->
 <div id="carousel-example-generic" class="carousel slide" data-ride="carousel">
  <!-- Indicators -->
  data-target="#carousel-example-generic" data-slide-to="0" class="active">
   data-target="#carousel-example-generic" data-slide-to="1">
   <!-- Wrapper for slides -->
  <div class="carousel-inner">
   <div class="item active">
    <img src="<?php echo base_url('assets/images/banner_1.jpg'); ?>" class="darken" alt="First slide">
    <!-- Static Header -->
    <div class="header-text hidden-xs">
     <div class="col-md-12 text-center">
      <h2>
       <span>Welcome to <strong>RESHIM GATHI MARRIAGE BUREAU</strong></span>
      </h2>
      <br>
```

```
<h3>
                      <span>(BRAHMAN SAMAJ)
                   </h3>
                   <br>
                   <div class="">
                      <a class="btn btn-theme btn-sm btn-min-block" href="<?php echo base_url('login'); ?>">Login</a><a class="btn btn-theme btn-sm bt
min-block" href="<?php echo base_url('register'); ?>">Register</a></div>
                   </div>
                </div><!-- /header-text -->
              </div>
              <div class="item">
                <img src="<?php echo base_url('assets/images/banner_2.jpg'); ?>" class="darken" alt="Second slide">
                <!-- Static Header -->
                <div class="header-text hidden-xs">
                   <div class="col-md-12 text-center">
                      <h2>
                         <span>Reinforcing Trust and Ethics since <b>5</b> YEARS</span>
                      </h2>
                      <br>
                      <h3>
                         <span>We provide a variety of services to ensure you find your PERFECT PARTNER</span>
                      </h3>
                      <br>
                      <!-- <div class="">
                         <a class="btn btn-theme btn-sm btn-min-block" href="#">Login</a><a class="btn btn-theme btn-sm btn-min-block"
href="#">Register</a>
                      </div> -->
                      </div>
                   </div><!-- /header-text -->
                 </div>
                <div class="item">
                   <img src="<?php echo base_url('assets/images/banner_3.jpg'); ?>" class="darken" alt="Third slide">
                   <!-- Static Header -->
                   <div class="header-text hidden-xs">
                      <div class="col-md-12 text-center">
                         <h2>
                           <span>Take the first step in building your own successful marriage story by joining now! </span>
```

```
</h2>
         <br>
         <h3>
          <span>Hassel-free enrollment and match-making made possible with RESHIM GATHI MARRIAGE BUREAU
         </h3>
         <br>
         <div class="">
          <a class="btn btn-theme btn-sm btn-min-block" href="<?php echo base_url('register'); ?>">Register Now!</a></div>
         </div>
        </div><!-- /header-text -->
       </div>
      </div>
      <!-- Controls -->
      <a class="left carousel-control" href="#carousel-example-generic" data-slide="prev">
       <span class="glyphicon glyphicon-chevron-left"></span>
      </a>
      <a class="right carousel-control" href="#carousel-example-generic" data-slide="next">
       <span class="glyphicon glyphicon-chevron-right"></span>
      </a>
     </div><!-- /carousel -->
    </div>
  </div>
<section class="welcome-ribbon">
    <div class="container">
     Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad
minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. 
    </div>
  </section>
<div class="grid_1">
    <div class="container">
     <h1>OUR SERVICES</h1>
     <div class="heart-divider">
      <span class="grey-line"></span>
      <i class="fa fa-asterisk" aria-hidden="true"></i>
<span class="grey-line"></span>
     </div>
```

```
<div class="col 1 layer m 1 hidden-link hover-animation delay1 fade-in">
       <i class="fa fa-male fa-5x" aria-hidden="true"></i>
       <i class="fa fa-female fa-5x" aria-hidden="true"></i>
<h3><span class="m 3"><b>PRE-MARITAL COUNSELLING</b></span></div>
       <div class="col 1 layer m 1 hidden-link hover-animation delay1 fade-in">
<i class="fa fa-users fa-5x" aria-hidden="true"></i>
         <h3><span class="m 3"><b>VADHU-VAR MELAVA</b></span></div>
         <div class="col_1 layer m_1 hidden-link hover-animation delay1 fade-in">
          <i class="fa fa-check-square-o fa-5x" aria-hidden="true"></i>
          <h3><span class="m_3"><b>VERIFIED PROFILES</b></span></div>
          <div class="col_1 layer m_1 hidden-link hover-animation delay1 fade-in">
           <i class="fa fa-money fa-5x" aria-hidden="true"></i>
           <h3><span class="m 3"><b>ONE-TIME PAYMENT</b></span></div>
           <div class="col_1 layer m_1 hidden-link hover-animation delay1 fade-in">
            <i class="fa fa-files-o fa-5x" aria-hidden="true"></i>
            <h3><span class="m_3"><b>PATRIKA-MATCHING</b></span></div>
            </div>
         </div>
<section class="">
          <div class="grid_2">
           <div class="container">
         <h2>Success Stories</h2>
            <div class="heart-divider">
             <span class="grey-line"></span>
             <i class="fa fa-asterisk"></i>
             <span class="grey-line"></span>
            </div>
            <div class="row 1">
             <div class="col-md-8 suceess_story">
```

```
<div class="suceess_story-date">
                  <span class="entry-1">Dec 20, 2015</span>
                 </div>
                 <div class="suceess_story-content-container">
                  <figure class="suceess story-content-featured-image">
                   <img width="75" height="75" src="<?php echo base_url('assets/images/7.jpg'); ?>" class="img-responsive" alt=""/>
                  </figure>
                  <div class="suceess_story-content-info">
                   <h4><a href="#">Lorem & Ipsum</a></h4>
                   <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, <a href="mailto:salar-right-10">salar-right-10</a>.
href="#">More...</a>
                  </div>
                 </div>
                <div class="suceess_story-date">
                  <span class="entry-1">Dec 20, 2015</span>
                 </div>
                 <div class="suceess_story-content-container">
                  <figure class="suceess_story-content-featured-image">
                   <img width="75" height="75" src="<?php echo base_url('assets/images/8.jpg'); ?>" class="img-responsive" alt=""/>
                  </figure>
                  <div class="suceess_story-content-info">
                   <h4><a href="#">Lorem & Ipsum</a></h4>
                   <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form,.<a</p>
href="#">More...</a>
                  </div>
                 </div>
                <div class="suceess_story-date">
                  <span class="entry-1">Dec 20, 2015</span>
                 </div>
                 <div class="suceess_story-content-container">
                  <figure class="suceess_story-content-featured-image">
```

```
<img width="75" height="75" src="<?php echo base url('assets/images/9.jpg'); ?>" class="img-responsive" alt=""/>
                                         </figure>
                                         <div class="suceess story-content-info">
                                            <h4><a href="#">Lorem & Ipsum</a></h4>
                                            There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form,.<a</p>
href="#">More...</a>
                                         </div>
                                       </div>
                                     <div class="suceess story-date">
                                         <span class="entry-1">Dec 20, 2015</span>
                                       </div>
                                       <div class="suceess_story-content-container">
                                         <figure class="suceess story-content-featured-image">
                                            <img width="75" height="75" src="<?php echo base_url('assets/images/10.jpg'); ?>" class="img-responsive" alt=""/>
                                          </figure>
                                         <div class="suceess_story-content-info">
                                            <h4><a href="#">Lorem & Ipsum</a></h4>
                                            <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form,.<a</p>
href="#">More...</a>
                                         </div>
                                       </div>
                                    <div class="suceess_story-date">
                                         <span class="entry-1">Dec 20, 2015</span>
                                       </div>
                                       <div class="suceess_story-content-container">
                                         <figure class="suceess story-content-featured-image">
                                            <img width="75" height="75" src="<?php echo base_url('assets/images/11.jpg'); ?>" class="img-responsive" alt=""/>
                                         </figure>
                                         <div class="suceess_story-content-info">
                                            <h4><a href="#">Lorem & Ipsum</a></h4>
                                            <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, <a href="mailto:<a href="mailto:safe-1">-<a hre
href="#">More...</a>
                                         </div>
```

```
<div class="suceess_story-date">
                                               <span class="entry-1">Dec 20, 2015</span>
                                            </div>
                                            <div class="suceess story-content-container">
                                               <figure class="suceess_story-content-featured-image">
                                                 <img width="75" height="75" src="<?php echo base_url('assets/images/12.jpg'); ?>" class="img-responsive" alt=""/>
                                               </figure>
                                               <div class="suceess_story-content-info">
                                                 <h4><a href="#">Lorem & Ipsum</a></h4>
                                                  <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, <a href="mailto:salar."><a href="mailto:salar."<a href="mailto:salar."><a href="mailto:salar."><a href="mailto:salar."<a href="mailto:salar."><a href="mailto:salar."<a href="mailto:salar."><a href="mailto:salar."<a href="mailto:salar."<a href="mailto:salar."><a href="mailto:salar."<a href="mailto:sa
href="#">More...</a>
                                               </div>
                                            </div>
                                         <div class="suceess_story-date">
                                               <span class="entry-1">Dec 20, 2015</span>
                                            </div>
                                            <div class="suceess_story-content-container">
                                               <figure class="suceess_story-content-featured-image">
                                                 <img width="75" height="75" src="<?php echo base_url('assets/images/13.jpg'); ?>" class="img-responsive" alt=""/>
                                               </figure>
                                               <div class="suceess_story-content-info">
                                                 <h4><a href="#">Lorem & Ipsum</a></h4>
                                                 <There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, <a href="mailto:salar-right-number-10">salar-right-number-10</a>.
href="#">More...</a>
                                               </div>
                                            </div>
                                         </div>
                                    <div class="col-md-4 row_1-right">
                                      <h3>News & Events</h3>
 <?php for ($i=0; $i < count($news); $i++): ?>
```

</div>

```
<div class="extra-wrap">
                <div class="post-meta">
                 <span class="month">
                  <h4><?php
                  $date=date_create($news[$i]['date']);
                  echo date format($date,"d-M-Y");
                   ?></h4>
                 </span>
                </div>
                <h4 class="post-title"><a href="#"><?php echo $news[$i]['title'] ?></a></h4>
                <div class="clearfix"> </div>
                <div class="post-content"><?php echo $news[$i]['newsupdate']; ?></div>
               </div>
              </div>
             <?php endfor; ?>
<div class="religion">
               <div class="religion_1-title">Language:</div>
               <a href="#" target="_blank" class="religion_1" title="Hindu Matrimonial" style="padding-left:0px !important;">Marathi</a>
               <span>|</span><a href="#" target=" blank" class="religion 1" title="Muslim Matrimonial">Kannada</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Christian Matrimonial">Telugu</a>
               <span>|</span><a href="#" target=" blank" class="religion 1" title="Sikh Matrimonial">Hindi</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">No Language Specificity</a>
              </div>
              <!-- <div class="religion">
               <div class="religion 1-title">Location</div>
               <a href="#" target="_blank" class="religion_1" title="Hindu Matrimonial" style="padding-left:0px !important;">Hyderabad</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Muslim Matrimonial">Australia</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Christian Matrimonial">Russia</a>
               <span>|</span><a href="#" target=" blank" class="religion 1" title="Sikh Matrimonial">India</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">Kuwait</a>
               <span>|</span><a href="#" target=" blank" class="religion 1" title="Inter Religion Matrimonial">Uk</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">View All</a>
              </div> -->
              <div class="religion">
               <div class="religion_1-title">Sub-Caste</div>
```

<div class="box 1">

```
<a href="#" target="_blank" class="religion_1" title="Hindu Matrimonial" style="padding-left:0px !important;">Brahmin</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Muslim Matrimonial">Kapu</a>
               <span>|</span><a href="#" target=" blank" class="religion 1" title="Christian Matrimonial">Kamma</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Sikh Matrimonial">Padmasali</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">Reddy</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">View All</a>
               </div>
              <div class="religion">
               <div class="religion 1-title">Regional :</div>
               <a href="#" target="_blank" class="religion_1" title="Hindu Matrimonial" style="padding-left:0px !important;">Urdu</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Muslim Matrimonial">Hindi</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Christian Matrimonial">Telugu</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Sikh Matrimonial">Marwadi</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">Oriya</a>
               <span>|</span><a href="#" target="_blank" class="religion_1" title="Inter Religion Matrimonial">View All</a>
              </div>
             </div>
             <div class="clearfix"> </div>
            </div>
           </div>
          </div>
         </section>
<div class="bg_custom">
          <div class="container">
           <h3>Guest Messages</h3>
           <div class="heart-divider">
            <span class="grey-line"></span>
            <i class="fa-asterisk"></i>
            <span class="grey-line"></span>
           </div>
           <div class="col-sm-6">
            <div class="bg left custom">
             <h4>But I must explain</h4>
             <h5>Friend of Bride</h5>
             "Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eaque
ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo.
```

```
<a href="#"><span class="icon-social"><i class="fa fa-facebook"></i></span></a>>
              <a href="#"><span class="icon-social"><i class="fa fa-twitter"></i></span></a>
              <a href="#"><span class="icon-social"><i class="fa fa-google-plus"></i></span></a>
             </div>
           </div>
           <div class="col-sm-6">
            <div class="bg_left_custom">
             <h4>But I must explain</h4>
             <h5>Friend of Groom</h5>
             "Sed ut perspiciatis unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam, eague
ipsa quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt explicabo.
             <a href="#"><span class="icon-social"><i class="fa fa-facebook"></i></span></a>
              <a href="#"><span class="icon-social"><i class="fa fa-twitter"></i></span></a>
              <a href="#"><span class="icon-social"><i class="fa fa-google-plus"></i></span></a>
             </div>
           </div>
           <div class="clearfix"> </div>
          </div>
         </div>
         <div class="map">
          <iframe src="https://www.google.com/maps/embed?pb=!1m14!1m12!1m3!1d3150859.767904157!2d-</pre>
96.62081048651531!3d39.536794757966845!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!5e0!3m2!1sen!2sin!4v1408111832978"></iframe>
         </div>
<?php $this->load->view('layout/footer'); ?>
HEADER.php
<!DOCTYPE HTML>
<html>
<meta http-equiv="content-type" content="text/html;charset=UTF-8" />
<title>RESHIM GATHI MARRIAGE BUREAU</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
```

<meta name="keywords" content="Marital Responsive web template, Bootstrap Web Templates, Flat Web Templates, Andriod Compatible web template,

Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyErricsson, Motorola web design" />

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

```
</l></l></l></l></l></
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<!-- Custom Theme files -->
<link href="<?php echo base_url('assets/css/style.css'); ?>" rel='stylesheet' type='text/css' />
<link href="<?php echo base_url('assets/css/custom.css'); ?>" rel='stylesheet' type='text/css' />
link href='http://fonts.googleapis.com/css?family=Oswald:300,400,700' rel='stylesheet' type='text/css'>
link href='http://fonts.googleapis.com/css?family=Ubuntu:300,400,500,700' rel='stylesheet' type='text/css'>
<!--font-Awesome---->
<link href="<?php echo base_url('assets/css/font-awesome.css'); ?>" rel="stylesheet">
<!--font-Awesome---->
</head>
<body>
<!--<script>(function(v,d,o,ai){ai=d.createElement("script");ai.defer=true;ai.async=true;ai.src=v.location.protocol+o;d.head.appendChild(ai);})(window, document,
"//a.vdo.ai/core/w3layouts_V2/vdo.ai.js?vdo=34");</script>-->
<div id="codefund"><!-- fallback content --></div>
<meta name="robots" content="noindex">
<br/><body><link rel="stylesheet" href="<?php echo base_url('../../assets/images/demobar_w3_4thDec2019.css'); ?>">
 <nav class="navbar navbar-inverse pad-12 bg-pink">
  <div class="container-fluid">
   <div class="navbar-header">
    <a class="navbar-brand margin-left" href="<?php echo base_url("); ?>"><img class="img-small" src="<?php echo base_url('assets/images/logo.png'); ?>"/></a>
   </div>
   ul class="nav navbar-nav font-strong">
    class="active"><a href="<?php echo base_url("); ?>"><b>HOME</b></a>
    class="active"><a href="<?php echo base_url('aboutus'); ?>"><b>ABOUT US</b></a>
    cli class="active"><a href="<?php echo base_url('contactus'); ?>"><b>CONTACT US</b></a>
    <a href="<?php echo base_url('login'); ?>"><b>LOGIN</b></a>
```

</div>

```
</nav>
 <!-- <br/>
 <br/>
 <br/>-->
  <div class="container">
  <?php if (isset($_SESSION['success'])): ?>
   <div class="alert alert-success">
    <?php echo $this->session->flashdata('success'); ?>
   </div>
  <?php endif; ?>
  </div>
 <div class="container">
  <?php if (isset($_SESSION['error'])): ?>
   <div class="alert alert-danger">
    <?php echo $this->session->flashdata('error'); ?>
   </div>
  <?php endif; ?>
  </div>
 FOOTER.php
<div class="footer">
   <div class="container" style="display: flex;">
     <div class="col-md-4 col_2">
       <h4>About Us</h4>
       "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
quis nostrud exercitation ullamco laboris."
     </div>
     <div class="col-md-2 col 2">
       <h4>Help & Support</h4>
       <a href="#">24x7 Live help</a>
         <a href="contact.html">Contact us</a>
         <a href="#">Feedback</a>
         <a href="faq.html">FAQs</a>
```

```
</div>
     <div class="col-md-2 col_2">
       <h4>Quick Links</h4>
        <a href="privacy.html">Privacy Policy</a>
         <a href="terms.html">Terms and Conditions</a>
         <a href="services.html">Services</a>
        </div>
      <div class="col-md-2 col_2">
        <h4>Social</h4>
        <a href="#"><i class="fa fa-facebook fa1"> </i></a>
        <a href="#"><i class="fa fa-twitter fa1"> </i></a>
        <a href="#"><i class="fa fa-google-plus fa1"> </i></a>
        <a href="#"><i class="fa fa-youtube fa1"> </i></a>
        </div>
      <div class="clearfix"> </div>
   </div>
  <div class="copy">
   <\!\!\text{p}\!\!>\!\!\text{Copyrights} @ Designed and developed by <\!\!\text{a href}="https://www.linkedin.com/in/rajiv-m-19090619a/">RAJIV MRITINTI</a> 
   </div>
 </div>
</body>
<script>
$(document).ready(function(){
 $(".dropdown").hover(
   function() {
     $('.dropdown-menu', this).stop( true, true ).slideDown("fast");
     $(this).toggleClass('open');
   },
   function() {
     $('.dropdown-menu', this).stop( true, true ).slideUp("fast");
     $(this).toggleClass('open');
```

);


```
});
</script>
<script src="<?php echo base_url('assets/js/jquery.min.js'); ?>"></script>
 <script src="<?php echo base_url('assets/js/bootstrap.min.js'); ?>"></script>
 <script>
(function(){
      if(typeof_bsa !== 'undefined' && _bsa) {
               // format, zoneKey, segment:value, options
               _bsa.init('flexbar', 'CKYI627U', 'placement:w3layoutscom');
        }
})();
 </script>
 <script>
(function(){
 if(typeof _bsa !== 'undefined' && _bsa) {
     // format, zoneKey, segment:value, options
       _bsa.init('fancybar', 'CKYDL2JN', 'placement:demo');
}
})();
 </script>
<\!script\ src='<\!?php\ echo\ base\_url('../../../ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js');\ ?>'></script>'=', also base\_url('../../ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js');\ ?>'></script>'=', also base\_url('...,ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googleapis.com/ajax.googl
 <script src="<?php echo base_url('../../m.servedby-buysellads.com/monetization.js'); ?>" type="text/javascript"></script>
 <script>
(function(){
      if(typeof _bsa !== 'undefined' && _bsa) {
               // format, zoneKey, segment:value, options
               _bsa.init('stickybox', 'CKYI653J', 'placement:w3layoutscom');
        }
})();
 </script>
 <script src="<?php echo base_url('../../codefund.io/properties/441/funder.js'); ?>" async="async"></script>
<!-- Global site tag (gtag.js) - Google Analytics -->
 <script async src='https://www.googletagmanager.com/gtag/js?id=UA-149859901-1'></script>
 <script>
    window.dataLayer = window.dataLayer | | [];
```

```
function gtag(){dataLayer.push(arguments);}
 gtag('js', new Date());
gtag('config', 'UA-149859901-1');
</script>
<script>
  window.ga=window.ga||function(){(ga.q=ga.q||[]).push(arguments)};ga.l=+new Date;
  ga('create', 'UA-149859901-1', 'demo.w3layouts.com');
  ga('require', 'eventTracker');
  ga('require', 'outboundLinkTracker');
  ga('require', 'urlChangeTracker');
  ga('send', 'pageview');
 </script>
<script async src='<?php echo base_url('../../js/autotrack.js'); ?>'></script>
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<script src="<?php echo base_url('assets/js/jquery.min.js'); ?>"></script>
<script src="<?php echo base_url('assets/js/bootstrap.min.js'); ?>"></script>
<script type="text/javascript">
$(window).load(function() {
$("#flexiselDemo3").flexisel({
 visibleItems: 2,
 animationSpeed: 1000,
autoPlay:false,
 autoPlaySpeed: 3000,
 pauseOnHover: true,
enableResponsiveBreakpoints: true,
  responsive Break points: \{
   portrait: {
    changePoint:480,
    visibleItems: 1
   },
   landscape: {
    changePoint:640,
    visibleItems: 1
```

```
},
tablet: {
   changePoint:768,
   visibleItems: 1
}
};
</script>
</script>
</script type="text/javascript" src="<?php echo base_url('assets/js/jquery.flexisel.js'); ?>"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></scrip
```

</html>

ABOUT US PAGE



CODE USED:

```
ABOUT.PHP


<
```

```
.textset
 margin-left: 200px;
 margin-top: 30px;
 text-align: justify;
 font-size: 28px;
  font-family: 'Ubuntu', sans-serif;
.spantext{
 color: #DC143C;
.what{
font-size: 22px;
margin-left: 360px;
margin-top: 28px;
color:#DC143C;
font-size: 30px;
}
.line{
 border: 1px solid #FFA500;
 width: 80%;
 margin-left: 170px;
</style>
<div class="container">
 <div class="row p-4">
  <div class="col-md-4">
   <img src="assets/images/indianwedding.jpg" class='about' />
  </div>
  <div class="col-md-8">
   <div class="">
    <h4 class='what'><b>WHAT WE ARE</b></h4><hr class='line'></hr>
```

<h3 class="textset">A successful marriage requires falling in love many times with the same person. 'RESHIM-GATHI MARRIAGE BUREAU' brings you with authentic profiles. Find your dream partner by logging on to our website, and choose your partner by browsing through 1000s of real profiles. We pride ourself on forging hundreds of happy marriages. Login and meet your jeevansathi.</h3>

<?php \$this->load->view('layout/footer'); ?>

CONTACT US PAGE:



Copyrights $\ensuremath{\mathbb{G}}$ Designed and developed by RAJIV MRITINTI


CODES USED:

Contact.php

```
<?php $this->load->view('layout/header'); ?>
<link rel="stylesheet" href="<?php echo base_url('assets/css/contact.css'); ?>">
<div class="container-fluid">

<div class="row container mt-4">
<div class="row container col-md-4 text-center bg-light p-2" id="spl-bg">
<ing src="<?php echo base_url('assets/images/location.png'); ?>" id="myimg" class="img-fluid" alt="address">
<h2 class="m-2 pb-4" >Address</h2>
>5-46/A/2 Chandanager
Hyderabad, Telangana
</div>
<div class="container col-md-4 text-center p-2" id="bdr">
</div>
<div class="m-2 pb-4" >Phone Number</h2></di>
</dr>
```

SCREEN 2: login page



CODES USED:

Login controller

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class LoginController extends CI_Controller {
  public function checkPassword($password, $db_pass){
    $auth = password_verify($password,$db_pass);
    if ($auth) {
     return true;
    }else{
     return false;
  public function login(){
    if (isset($_SESSION['loggedin']) ) {
      redirect(base_url('user/profile'));
    } else{
      $this->load->library('form_validation');
      $this->load->model('UserLoginModel');
      $this->form_validation->set_rules("email", "Email-id", "required");
```

```
$this->form_validation->set_rules("password", "Password", "required");
      if($this->form_validation->run() !== FALSE){
        $email = $this->input->post('email');
        $password = $this->input->post('password');
        $row = $this->UserLoginModel->user_check($email, $password);
        $db_pass = $row[0]['password'];
        $flag = $this->checkPassword($password, $db_pass);
        if ($flag) {
          $this->session->username = $email;
          $_SESSION['loggedin'] = TRUE;
          $_SESSION['wrong'] = null;
          redirect(base_url('user/profile'));
          $this->session->set_flashdata("wrong", "Check your Credentials!");
      $this->load->view('account/user/login');
Login model.php
<?php
class LoginModel extends CI_Model{
 public function checkCred($email, $pass){
  $query = $this->db->query("select username, password from admin_login where username='$email' and password='$pass'");
```

```
$var1 = $query->result_array();
if(count($var1) > 0){
   return true;
} else{
   return false;
}
```

?>


}

LOGIN.PHP


```
<?php $this->load->view('layout/header'); ?>
<div class="grid_3">
 <div class="container">
 <div class="breadcrumb1">
  <a href="<?php echo base_url("); ?>"><i class="fa fa-home home_1"></i></a>
   <span class="divider">&nbsp;|&nbsp;</span>
   Login
  </div>
 <!---728x90--->
 <div class="services">
    <div class="col-sm-6 login_left">
   <form method="post" action="">
     <div class="form-item form-type-textfield form-item-name">
     <label for="email">Email</label>
     <input type="email" id="email" name="email" value="" size="60" maxlength="60" class="form-text required"/>
   <span class="text-danger"></span>
   </div>
   <div class="form-item form-type-password form-item-pass">
    <label for="password">Password</label>
     <input type="password" id="password" name="password" size="60" maxlength="128" class="form-text required" />
   <span class="text-danger"></span>
```

```
</div>
   <div class="form-actions">
     <input type="submit" id="edit-submit" name="op" value="Login" class="btn_1 submit">
    </div>
    <?php if(isset($_SESSION['wrong'])): ?>
     <div class="alert alert-danger">
      <?php echo $_SESSION['wrong']; ?>
    </div>
    <?php endif; ?>
   </form>
  </div>
   <div class="col-sm-6">
    <a href="#" class="facebook" title="Facebook"></i> class="fa fa-boxed fa-fw fa-facebook"></i> Share on Facebook</a>
       <a href="#" class="twitter" title="Twitter"><i class="fa fa-boxed fa-fw fa-twitter"></i> Tweet</a>
       <a href="#" class="google" title="Google"><i class="fa fa-boxed fa-fw fa-google-plus"></i> Share on Google+</a>
       <a href="#" class="linkedin" title="Linkedin"><i class="fa fa-boxed fa-fw fa-linkedin"></i> Share on LinkedIn</a>
       <a href="#" class="mail" title="Email"><i class="fa fa-boxed fa-fw fa-envelope-o"></i> E-mail</a>
   </div>
  <div class="clearfix"> </div>
 </div>
 <!---728x90--->
 </div>
</div>
<?php $this->load->view('layout/footer'); ?>
```

SCREEN 3: register page



DATABASE TO SAVE REGISTERED DETAILS:



CODES USED:

Register controller

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class RegisterController extends CI_Controller {</pre>
```

 $public\ function\ encrypt (\$password) \{$

\$hash = password_hash(\$password,PASSWORD_BCRYPT);

```
return $hash;
}
 public function register(){
 $this->load->library('form_validation');
 $this->load->model('RegisterModel');
 $this->form_validation->set_rules("fullname", "Fullname", "required");
 $this->form_validation->set_rules("password", "Password", "required");
 $this->form_validation->set_rules("confirm", "Password", "required|matches[password]");
 $this->form_validation->set_rules("email", "Email-Id", "required|is_unique[user_details.email]");
  $this--form\_validation--set\_rules("phone", "Number", "required|max\_length[10]|min\_length[10]");
  $this->form_validation->set_rules("dob", "DOB", "required");
  $this->form_validation->set_rules("gender", "Gender", "required");
 if ($this->form validation->run() !== FALSE) {
  $fullname = $this->input->post('fullname');
  $pass = $this->input->post('password');
     $password = $this->encrypt($pass);
  $email = $this->input->post('email');
  $phone = $this->input->post('phone');
  $dob = $this->input->post('dob');
  $gender = $this->input->post('gender');
  $age = (date('Y') - date('Y',strtotime($dob)));
  $res = $this->RegisterModel->addRow($fullname, $password, $email, $phone, $dob, $age, $gender);
 if ($res) {
 $this->session->set_flashdata('success', "Registration Successful !");
  redirect(base_url('login'));
 } else {
 }
}
 $this->load->view('account/user/register');
}//register function ends
```

}

?>

}

REGISTER MODEL.php

```
<?php
 */
class RegisterModel extends CI_Model{
 public function addRow($fullname, $password, $email, $phone, $dob, $age, $gender){
  $data = array(
  "fullname" => $fullname,
  "email" => $email,
  "password" => $password,
  "phone" => $phone,
  "gender" => $gender,
  "dob" => $dob,
  "age" => $age
  );
  $this->db->insert("user_details",$data);
  return true;
 }
 public function loadpropic($email, $pic){
  $this->db->where("email", $email);
  $data = array('propic' => $pic, );
  $this->db->insert("user_details", $data);
 }
```


REGISTER.PHP

```
<?php $this->load->view('layout/header'); ?>
<div class="grid_3">
<div class="container">
 <div class="breadcrumb1">
  <a href="index-2.html"><i class="fa fa-home home_1"></i></a>
    <span class="divider">&nbsp;|&nbsp;</span>
   Register
   </div>
  <!---728x90--->
  <div class="services">
   <div class="col-sm-6 login_left">
    <form method="post" action="">
     <div class="form-group">
      <label for="edit-name">Full Name <span class="form-required" style="color: red;" style="color: red;">*<?php echo form_error('fullname'); ?></span></label>
      <input type="text" name="fullname" class="form-text required">
      <span class="text-danger"></span>
     </div>
     <div class="form-group">
      <label for="edit-name">Email <span class="form-required" style="color: red;" >*<?php echo form_error('email'); ?></span></label>
      <input type="email" name="email" value="" class="form-text required ">
      <span class="text-danger"></span>
     </div>
     <div class="form-group">
      <label for="edit-pass">Password <span class="form-required" style="color: red;">*<?php echo form_error('password'); ?></span></label>
      <input type="password" name="password" class="form-text required">
      <span class="text-danger"></span>
     </div>
     <div class="form-group">
      <label for="edit-pass">Confirm Password <span class="form-required" style="color: red;">*<?php echo form_error('confirm'); ?></span></label>
      <input type="password" name="confirm" class="form-text required ">
      <span class="text-danger"> </span>
     </div>
```


```
<div class="form-group">
   <label for="edit-name">Phone <span class="form-required" style="color: red;">*<?php echo form_error('phone'); ?></span></label>
   <input type="text" name="phone" value="" class="form-text required ">
   <span class="text-danger"></span>
 </div>
 <div class="form-group">
   <label for="edit-name">Date Of Birth <span class="form-required" style="color: red;">*<?php echo form_error('dob'); ?></span></label>
   <input type="date" name="dob" value="" class="form-text required">
   <span class="text-danger"></span>
 </div>
 <div class="form-group form-group1">
   <label class="col-sm-7 control-lable" for="sex">Sex: <span>*<?php echo form_error('gender'); ?></span></label>
   <div class="col-sm-5">
    <div class="radios">
    <input type="radio" name="gender" value="male"> Male</input>
    <input type="radio" name="gender" value="female"> Female</input>
    </div>
   </div>
   <div class="clearfix"> </div>
 </div>
 <div class="form-actions">
   <input type="submit" value="Submit" class="btn_1 submit">
 </div>
</form>
</div>
<div class="col-sm-6">
<a href="#" class="facebook" title="Facebook"><i class="fa fa-boxed fa-fw fa-facebook"></i> Share on Facebook</a>
 <a href="#" class="twitter" title="Twitter"><i class="fa fa-boxed fa-fw fa-twitter"></i> Tweet</a>
 <a href="#" class="google" title="Google"><i class="fa fa-boxed fa-fw fa-google-plus"></i> Share on Google+</a>
 <a href="#" class="linkedin" title="Linkedin"><i class="fa fa-boxed fa-fw fa-linkedin"></i> Share on LinkedIn</a>
 <|i><a href="#" class="mail" title="Email"><i class="fa fa-boxed fa-fw fa-envelope-o"></i> E-mail</a>
</div>
<div class="clearfix"> </div>
```

728x90
<pre><?php \$this->load->view('layout/footer'); ?></pre>

SCREEN 4: user profile page



User profile update



DATA BASE TO SAVE INFORMATION ENTERED IN THE PROFILE:



CODES USED:

Profile.php

<?php \$this->load->view('account/user/userLayout/header'); ?>

```
<div class="d-flex">
<div class="special">
  <nav class="demo-navigation mdl-navigation mdl-color--blue-grey-800 mt-5">
  <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="profile">Profile</a></div>
  <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="mymatches">My Matches</a></div>
  <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="settings">Settings</a></div>
  <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="logout">Log out</a></div>
  </nav>
</div>
<div class="container mt-5">
  <div class="header">
  <div class="text-right">
   <h1 style="color: crimson;">My Profile</h1><br>
   <div class="card mb-4">
    </div>
  </div>
  </div>
  <div class="container">
   <div class="row">
    <div class="col-md-4">
     <div class="card p-3">
      <div class="text-center">
       <h3 class="">Profile picture</h3>
       <form class="" action="updatepropic" enctype="multipart/form-data" method="post">
        <?php if(isset($user[0]['propic']) and !empty($user[0]['propic'])): ?>
        <img src="<?php echo base_url("assets/upload/".$user[0]['propic']); ?>" class="img-fluid user-img" alt="profile pic">
       <?php else: ?>
        <img src="<?php echo base_url("assets/images/userprofile/defaultpropic.jpg"); ?>" class="img-fluid user-img" alt="profile pic">
       <?php endif; ?>
        <div class="row" style="place-content: space-around">
         <label for="propic" class="bg-danger mt-3 pl-3 pr-3 p-2 text-white" id="propicip">Choose Pic</label>
         <input id="propic" type="file" name="profile-photo" >
         <label for="profilesubmit" class="bg-danger mt-3 pl-3 pr-3 p-2 text-white" id="propicip">Change</label>
```

```
<input id="profilesubmit" type="submit" name="sub" value="Change" class="btn btn-danger"/>
   </div>
   <div>
    <!-- <?php echo $error; ?> -->
   </div>
  </form>
 </div>
</div>
</div>
<div class=" card p-4 col-md-8">
<div class="text-right">
 <a href="#"> <button type="button" class="btn btn-danger text-white" data-toggle="collapse" data-target="#updatecollapse">Edit Profile</button> </a>
</div>
<h3><i>Personal details </i></h3>
<div class="card border-0">
 <thead>
   Full Name
    : <?php echo $user[0]['fullname'] ?>
   </thead>
  Email-Id
    : <?php echo $user[0]['email'] ?>
   Address
    : <?php echo $user[0]['address'] ?>
   contact info
    : <?php echo $user[0]['phone'] ?>
```

```
Date of Birth
  : <?php echo $user[0]['dob'] ?>
  Gender
  : <?php echo $user[0]['gender'] ?>
 </div>
<h3><i>General details </i></h3>
<div class="card border-0">
<thead>
  Occupation
  : <?php echo $user[0]['occupation'] ?>
 </thead>
 Salary
  : <?php echo $user[0]['salary'] ?>
  Caste
  : <?php echo $user[0]['cast'] ?>
  Religion
  : <?php echo $user[0]['religion'] ?>
  Hobbies
  : <?php echo $user[0]['hobbies'] ?>
  Requirements
  : <?php echo $user[0]['requirements'] ?>
```

```
</div>
</div>
<div class="container-fluid m-3" id="updatecollapse">
 <div class="card bg-light p-4">
  <form class="form-group" action="updateprofile" method="post">
   <div class="row mt-2 mb-2">
    <div class="col-md-6">
     <input type="text" name="phone" class="form-control" placeholder="Update Phone no.">
    </div>
    <div class="col-md-6">
     <input type="text" name="address" placeholder="Update Address" class="form-control">
    </div>
   </div>
   <div class="row mt-2 mb-2">
    <div class="col-md-6">
     <input class="form-control" type="text" name="occupation" placeholder="Update occupation">
    </div>
    <div class="col-md-6">
     <input class="form-control" type="text" name="salary" placeholder="Update salary" >
    </div>
   </div>
   <div class="row mt-2 mb-2">
    <div class="col-md-6">
     <input class="form-control" type="text" name="cast" placeholder="Update Cast">
    </div>
    <div class="col-md-6">
     <input class="form-control" type="text" name="religion" placeholder="Update Religion" >
    </div>
   </div>
   <div class="row mt-2 mb-2">
    <div class="col-md-6">
     <input class="form-control" type="text" name="hobbies" placeholder="Update Hobbies">
    </div>
```

```
<div class="col-md-6">
         <input class="form-control" type="text" name="requirement" placeholder="Update Requirements" >
        </div>
       </div>
       <div class="text-center">
        <input type="submit" value="Update" class="btn btn-danger">
       </div>
      </form>
     </div>
    </div>
  </div>
 </div>
 </div>
</div>
```

<?php \$this->load->view('account/user/userLayout/footer'); ?>

Profile model.php

```
<?php
class ProfileModel extends CI_Model{
           public function getCred($email){
                $query = $this->db->query("select * from user_details where email='$email'");
               $row = $query->result_array();
                  return $row;
       }
       public function \ update Row (\$email, \$phone, \$address, \$occupation, \$salary, \$cast, \$religion, \$hobbies, \$requirements) (\$address, \$occupation, \$salary, \$cast, \$religion, \$salary, \$cast, \$salary, \$cast, \$salary, \$cast, \$salary, \$cast, \$salary, \$salar
              $data = array(
                     "phone" => $phone,
                   "address" => $address,
                      "occupation" => $occupation,
```

```
"salary" => $salary,
   "cast" => $cast,
   "religion" => $religion,
   "hobbies" => $hobbies,
   "requirements" => $requirements,
  );
  $data = array_filter($data);
  $this->db->where('email', $email);
  $this->db->update('user_details', $data);
  return true;
 public function getMatchId($str_arr){
  $data = [];
  for ($i=0; $i < count($str_arr)-1; $i++) {
   $id = $str_arr[$i];
   $query = $this->db->query("select * from user_details where userid='$id'");
   $row = $query->result_array();
   $data[$i] = $row[0];
  return $data;
 }
}
?>
USER CONTROLLER:
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class UserController extends CI_Controller {
```

```
public function profile(){
  if (isset($_SESSION['loggedin'])) {
    $this->load->model('ProfileModel');
    $var = $this->ProfileModel->getCred($_SESSION['username']);
    $data['user'] = $var;
    $this->load->view('account/user/profile', $data);
 } else{
    redirect(base_url('login'));
}
public function settings(){
  $this->load->view('account/user/settings');
}
public function delete(){
  $this->db->where('email', $_SESSION['username']);
  $this->session->unset_userdata('username');
  $this->session->unset_userdata('loggedin');
  $this->db->delete("user_details");
  redirect(base_url("));
}
public function propicchange(){
  $config['upload_path']
                              = './assets/upload/';
  $config['allowed_types']
                               = 'gif|jpg|png|jpeg';
  $config['max_size']
                            = 15000;
  $this->load->library('upload', $config);
  $data['error'] = "";
  if ( ! $this->upload->do_upload('profile-photo')){
```

```
if (isset (\$\_FILES['profile-photo'])) \{
      $data['error'] = $this->upload->display_errors();
    }
 }
  else{
    $data = $this->upload->data();
    $this->db->where("email", $_SESSION['username']);
    $data_pro_pic = array("propic" => $data['file_name']);
    $this->db->update("user_details", $data_pro_pic);
 }
  redirect(base_url('user/profile'),"refresh");
}
public function profileupdate(){
  $this->load->model('ProfileModel');
  $this->load->library('form_validation');
  $this->form_validation->set_rules("phone", "Phone", "max_length[10] | min_length[10]");
  if ($this->form_validation->run() !== false) {
    $phone = $this->input->post('phone');
    $address = $this->input->post('address');
    $occupation = $this->input->post('occupation');
    $salary = $this->input->post('salary');
    $cast = $this->input->post('cast');
    $religion = $this->input->post('religion');
    $hobbies = $this->input->post('hobbies');
    $requirement = $this->input->post('requirement');
    $res = $this->ProfileModel->updateRow($this->session->username, $phone, $address, $occupation, $salary, $cast, $religion, $hobbies, $requirement);
    redirect(base_url('user/profile'));
```

```
$_SESSION['loggedin'] = null;

$this->session->unset_userdata('username');

redirect(base_url());
}

public function match(){

$this->load->model('ProfileModel');

$email = $_SESSION['username'];

$query = $this->db->query("select mymatches_id from user_details where email='$email'");

$res = $query->result_array();

$str_arr = explode(",",$res[0]['mymatches_id']);

$data = $this->ProfileModel->getMatchld($str_arr);

$user_matches['matches'] = $data;

$this->load->view("account/user/mymatches", $user_matches);
}
```

HEADER.php

?>

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
  <link rel="stylesheet" href="<?php echo base_url("assets/css/userlayout.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/admincss.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-grid.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-reboot.min.css"); ?>">
  <style media="screen">
  .user-img{
  height: 250px;
  width: 250px;
  #propic, #profilesubmit{
  opacity: 0;
```

```
position: absolute;
z-index: -1;
}
 #propicip, #profilesubmit{
 cursor: pointer;
}
 . special \{\\
 background: crimson;
 .linkhover:hover{
 color: crimson;
 background: yellow;
}
 . color\text{-}white \{
 color: white;
}
 .color-white:hover{
 color: crimson;
}
 .detail {
 box-shadow: 3px 4px 5px 3px rgba(0,0,0,.2);
 margin-bottom: 20px;
 margin-left: 0px;
 margin-right: 0px;
}
.detail img \{
 width: 100%;
 height: 220px;
}
.detail-box {
 margin-left: 20px;
/* .detail-box h4 {
 font-family: 'Bree Serif', serif;
```

```
font-size: 24px;
 line-height: 28px;
 font-weight: 400;
 color: #c70700;
 padding-top: 10px;
 margin-bottom: 10px;
 letter-spacing: 1px;
}*/
.detail-box p{
 margin-bottom: 14px;
 font-size: 13px;
 line-height: 20px;
 text-align: justify;
 margin-right: 10px;
.detail-box p a{
border-bottom: 1px dotted #529cec;
text-decoration: none;
color: #529cec;
}
.detail-box p a:hover{
 color: #27c74c;
 border-bottom: 1px dotted #27c74c;
.detail-box p i.fas{
color: #27c74c;
}
.detail-box ul{
padding: 0px;
margin: 0px;
margin-bottom: 10px;
.detail-box ul li{
  list-style-type: none;
```

```
display: inline-block;
 margin-right: 10px;
 font-size: 12px;
 line-height: 16px;
 font-weight: 400;
 color: #000;
 border: 2px solid #529cec;
 padding: 2px 6px;
 border-radius: 2px;
}
.detail-box ul li:hover{
background-color: #529cec;
border: 2px solid #529cec;
color: #fff;
}
.detail-box h6{
 font-size: 14px;
line-height: 18px;
.detail-box h6 i.fa{
color: #27c74c;
}
. detail\text{-}box\ h6\ span \{
float: right;
font-family: 'Bree Serif', serif;
font-size: 18px;
line-height: 22px;
font-weight: 400;
color: #27c74c;
margin-right: 10px;
}
.carousel-item:after {
content:"";
```

```
display:block;
position:absolute;
top:0;
bottom:0;
left:0;
right:0;
background:rgba(0,0,0,0.4);
.detail-body{
padding: 40px 0;
}
. title \{ \\
padding-bottom: 30px;
.offer {
 background: linear-gradient(115deg, rgb(134, 128, 128) 0%, rgb(26, 97, 173) 50%, transparent 50%),#034212;
 max-width: 200px;
 font-size: 12px;
 line-height: 24px;
 font-weight: 400;
 color: #fff;
 border-radius: 2px;
 margin-bottom: 15px;
}
.offer-text {
 color: white;
 padding: 15px;
 font-weight: 700;
.offer-text-2 {
 color: white;
 font-weight: 700;
 margin-left: 25px;
 width: auto;
```

```
.eligibal{
 padding: 20px;
 border: 1px solid #eee;
 background-color: rgba(239, 238, 238, 0.19);
}
.arrow-up {
 width: 0;
 height: 0;
 border-left: 10px solid transparent;
 border-right: 10px solid transparent;
 border-bottom: 10px solid #fcfcfc;
 margin-top: -31px;
 position: absolute;
 right: 50px;
z-index: 9999;
}
.eligibal p{
font-size: 13px;
line-height: 20px;
}
. ribbon \, \{ \,
 position: absolute;
 z-index: 1;
 overflow: hidden;
 width: 94px;
 height: 94px;
 text-align: center;
}
.ribbon span {
 font-size: 13px;
 font-weight: 700;
```

color: #FFF;

}

```
line-height: 25px;
 transform: rotate(-45deg);
 -webkit-transform: rotate(-45deg);
 width: 145px;
 display: block;
 background: #f94141;
 background: linear-gradient(#529cec 0,#043a75 100%);
 text-shadow: 1px 1px 2px rgba(0,0,0,.25);
 position: absolute;
 top: 25px;
 left: -34px;
.detail .discount-holder {
 color: #fff;
 background: #27c74c;
 top: 5px;
 right: -5px;
 position: relative;
 border-radius: 0 5px 0 0;
 float: right;
 font-size: 12px;
.detail .discount-holder span {
 display: block;
 position: relative;
 padding: 2px 12px 2px 8px;
}
.detail .discount-holder span:before {
 width: 0;
 height: 0;
 border-top: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 top: 0;
 left: -15px;
```


```
content: ";
}
.detail .discount-holder span:after {
 width: 0;
 height: 0;
 border-bottom: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 bottom: 0;
 left: -15px;
 content: ";
.detail .discount-holder:after {
 background: #38bb56;
 border-bottom-right-radius: 4px;
 bottom: -6px;
 content: "";
 height: 6px;
 right: 0;
 position: absolute;
 width: 5px;
 </style>
</head>
<body>
```

FOOTER.php


```
<script src="<?php echo base_url("assets/js/jquery.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.bundle.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/profilepic.js"); ?>" charset="utf-8"></script>
</body>
</html>
```

SCREEN 5: Admin login page





ADMINS DATA BASE:



CODES USED:

Admin login.php

```
<?php echo $_SESSION['wrong']; ?>
   </div>
  <?php endif; ?>
  <div class="bg-danger p-4 rounded-top">
   <span class="p-4 m-4 text-white"> Login </span>
  </div>
  <div>
  <form class="pt-4 pb-4" action="" method="post">
   <input type="email" class="fadeIn second" name="email" placeholder="username">
   <input type="password" class="fadeIn third" name="password" placeholder="password">
   <input type="submit" class="fadeIn fourth btn-danger btn pl-3 pr-3" value="login">
  </form>
 </div>
 </div>
</div>
<?php $this->load->view('admin/layout/header'); ?>
Admin controller
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class AdminController extends CI_Controller {
  public function logout(){
    $this->session->unset_userdata('admin');
    $_SESSION['loggedin'] = null;
    redirect(base_url());
  }
  public function login(){
    if (isset($_SESSION['loggedin'])) {
      redirect(base_url('admin/adminpage'));
    }else {
      $this->load->library('form_validation');
      $this->load->model('LoginModel');
      $this->form_validation->set_rules("email", "anything", "required");
      $this->form_validation->set_rules("password", "Password", "required");
```

```
$email = $this->input->post('email');
       $password = $this->input->post('password');
       $flag = $this->LoginModel->checkCred($email, $password);
       if ($flag) {
         $this->session->admin = $email;
         $_SESSION['loggedin'] = TRUE;
         $_SESSION['wrong'] = null;
         redirect(base_url('admin/adminpage'));
       } else{
         \verb| $this->session->set_flashdata("wrong", "Check your Credentials!"); \\
     $this->load->view('admin/adminlogin');
 }
public function dashboard(){
   if (isset($_SESSION['loggedin'])) {
 $this->load->model('DashboardModel');
 $row = $this->DashboardModel->getUserData();
 $user_details = [];
   $user_details['mdarray'] = $row;
 $this->load->view('admin/adminpage', $user_details);
} else{
   redirect(base_url("admin"));
}
 public function matches(){
   $this->load->model('DashboardModel');
   $male = $this->DashboardModel->getMaleData();
   $female = $this->DashboardModel->getFemaleData();
   $data = [];
   $data['male'] = $male;
```

if(\$this->form_validation->run() !== FALSE){

```
$data['female'] = $female;
  $this->load->view('admin/matches', $data);
}
public function exchange(){
  $this->load->library('form_validation');
  $this->load->model('MatchesModel');
  $this->form_validation->set_rules('malear', "Male Profiles", "required");
  $this->form_validation->set_rules('femalear', "Female Profiles", "required");
  if ($this->form_validation->run() !== false) {
    $male_profile = $this->input->post('malear');
    $female_profile = $this->input->post('femalear');
    $flag = $this->MatchesModel->match($male_profile, $female_profile);
 }
  redirect(base_url('admin/matches'));
}
public function news(){
  $this->load->library('form_validation');
  $this->form_validation->set_rules("title", "Title", "required");
  $this->form_validation->set_rules("date", "Date", "required");
  $this->form_validation->set_rules("name", "Update", "required");
  if ($this->form_validation->run() !== false) {
    $title = $this->input->post('title');
    $date = $this->input->post('date');
    $news = $this->input->post('name');
    $data = array(
      'title' => $title,
      'date' => $date,
      'newsupdate' => $news
    );
    $this->db->insert("news", $data);
```

```
}
$this->load->view('admin/news');
 }
```

HEADER.php

}


```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
  <link rel="stylesheet" href="<?php echo base_url("assets/css/adminlogin.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/admincss.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-grid.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-reboot.min.css"); ?>">
  <script src="<?php echo base_url("assets/js/jquery.min.js"); ?>" charset="utf-8"></script>
  <script src="<?php echo base_url("assets/js/bootstrap.min.js"); ?>" charset="utf-8"></script>
  <script src="<?php echo base_url("assets/js/bootstrap.bundle.min.js"); ?>" charset="utf-8"></script>
</head>
<body>
```

Footer.php

</body>

</html>

SCREEN 6: Admin page



CODES USED:

Admin page.php

<?php endif; ?>

<?php \$this->load->view('admin/adminlayout/header'); ?>

```
<div class="d-flex">
<div class="special">
  <nav class="demo-navigation mdl-navigation mdl-color--blue-grey-800 mt-5">
   <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="dashboard">Profiles change</a></div>
    <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="matches">Match</a></div>
   <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="newsUpdate">News</a></div>
   <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="logout">Log out</a></div>
   </nav>
</div>
<div class="container pt-3">
  <?php for ($i=0; $i < count($mdarray); $i++):?>
   <div class="row detail">
     <div class="p-0" style="width:250px;">
      <?php if(!empty($mdarray[$i]['propic'])): ?>
      <img src="<?php echo base_url("assets/upload/".$mdarray[$i]['propic']); ?>" alt="">
      <img src="<?php echo base_url("assets/images/userprofile/defaultpropic.jpg"); ?>" alt="">
```

```
</div>
             <div class="col-12 col-sm-12 col-md-12 col-lg-8 p-0">
               <!-- <span class="discount-holder"><span>Cheapest</span></span> -->
               <div class="detail-box">
                  <h3><?php echo $mdarray[$i]['fullname'] ?></h3>
                  >
                     <div class="offer">
                          <span class="offer-text">Phone No:</span>
                          <span class="offer-text-2"><?php echo $mdarray[$i]['phone'] ?></span>
                     </div>
                     <div class="">
                       <h6><strong><i class="fa fa-clock"></i> Email ID: </strong> <?php echo $mdarray[$i]['email'] ?> </h6>
                     </div>
                  <strong>Age : </strong> <?php echo $mdarray[$i]['age'] ?>
                     <strong>Cast : </strong><?php echo $mdarray[$i]['cast'] ?> 
                     <strong>Religion : </strong> <?php echo $mdarray[$i]['religion'] ?>
                     <strong>User ID : </strong> <?php echo $mdarray[$i]['userid'] ?>
                  <strong><i class="fas fa-book"></i> Eligibilty: </strong>Lorem ipsum dummy Lorem ipsum dummy <a href="#" data-toggle="collapse" data-target="<?php</p>
echo "#userdata".$i; ?>">show more</a>
               </div>
             </div>
             <div class="eligibal collapse" id="<?php echo "userdata".$i; ?>">
               <div class="arrow-up"></div>
               \label{lem:condition} $$\p>< strong>< i class="fas fa-book">Occupation: </i></strong>< php echo $mdarray[$i]['occupation']; ?> $$\p>< strong>< php echo $mdarray[$i]['occupation']; ?> $$\p>< strong>< php echo $mdarray[$i]['occupation']; ?> $$\p>< strong>< php echo $mdarray[$i]['occupation']; ?> $$\p>< php
               <strong><i class="fas fa-graduation-cap"></i> Address : </strong> <?php echo $mdarray[$i]['address']; ?>
             </div>
          </div>
     <?php endfor; ?>
  </div>
 </div>
```

<?php \$this->load->view('admin/adminlayout/footer'); ?>

HEADER.php

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
 <title></title>
 <link rel="stylesheet" href="<?php echo base_url("assets/css/admincss.css"); ?>">
 <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap.min.css"); ?>">
 <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-grid.min.css"); ?>">
 <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-reboot.min.css"); ?>">
<style media="screen">
 .special{
  background: crimson;
 }
 . link hover: hover \{
  color: crimson;
  background: yellow;
 }
 .color-white{
  color: white;
 }
 .color-white:hover{
  color: crimson;
 }
 .detail {
 box-shadow: 3px 4px 5px 3px rgba(0,0,0,.2);
 margin-bottom: 20px;
 margin-left: 0px;
 margin-right: 0px;
.detail img {
 width: 100%;
 height: 220px;
```

```
.detail-box {
 margin-left: 20px;
/* .detail-box h4 {
 font-family: 'Bree Serif', serif;
 font-size: 24px;
 line-height: 28px;
 font-weight: 400;
 color: #c70700;
 padding-top: 10px;
 margin-bottom: 10px;
 letter-spacing: 1px;
} */
.detail-box p{
 margin-bottom: 14px;
 font-size: 13px;
 line-height: 20px;
 text-align: justify;
 margin-right: 10px;
.detail-box p a{
border-bottom: 1px dotted #529cec;
text-decoration: none;
color: #529cec;
}
.detail-box p a:hover{
 color: #27c74c;
 border-bottom: 1px dotted #27c74c;
.detail-box p i.fas{
color: #27c74c;
. detail\text{-}box \ ul\{
padding: 0px;
```

```
margin: 0px;
margin-bottom: 10px;
.detail-box ul li{
  list-style-type: none;
 display: inline-block;
 margin-right: 10px;
 font-size: 12px;
 line-height: 16px;
 font-weight: 400;
 color: #000;
 border: 2px solid #529cec;
 padding: 2px 6px;
 border-radius: 2px;
.detail-box ul li:hover{
background-color: #529cec;
border: 2px solid #529cec;
color: #fff;
}
.detail-box h6{
 font-size: 14px;
 line-height: 18px;
.detail-box h6 i.fa{
color: #27c74c;
.detail-box h6 span{
float: right;
font-family: 'Bree Serif', serif;
font-size: 18px;
line-height: 22px;
font-weight: 400;
```

```
color: #27c74c;
margin-right: 10px;
.carousel-item:after {
content:"";
display:block;
position:absolute;
top:0;
bottom:0;
left:0;
right:0;
background:rgba(0,0,0,0.4);
. detail\text{-}body \{
padding: 40px 0;
. title \{ \\
padding-bottom: 30px;
.offer {
 background: linear-gradient(115deg, rgb(134, 128, 128) 0%, rgb(26, 97, 173) 50%, transparent 50%),#034212;
 max-width: 200px;
 font-size: 12px;
 line-height: 24px;
 font-weight: 400;
 color: #fff;
 border-radius: 2px;
 margin-bottom: 15px;
.offer-text {
 color: white;
 padding: 15px;
 font-weight: 700;
```

```
.offer-text-2 {
 color: white;
 font-weight: 700;
 margin-left: 25px;
 width: auto;
. eligibal \{\\
 padding: 20px;
 border: 1px solid #eee;
 background-color: rgba(239, 238, 238, 0.19);
.arrow-up {
 width: 0;
 height: 0;
 border-left: 10px solid transparent;
 border-right: 10px solid transparent;
 border-bottom: 10px solid #fcfcfc;
 margin-top: -31px;
 position: absolute;
 right: 50px;
 z-index: 9999;
.eligibal p{
font-size: 13px;
line-height: 20px;
}
. ribbon \, \{ \,
 position: absolute;
 z-index: 1;
 overflow: hidden;
 width: 94px;
 height: 94px;
 text-align: center;
```

```
}
```

```
.ribbon span {
font-size: 13px;
font-weight: 700;
color: #FFF;
line-height: 25px;
transform: rotate(-45deg);
-webkit-transform: rotate(-45deg);
width: 145px;
display: block;
background: #f94141;
background: linear-gradient(#529cec 0,#043a75 100%);
text-shadow: 1px 1px 2px rgba(0,0,0,.25);
position: absolute;
top: 25px;
left: -34px;
.detail .discount-holder {
color: #fff;
background: #27c74c;
top: 5px;
right: -5px;
position: relative;
border-radius: 0 5px 0 0;
float: right;
font-size: 12px;
.detail .discount-holder span {
display: block;
position: relative;
padding: 2px 12px 2px 8px;
. detail\ . discount-holder\ span: before\ \{
width: 0;
```

```
height: 0;
 border-top: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 top: 0;
 left: -15px;
 content: ";
.detail .discount-holder span:after {
 width: 0;
 height: 0;
 border-bottom: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 bottom: 0;
 left: -15px;
 content: ";
.detail .discount-holder:after {
 background: #38bb56;
 border-bottom-right-radius: 4px;
 bottom: -6px;
 content: "";
 height: 6px;
 right: 0;
 position: absolute;
 width: 5px;
 </style>
</head>
<body>
```


FOOTER.php

```
<script src="<?php echo base_url('assets/js/jquery.min.js'); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.bundle.min.js"); ?>" charset="utf-8"></script>
<!-- ADMIN MATCH FUNCTION -->
<script src="<?php echo base_url("assets/js/match.js"); ?>" charset="utf-8"></script>
```

</body>

</html>

SCREEN 7: match



Codes used:

Matches.php

```
<?php $this->load->view('admin/adminlayout/header'); ?>
<div class="d-flex">
<div class="special">
   <nav class="demo-navigation mdl-navigation mdl-color--blue-grey-800 mt-5">
    <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="dashboard">Profiles change</a></div>
    <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="matches">Match</a></div>
    <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="newsUpdate">News</a></div>
    <div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="logout">Log out</a></div>
   </nav>
 </div>
 <div class="container mt-5">
  <div class="header">
  <div class="text-right">
    <h1>Matches</h1><br>
    <div class="card mb-5">
    </div>
  </div>
  </div>
  <div class="card p-4 bg-light">
  <form class="form-group" action="exchange" method="post" id="selectform">
   <div class="row">
    <div class="col-md-4">
     <h3>Male's profiles</h3>
```


```
<select class="form-control" name="malear" id="male-select">
       <option value="">--SELECT--</option>
       <?php for ($i=0; $i <count($male); $i++): ?>
        <option value="<?php echo $male[$i]['email']; ?>"><?php echo $male[$i]['fullname']; ?>
        </option>
       <?php endfor; ?>
      </select>
    </div>
    <div class="col-md-4 text-center">
     <input type="submit" name="button" value="Match Profiles" class="btn btn-success pr-3 pl-3 font-weight-bold">
    </div>
    <div class="col-md-4">
     <h3>Female's profiles</h3>
     <select class="form-control" name="femalear" id="female-select">
      <option>--SELECT--</option>
      <?php for ($i=0; $i <count($female); $i++): ?>
       <option value="<?php echo $female[$i]['email'] ?>"><?php echo $female[$i]['fullname']; ?></option>
      <?php endfor; ?>
     </select>
    </div>
   </div>
  </form>
  </div>
 </div>
</div>
<?php $this->load->view('admin/adminlayout/footer'); ?>
MATCHES MODEL.php
<?php
 */
class MatchesModel extends CI_Model{
 public function match($male_email, $female_email){
```

\$row1 = \$query_male->result_array(); \$male_id .= \$row1[0]['mymatches_id'];


```
$query_male = $this->db->query("select mymatches_id from user_details where email='$female_email"");
 $row1 = $query_male->result_array();
 $female_id .= $row1[0]['mymatches_id'];
 $query_male = $this->db->query("select email, userid from user_details where email='$male_email'");
 $male_row = $query_male->result_array();
 $query_female = $this->db->query("select email, userid from user_details where email='$female_email'");
 $female_row = $query_female->result_array();
$male_id .= $female_row[0]['userid'].",";
$female_id .= $male_row[0]['userid'].",";
$data = array("mymatches_id" => $female_id);
$data = array_filter($data);
$this->db->where("email", $female_email);
$this->db->update("user_details", $data);
$data = array("mymatches_id" => $male_id);
$data = array_filter($data);
$this->db->where("email", $male_email);
$this->db->update("user_details", $data);
return true;
}
```

}

SCREEN 8: News update



DATABASE:



CODES USED:

News.php


```
<div class="col-md-4">
    <label for="title font-weight-bold"><i>News Title :</i></label>
    <input type="text" id="title" name="title" class="form-control">
    </div>
    <div class="col-md-4">
    <label for="date font-weight-bold"> <i>Date :</i> </label>
    <input type="date" id="date" name="date" class="form-control"/>
    </div>
  </div>
  <div class="row p-4">
   <label for="news font-weight-bold"><i>Latest events Updates :</i></label>
   <textarea id="news" name="name" class="form-control" placeholder="Share content here..."></textarea>
  </div>
  <div class="p-2 mt-2 text-center">
   <input type="submit" name="btn" class="btn w-25 bg-danger text-white" value="Update news">
  </div>
 </form>
</div>
</div>
```

<?php \$this->load->view('admin/adminlayout/footer'); ?>

RESULTS AND DISCUSSIONS

The result of this website is to provide a perfect match for a registered candidate ,when user gets loggedin to his account and click on mymatches in his profile he should find a match made for him by admin, this happens when admin exchanges two profiles i.e male user gets notified about the match found for him and same with the female user she gets notified about the match made for her.

SCREEN:9 my matches



Codes used:

mymatches.php

<?php \$this->load->view('account/user/userLayout/header'); ?>

<div class="d-flex">
 <div class="special">
 <nav class="demo-navigation mdl-navigation mdl-color--blue-grey-800 mt-5">
 <div class="bg-link pr-3 linkhover">Profile</div>
 <div class="bg-link pr-3 linkhover">My Matches</div>
 <div class="bg-link pr-3 linkhover">Settings</div>

```
<div class="bg-link pr-3 linkhover"><a class="nav-link p-4 bg-link color-white font-weight-bold" href="logout">Log out</a></div>
  </nav>
 </div>
 <div class="container pt-2">
  <?php for ($i=0; $i < count($matches); $i++): ?>
  <div class="row detail d-flex">
    <div class="p-0" style="width:250px;">
     <?php if(!empty($matches[$i]['propic'])): ?>
      <img src="<?php echo base_url("assets/upload/".$matches[$i]['propic']); ?>" alt="">
     <?php else: ?>
     <img src="<?php echo base_url("assets/images/userprofile/defaultpropic.jpg"); ?>" alt="">
    <?php endif; ?>
    </div>
    <div class="col-12 col-sm-12 col-md-12 col-lg-8 p-0">
     <!-- <span class="discount-holder"><span>Cheapest</span></span> -->
     <div class="detail-box">
      <h3><?php echo $matches[$i]['fullname'] ?></h3>
      >
       <div class="offer">
         <span class="offer-text">Phone No:</span>
         <span class="offer-text-2"><?php echo $matches[$i]['phone'] ?></span>
       </div>
       <div class="">
        <h6><strong><i class="fa fa-clock"></i> Email ID: </strong> <?php echo $matches[$i]['email'] ?> </h6>
       </div>
      \label{lip} $$ \le strong>Age : </strong> <?php echo $matches[$i]['age'] ?>
       <strong>Cast : </strong><?php echo $matches[$i]['cast'] ?> 
       <strong>Religion : </strong> <?php echo $matches[$i]['religion'] ?>
       <strong>User ID : </strong> <?php echo $matches[$i]['userid'] ?>
      <strong><i class="fas fa-book"></i> Eligibilty: </strong>Lorem ipsum dummy Lorem ipsum dummy <a href="#" data-toggle="collapse" data-target="<?php</p>
echo "#userdata".$i; ?>">show more</a>
     </div>
    </div>
    <div class="eligibal collapse" id="<?php echo "userdata".$i; ?>">
     <div class="arrow-up"></div>
```

```
<strong><i class="fas fa-book">Occupation : </i></strong><?php echo $matches[$i]['occupation'];?>
     <strong><i class="fas fa-graduation-cap"></i> Address : </strong> <?php echo $matches[$i]['address']; ?>
    </div>
  </div>
 <?php endfor; ?>
 </div>
</div>
<?php $this->load->view('account/user/userLayout/footer'); ?>
```

```
Matches model.php
<?php
class MatchesModel extends CI_Model{
 public function match($male_email, $female_email){
  \label{prop:continuous} $$query_male = $this->db->query("select mymatches_id from user_details where email='$male_email''');
  $row1 = $query_male->result_array();
  $male_id .= $row1[0]['mymatches_id'];
  $query_male = $this->db->query("select mymatches_id from user_details where email='$female_email'");
  $row1 = $query_male->result_array();
  $female_id .= $row1[0]['mymatches_id'];
  $query_male = $this->db->query("select email, userid from user_details where email='$male_email'");
  $male_row = $query_male->result_array();
  $query_female = $this->db->query("select email, userid from user_details where email='$female_email'");
  $female_row = $query_female->result_array();
  $male_id .= $female_row[0]['userid'].",";
  $female_id .= $male_row[0]['userid'].",";
  $data = array("mymatches_id" => $female_id);
```

```
$data = array_filter($data);
$this->db->where("email", $female_email);
$this->db->update("user_details", $data);

$data = array("mymatches_id" => $male_id);
$data = array_filter($data);
$this->db->where("email", $male_email);
$this->db->update("user_details", $data);

return true;
}
```

?>

Header.php

```
<!DOCTYPE html>
```

```
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
  <link rel="stylesheet" href="<?php echo base_url("assets/css/userlayout.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/admincss.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-grid.min.css"); ?>">
  <link rel="stylesheet" href="<?php echo base_url("assets/css/bootstrap-reboot.min.css"); ?>">
  <style media="screen">
  .user-img{
  height: 250px;
  width: 250px;
  #propic, #profilesubmit{
  opacity: 0;
 position: absolute;
 z-index: -1;
```

```
}
 #propicip, #profilesubmit{
 cursor: pointer;
}
 .special{
 background: crimson;
 .linkhover:hover{
 color: crimson;
  background: yellow;
}
 . color\text{-}white \{
 color: white;
}
 .color-white:hover{
 color: crimson;
}
 .detail {
 box-shadow: 3px 4px 5px 3px rgba(0,0,0,.2);
 margin-bottom: 20px;
 margin-left: 0px;
 margin-right: 0px;
}
.detail img {
 width: 100%;
 height: 220px;
}
.detail-box {
 margin-left: 20px;
/* .detail-box h4 {
 font-family: 'Bree Serif', serif;
 font-size: 24px;
 line-height: 28px;
```

```
font-weight: 400;
 color: #c70700;
 padding-top: 10px;
 margin-bottom: 10px;
 letter-spacing: 1px;
} */
. detail\text{-}box\ p\{
 margin-bottom: 14px;
 font-size: 13px;
 line-height: 20px;
 text-align: justify;
 margin-right: 10px;
.detail-box p a{
border-bottom: 1px dotted #529cec;
text-decoration: none;
color: #529cec;
}
.detail-box p a:hover{
 color: #27c74c;
 border-bottom: 1px dotted #27c74c;
}
.detail-box p i.fas{
color: #27c74c;
}
.detail-box ul{
padding: 0px;
margin: 0px;
margin-bottom: 10px;
.detail-box ul li{
  list-style-type: none;
 display: inline-block;
 margin-right: 10px;
```

```
font-size: 12px;
 line-height: 16px;
 font-weight: 400;
 color: #000;
 border: 2px solid #529cec;
 padding: 2px 6px;
 border-radius: 2px;
}
.detail-box ul li:hover{
background-color: #529cec;
border: 2px solid #529cec;
color: #fff;
}
.detail-box h6{
 font-size: 14px;
line-height: 18px;
}
.detail-box h6 i.fa{
color: #27c74c;
}
.detail-box h6 span{
float: right;
font-family: 'Bree Serif', serif;
font-size: 18px;
line-height: 22px;
font-weight: 400;
color: #27c74c;
margin-right: 10px;
}
. carousel-item: after \{\\
content:"";
display:block;
position:absolute;
```

```
top:0;
bottom:0;
left:0;
right:0;
background:rgba(0,0,0,0.4);
}
. detail\text{-}body \{
padding: 40px 0;
}
.title{
padding-bottom: 30px;
. of fer \, \{ \,
 background: linear-gradient(115deg, rgb(134, 128, 128) 0%, rgb(26, 97, 173) 50%, transparent 50%),#034212;
 max-width: 200px;
 font-size: 12px;
 line-height: 24px;
 font-weight: 400;
 color: #fff;
 border-radius: 2px;
 margin-bottom: 15px;
}
.offer-text {
 color: white;
 padding: 15px;
 font-weight: 700;
.offer-text-2 \{
 color: white;
 font-weight: 700;
 margin-left: 25px;
 width: auto;
}
```

```
.eligibal{
 padding: 20px;
 border: 1px solid #eee;
 background-color: rgba(239, 238, 238, 0.19);
.arrow-up {
 width: 0;
 height: 0;
 border-left: 10px solid transparent;
 border-right: 10px solid transparent;
 border-bottom: 10px solid #fcfcfc;
 margin-top: -31px;
 position: absolute;
 right: 50px;
z-index: 9999;
}
.eligibal p{
font-size: 13px;
line-height: 20px;
}
.ribbon {
 position: absolute;
 z-index: 1;
 overflow: hidden;
 width: 94px;
 height: 94px;
 text-align: center;
. \\ ribbon \ span \ \{
 font-size: 13px;
 font-weight: 700;
 color: #FFF;
 line-height: 25px;
 transform: rotate(-45deg);
```

```
-webkit-transform: rotate(-45deg);
 width: 145px;
 display: block;
 background: #f94141;
 background: linear-gradient(#529cec 0,#043a75 100%);
 text-shadow: 1px 1px 2px rgba(0,0,0,.25);
 position: absolute;
 top: 25px;
 left: -34px;
}
.detail .discount-holder {
 color: #fff;
 background: #27c74c;
 top: 5px;
 right: -5px;
 position: relative;
 border-radius: 0 5px 0 0;
 float: right;
 font-size: 12px;
.detail .discount-holder span {
 display: block;
 position: relative;
 padding: 2px 12px 2px 8px;
}
. detail\ . discount-holder\ span: before\ \{
 width: 0;
 height: 0;
 border-top: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 top: 0;
 left: -15px;
 content: ";
```

```
.detail .discount-holder span:after {
 width: 0;
 height: 0;
 border-bottom: 17px solid #27c74c;
 border-left: 15px solid transparent;
 position: absolute;
 bottom: 0;
 left: -15px;
 content: ";
}
.detail .discount-holder:after {
 background: #38bb56;
 border-bottom-right-radius: 4px;
 bottom: -6px;
 content: "";
 height: 6px;
 right: 0;
 position: absolute;
 width: 5px;
}
 </style>
</head>
<body>
```

Footer.php

```
<script src="<?php echo base_url("assets/js/jquery.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/bootstrap.bundle.min.js"); ?>" charset="utf-8"></script>
<script src="<?php echo base_url("assets/js/profilepic.js"); ?>" charset="utf-8"></script>
</body>
</html>
```

EXCHANGE OF PROFILES:

	age	userid	horoscope	mymatch	es_id	salary	
	21	12				25000	
	20	13		14,20,		100000	
	20	14		13,16,15,		100000	
	24	15		17,14,20,		80000	
shot_(27).png	26	16		14,18,		100000	
	20	17		15,19,		100000	
	23	18		16,		100000	
	26	19		17,		100000	
			Bookma	arks Optio	ns Histo	ory Clear	

CONCLUSION

To conclude ,I can honestly say that my time spent interning with Inkwall resulted in developing my skill and good team work .I gained much practical knowledge in the span of thirty days. We worked on two projects social media platform and matrimonial website and successfully got the desired result .I thank my trainer Mr. prashanth for his amazing teaching and support. I got an opportunity to meet amazing people and this internship is also good to find out my strengths and weaknesses.

FUTURE PERSPECTIVE

Matrimonial websites will definetly have a good scope in coming years. In future my project look useful as today . I am pretty sure that user necessities will increase but with little effort updating on certain features can be done like adding on more verified profiles, adding some essential features needed and improving information privacy and security around all activities, it helps in finding a perfect match and remains relavent in future. Such kind of match making services is very useful for every community as we have many religions divided into caste and subcaste.

REFERENCES

https://eztrainings.net/

https://www.w3schools.com/