

REPORT PROJECT ON CUSTOMER SHOPPING BEHAVIOR BY USING SQL QUARIES

-- 1.What is the total revenue generated by male vs female customers?

```
SELECT Gender, SUM(`Purchase Amount (USD)`) AS Revenue
FROM sql_project.customer_shopping_behavior
GROUP BY Gender;
```

	Gender	Revenue
▶	Male	155438
	Female	75191

-- 2.Which customers used a discount but still spent more than the average purchase amount?

```
SELECT `Customer ID`, `Purchase Amount (USD)`
FROM sql_project.customer_shopping_behavior
WHERE `Discount Applied` = 'Yes' AND `Purchase Amount (USD)` >= (
    SELECT AVG(`Purchase Amount (USD)`)
    FROM sql_project.customer_shopping_behavior );
```

Result Grid  Filter Rows:		
	Customer ID	Purchase Amount (USD) ▼
▶	2	64
	3	73
	4	90
	7	85
	9	97
	12	68
	13	72
	16	81
	20	90
	22	62
	24	88
	29	94
	32	79
	33	67
	35	91
	37	69
	40	60
	41	76

REPORT PROJECT ON CUSTOMER SHOPPING BEHAVIOR BY USING SQL QUARIES

-- 3.Which are the top 5 products with highest average rating?

- ```
SELECT `Item Purchased`, ROUND(AVG(`Review Rating`), 2) AS `Avg product Rating`
FROM sql_project.customer_shopping_behavior
GROUP BY `Item Purchased`
ORDER BY `Avg product Rating` DESC
LIMIT 5;
```

| Result Grid |                |                    | Filter Rows: |
|-------------|----------------|--------------------|--------------|
|             | Item Purchased | Avg product Rating |              |
| ▶           | Gloves         | 3.86               |              |
|             | Sandals        | 3.84               |              |
|             | Boots          | 3.82               |              |
|             | Hat            | 3.8                |              |
|             | Skirt          | 3.79               |              |

-- 4.Compare the average purchase amounts between standard and express shipping?


- ```
select `Shipping Type`, round(avg(`Purchase Amount (USD)`),2) as 'Avg Shipping Amount'  
from sql_project.customer_shopping_behavior  
where `Shipping Type` in ('Standard','Express')  
group by `Shipping Type`;
```

Result Grid			Filter Rows:
	Shipping Type	Avg Shipping Amount	
▶	Express	60.34	
	Standard	58.41	

REPORT PROJECT ON CUSTOMER SHOPPING BEHAVIOR BY USING SQL QUARIES

-- 5.Do subscribed customers spend more? Compare avg spend & total revenue b/w subscribers & non-subscribers.

- ```
SELECT `Subscription Status`,
COUNT(`Customer ID`) AS `Total Customers`,
ROUND(AVG(`Purchase Amount (USD)`), 2) AS `Avg Spend`,
ROUND(SUM(`Purchase Amount (USD)`), 2) AS `Total Revenue`
FROM sql_project.customer_shopping_behavior
GROUP BY `Subscription Status`
ORDER BY `Total Revenue` DESC, `Avg Spend` DESC;
```




The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of the SQL query for subscription status. The columns are 'Subscription Status', 'Total Customers', 'Avg Spend', and 'Total Revenue'. There are two rows: 'No' and 'Yes'.

| Subscription Status | Total Customers | Avg Spend | Total Revenue |
|---------------------|-----------------|-----------|---------------|
| No                  | 2830            | 59.81     | 169252        |
| Yes                 | 1033            | 59.42     | 61377         |

-- 6.Which 5 products has the highest percentage of purchases with discount applied?

- ```
select `Item Purchased`, round(sum(case when `Discount Applied` ='Yes' then 1 else 0 end)/count(*)*100,2) as `Discount Rate`
from sql_project.customer_shopping_behavior
group by `Item Purchased`
order by `Discount Rate` desc
limit 5;
```



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of the SQL query for the top 5 products by discount rate. The columns are 'Item Purchased' and 'Discount Rate'. There are five rows: 'Blouse', 'Sweater', 'Jeans', 'Sandals', and 'Sneakers'.

Item Purchased	Discount Rate
Blouse	33.14
Sweater	47.20
Jeans	45.97
Sandals	36.48
Sneakers	49.66

REPORT PROJECT ON CUSTOMER SHOPPING BEHAVIOR BY USING SQL QUARIES

-- 7.Segment Costumers into New,Returning, and Loyal based on their total no.of previous purchases, and count of each.

```
WITH customer_type AS (
  SELECT `Customer ID`,`Previous Purchases`,
  CASE
  WHEN `Previous Purchases` = 1 THEN 'New'
  WHEN `Previous Purchases` BETWEEN 2 AND 10 THEN 'Returning'
  ELSE 'Loyal'
  END AS `Customer segment`
  FROM sql_project.customer_shopping_behavior)
SELECT `Customer segment`,
COUNT(*) AS `No.of customers`
FROM customer_type
GROUP BY `Customer segment`;
```

Result Grid			Filter Rows:
	Customer segment	No.of customers	
▶	Loyal	3085	
	Returning	695	
	New	83	

-- 8.What are the top 3 most purchased products with each category?

```
WITH item_counts AS (
  SELECT `Category`,`Item Purchased`,
  COUNT(`Customer ID`) AS `Total Orders`,
  ROW_NUMBER() OVER(PARTITION BY Category ORDER BY COUNT(`Customer ID`) DESC) AS `Item Rank`
  FROM sql_project.customer_shopping_behavior
  GROUP BY `Category`,`Item Purchased`)
SELECT `Item Rank`,`Category`,`Item Purchased`,`Total Orders`
FROM item_counts
WHERE `Item Rank` <= 3;
```

Result Grid					Filter Rows:	Export:
	Item Rank	Category	Item Purchased	Total Orders		
▶	1	Accessories	Jewelry	170		
	2	Accessories	Sunglasses	159		
	3	Accessories	Belt	159		
	1	Clothing	Blouse	169		
	2	Clothing	Shirt	168		
	3	Clothing	Pants	168		
	1	Footwear	Sandals	159		
	2	Footwear	Shoes	147		
	3	Footwear	Sneakers	145		
	1	Outerwear	Jacket	163		
	2	Outerwear	Coat	159		