

Name : Harshad Sanjay Teli.

Roll No : 15

Batch : B1

Assignment No 2

Nested Lists Example.

Q1) Create a nested list in HTML for the following Fruits and their Types:

I. Fruits

- Citrus
 1. Orange
 2. Lemon
- Berries
 1. Strawberry
 2. Blueberry

Input:

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<title>Assignment No 2 : Question 1</title>
<style>
body{
font-size: 20px;
}
</style>
</head>

<body>
<center>
<h1>Assignment No 2 : Question No 1</h1>
</center>
<ol type="I">
<li>
Fruits
<ul>
<li>Citrus
<ol>
<li>Orange</li>
<li>Lemon</li>
</ol>

```


```
</li>
<li>Berries
<ol>
<li>Strawberry</li>
<li>Blueberry</li>
</ol>
</li>

</ul>
</li>

</ol>
</body>


</html>
```

Output:



Assignment No 2 : Question No 1

- I. Fruits
 - Citrus
 1. Orange
 2. Lemon
 - Berries
 1. Strawberry
 2. Blueberry



Q2) Solve the below questions

I. Starters

- Soup
- Salad

II. Main Course

- Veg
 - Paneer
 1. Paneer Makhni
 2. Paneer Tadka
 3. Paneer Chilli
 - Dal Fry
 1. Dal Tadka
 2. Panchmil Dal
- Non-Veg
 - Chicken
 1. Chicken Curry
 2. Butter Chicken
 3. Biryani
 - Fish
 1. Fish Fry
 2. Fish Curry

III. Desserts

- Ice Cream
 1. Chocolate
 2. Vanilla
 3. Butterscotch
- Cake
 1. Mango Cake
 2. Vanilla Cake
 3. Chocolate Cake
 4. Butterscotch Cake

Input:

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-
scale=1.0">
<title>Assignment No 2 : Question 2</title>
<style>
body {
font-size: 20px;
font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
```

```
Grande', 'Lucida Sans', Arial, sans-serif;
color: black;
font-weight: 100;
}
```

```
body {
background-image: url('');
} </style>
</head>
```

```
<body>
<center>
<h1>Assignment No 2 : Question No 2</h1>
</center>
<ol type="I">
<li>Starters
<ul>
<li>Soup</li>
<li>Salad</li>
</ul>
</li>
<li>Main Course
<ul>
<li>Veg
<ul>
<li>
Panner
<ol>
<li>Panner Makhni.</li>
<li>Panner Tadka.</li>
<li>Panner Chillli.</li>
</ol>
</li>
<li>
Dal Fry
<ol>
<li>Dal Tadka</li>
<li>Panchmil Dal</li>
</ol>
</li>
<li>
Non Veg
<ul>
<li>
```

Chicken

Chicken Curry.

Butter Chicken.

Biryani.

Fish

Fish Fry

Fish Curry

Desserts

Ice Cream

Chocolate.

Vanilla.

Butterscotch.

Cake

Mango Cake.

Vanilla Cake.


Chocolate Cake.

Butterscotch Cake.


```
</ol>
</body>

</html>
```

Output:



Assignment No 2 : Question No 2

- I. Starters
 - Soup
 - Salad
- II. Main Course
 - Veg
 - Panner
 - 1. Panner Makhni.
 - 2. Panner Tadka.
 - 3. Panner Chilli.
 - Dal Fry
 - 1. Dal Tadka
 - 2. Panchmil Dal
 - Non Veg
 - Chicken
 - 1. Chicken Curry.
 - 2. Butter Chicken.
 - 3. Biryani.
 - Fish
 - 1. Fish Fry
 - 2. Fish Curry
- III. Desserts
 - Ice Cream
 - 1. Chocolate.
 - 2. Vanilla.
 - 3. Butterscotch.
 - Cake
 - 1. Mango Cake.
 - 2. Vanilla Cake.
 - 3. Chocolate Cake.
 - 4. Butterscotch Cake.

Q3) Mobile Phones.

I. Android

- Samsung
 1. Galaxy Series
 2. Note Series
- OnePlus
 1. Nord
 2. OnePlus 11

II. iOS

- iPhone
 1. iPhone 13
 2. iPhone 14
 3. iPhone 15

III. Accessories

- Earphones
- Charger
- Covers

Input:


```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>Assignment No 2 : Question 3</title>
<style>
body{
font-size: 20px;
}
</style>
</head>
<body>
<center>
<h1>Assignment No 3 : Question No 3</h1>
</center>
<ol type="I">
<li>Android
<ul>
<li>Samsung
<ol>
<li>Galaxy Series</li>
```

```
<li>Note Series</li>
</ol>
</li>
<li>OnePlus
<ol>
<li>Nord</li>
<li>OnePlus 11</li>
</ol>
</li>

</ul>
</li>
<li>iOS
<ul>
<li>iPhone
<ol>
<li>iPhone 13</li>
<li>iPhone 14</li>
<li>iPhone 15</li>
</ol>
</li>
</ul>
</li>
<li>Accessories
<ul>
<li>Earphones</li>
<li>Charger
</li>
<li>Covers</li>
</ul>
</li>

</ol>
</body>
</html>
```


Output:



Assignment No 3 : Question No 3

- I. Android
 - Samsung
 - 1. Galaxy Series
 - 2. Note Series
 - OnePlus
 - 1. Nord
 - 2. OnePlus 11
- II. iOS
 - iPhone
 - 1. iPhone 13
 - 2. iPhone 14
 - 3. iPhone 15
- III. Accessories
 - Earphones
 - Charger
 - Covers

Q4) OSI Reference Model.

Create a nested ordered/unordered list in HTML to represent the **7 layers of OSI** and their main **functions**.

I. Application Layer

Provides services for user applications

Examples: Email, Web Browser, File Transfer

II. Presentation Layer

- Data translation, encryption, compression
- Ensures data is in readable format

III. Session Layer

- Establishes, manages, and terminates sessions
- Synchronization between applications

IV. Transport Layer

- Reliable delivery of data (error checking, segmentation)
- Protocols: TCP, UDP

V. Network Layer

- Logical addressing (IP addresses)
- Routing of packets across networks

VI. Data Link Layer

- Physical addressing (MAC addresses)
- Error detection and correction on frames

VII. Physical Layer

- Transmission of raw bits (0s & 1s)
- Deals with cables, signals, and hardware

Input:

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>Assignment No 2 : Question 4</title>
<style>
body{
font-size: 20px;
}
</style>
</head>

<body>
<center>
<h1>Assignment No 2 : Question 4</h1>
```

OSI Reference Model

Application Layer

Provides services for user applications

Examples: Email, Web Browser, File Transfer

Presentation Layer

Data translation, encryption, compression

Ensures data is in readable format

Session Layer

Establishes, manages, and terminates sessions

Synchronization between applications

Transport Layer

Reliable delivery of data (error checking, segmentation)

Protocols: TCP, UDP

Network Layer

Logical addressing (IP addresses)

Routing of packets across networks

Data Link Layer

Physical addressing (MAC addresses)

Error detection and correction on frames

Physical Layer


Transmission of raw bits (0s & 1s)

Deals with cables, signals, and

```
hardware</li>
</ul></li>
</ol>
</body>

</html>
```

Output:



Assignment No 2 : Question 4

OSI Reference Model

- I. Application Layer**
 - Provides services for user applications
 - Examples: Email, Web Browser, File Transfer
- II. Presentation Layer**
 - Data translation, encryption, compression
 - Ensures data is in readable format
- III. Session Layer**
 - Establishes, manages, and terminates sessions
 - Synchronization between applications
- IV. Transport Layer**
 - Reliable delivery of data (error checking, segmentation)
 - Protocols: TCP, UDP
- V. Network Layer**
 - Logical addressing (IP addresses)
 - Routing of packets across networks
- VI. Data Link Layer**
 - Physical addressing (MAC addresses)
 - Error detection and correction on frames
- VII. Physical Layer**
 - Transmission of raw bits (0s & 1s)
 - Deals with cables, signals, and hardware

Q5). Create a nested list in HTML for the following Computer Science Topics.

Programming Languages

1. High-Level Languages
 1. C
 2. C++
 3. Java
2. Scripting Languages
 1. Python
 2. JavaScript
 3. PHP

II. Operating Systems

- Windows
- Linux
- MacOS

III. Networking

- OSI Model
 1. Application Layer
 2. Transport Layer
 3. Network Layer
 - 4.

IV. TCP/IP Model

Input:

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>Assignment No 2 : Question 5</title>
<style>
body{
font-size: 20px;
}
</style>
</head>

<body>
<center>
<h1>Assignment No 2 : Question No 5</h1>
</center>
<ol type="I">
```

Programming Languages

High-Level Lanuages

C

C++

JAVA

Scripting Languages

Python

Javascript

PHP

Operating System

Window

Linux

MacOS

Networking

OSI Model

Application Layer

Transport Layer


Network Layer

TCP/IP Model

</body>

</html>

Output:



Assignment No 2 : Question No 5

I. Programming Languages

- High-Level Languages
 1. C
 2. C++
 3. JAVA
- Scripting Languages
 1. Python
 2. Javascript
 3. PHP

II. Operating System

- Window
- Linux
- MacOS

III. Networking

- OSI Model
 1. Application Layer
 2. Transport Layer
 3. Network Layer
- TCP/IP Model

Q6) Create a nested list in HTML for the following Computer Science Concepts:

Data Structures

- Linear Structures
 1. Array
 - 2 . Linked List
 3. Stack
 4. Queue
- Non-Linear Structures
 1. Tree
 2. Graph

II. Databases

- Relational Databases
 1. MySQL
 2. PostgreSQL
 3. Oracle
- NoSQL Databases
 1. MongoDB
 2. Cassandra
 3. Redis

III. Software Development Models

- Waterfall Model
- Spiral Model
- Agile Model

Input:

```
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>Assignment No 2 : Question 6</title>
<style>
body{
font-size: 20px;
}
</style>
</head>


<body>
<center>
<h1>Assignment No 2 : Question 6</h1>
```



```
</center>
<ol type="I">
<li><b>Data Structures</b>
<ul>
<li>Linear Structures
<ol>
<li>Array.</li>
<li>Linked List.</li>
<li>Stack.</li>
<li>Queue.</li>
</ol>
</li>
<li>Non-Linear Structures
<ol>
<li>Tree</li>
<li>Graph</li>
</ol>
</li>
</ul>
</li>
<li><b>Databases</b>
<ul>
<li>Relational Databases
<ol>
<li>MySQL</li>
<li>PostgreSQL</li>
<li>Oracle</li>
</ol>
</li>
<li>NoSQL Databases
<ol>
<li>MongoDB</li>
<li>Cassandra</li>
<li>Redis</li>
</ol>
</li>
</ul>
</li>
<li><b>Software Development Models</b>
<ul>
<li>Waterfall Model</li>
<li>Spiral Model</li>
<li>Agile Model</li>
</ul></li>
</ol>
</body>
```

</html>

Output:



Assignment No 2 : Question 6

I. Data Structures

- Linear Structures
 1. Array.
 2. Linked List.
 3. Stack.
 4. Queue.
- Non-Linear Structures
 1. Tree
 2. Graph

II. Databases

- Relational Databases
 1. MySQL
 2. PostgreSQL
 3. Oracle
- NoSQL Databases
 1. MongoDB
 2. Cassandra
 3. Redis

III. Software Development Models

- Waterfall Model
- Spiral Model
- Agile Model