

L5 Strings

Saturday, 27 June 2026

1:09 PM

* strings:-
array of character

ASCII

A = 65	32	a = 97	'0' = 48
B = 66	32	b = 98	'1' = 49
C = 67		c = 99	:
:			:
Z = 90	32	'z' = 122	'9' = 57

* Toggle case of string:-

if 'small char' sub 32
if 'big char' add 32

Tc: $O(N)$
Sc: $O(1)$

* Containing only [a-z] sort it:-

s = a b d a c b d l
 $\Rightarrow$ a a b b c d d l

- 1) Find value to fill
- 2) Fill it in array
- 3) reduce the count of freq.
- 4) increase index to fill

Tc: $O(N)$
Sc: $O(1)$

* Reverse string:-

Example:-

a b c b = b c b a

Tc: $O(N)$
Sc: $O(1)$

* palindrome string:-

Example:-

a b c d a

ans = false

a b c d c b a

ans = true

Tc: $O(N)$
Sc: $O(1)$

* Longest palindromic substring:-

using expand method check the string is palindromic or not.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
x	b	d	y	z	z	y	d	b	d	y	z	y	d	x

P_1 P_2

$$C(P_1, P_2) = P_2 - P_1 - 1$$

Tc: $O(N^2)$
Sc: $O(1)$