

# Cloud and Serverless Computing - PROJECT

## AWS time table Display for faculty using serverless services

Name: M Devendra Harsha

ID: 2000031650

Sec: 14

sumadhur-31170 x sumadhur-31170 x getCustomerDe... x Items | Amazon... x API Gateway - Cr... x (56) Build a Serve... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/create

Mail - NEELUSETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S] N. Virginia sumadhur @ 31170

Amazon API Gateway APIs > Create Hide hints ?

APIs Custom Domain Names VPC Links

Choose the protocol

Select whether you would like to create a REST API or a WebSocket API.

☒ REST ☐ WebSocket

Create new API

In Amazon API Gateway, a REST API refers to a collection of resources and methods that can be invoked through HTTPS endpoints.

☒ New API ☐ Clone from existing API ☐ Import from Swagger or Open API 3 ☐ Example API

Settings

Choose a friendly name and description for your API.

API name\* PostCustomerDetails

Description

Endpoint Type Regional

\* Required

Create API

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

sumadhur-31170 x sumadhur-31170 x getCustomerDe... x Items | Amazon... x API Gateway - Cr... x (56) Build a Serve... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5l/resources/7barigw1t2/create

Mail - NEELUSETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S] N. Virginia sumadhur @ 31170

Amazon API Gateway APIs > PostCustomerDetails (3pgg4bgj5l) > Resources > / (7barigw1t2) > Create Hide hints ?

APIs Resources Actions New Child Resource

Use this page to create a new child resource for your resource.

Configure as ☒ proxy resource ☐ ☐

Resource Name\* postCustomerDetails

Resource Path\* / postcustomerdetails

You can add path parameters using brackets. For example, the resource path {username} represents a path parameter called 'username'. Configuring {/proxy+} as a proxy resource catches all requests to its sub-resources. For example, it works for a GET request to /foo. To handle requests to /, add a new ANY method on the / resource.



Enable API Gateway CORS ☒ ☐

\* Required

Cancel Create Resource

API: PostCustomerDe... Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences



sumadhur-31170 x sumadhur-31170 x getCustomerDe... x Items | Amazon... x API Gateway - C... x (56) Build a Serve... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5i/resources/56dsf3/methods/POST

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelsett... GD8 online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

Amazon API Gateway APIs > PostCustomerDetails (3pgg4bgj5i) > Resources > /postcustomerdetails (56dsf3) > POST

APIs Custom Domain Names VPC Links

API: PostCustomerDe... Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources Actions /postcustomerdetails - POST - Method Execution

TEST /postcustomerdetails OPTIONS POST

Client

Method Request

Auth: NONE

ARN: am:aws:execute-api:us-east-1:609971362146:3pgg4bgj5i:/POST/po

Integration Request

Type: MOCK

Method Response

HTTP Status: 200

Models: application/json => Empty

Integration Response

HTTP status pattern: -

Output passthrough: No

Mock Endpoint

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

sumadhur-31170 x sumadhur-31170 x getCustomerDe... x Items | Amazon... x API Gateway - C... x (56) Build a Serve... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5i/resources/56dsf3/methods/POST

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelsett... GD8 online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

Amazon API Gateway APIs > PostCustomerDetails (3pgg4bgj5i) > Resources > /postcustomerdetails (56dsf3) > POST

APIs Custom Domain Names VPC Links

API: PostCustomerDe... Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources Actions /postcustomerdetails - POST - Integration Response

Method Execution

First, declare response types using Method Response. Then, map the possible responses from the backend to this method's response types.

HTTP status regex	Method response status	Output model	Default mapping
-	200		Yes

Map the output from your HTTP endpoint to the headers and output model of the 200 method response.

HTTP status regex default

Content handling Passthrough

Cancel Save

Header Mappings

Mapping Templates

Content-Type application/json

Generate template: application/json

1 [{"statusCode" : "200"}]

Add mapping template

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

sumadhur-31170 x sumadhur-31170 x getCustomerDet... x Items | Amazon... x API Gateway - C... x (56) Build a Serv... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgp4bgj5i/resources/56dsf3/methods/POST

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

Amazon API Gateway APIs > PostCustomerDetails (3pgp4bgj5i) > Resources > /postcustomerdetails (56dsf3) > POST

APIs Custom Domain Names VPC Links

API: PostCustomerDe...

Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources > /postcustomerdetails OPTIONS POST

Method Execution /postcustomerdetails - POST - Method Test

Make a test call to your method. When you make a test call, API Gateway skips authorization and directly invokes your method

Path No path parameters exist for this resource. You can define path parameters by using the syntax {myPathParam} in a resource path.

Query Strings {postcustomerdetails}

Headers {postcustomerdetails}

Stage Variables No stage variables exist for this method.

Request: /postcustomerdetails Status: 200 Latency: 7 ms Response Body {"statusCode": "200"}

Response Headers {"Content-Type":["application/json"]}

Logs Execution log for request 3244f3d0-f83b-4950-ac88-7dd3744afc1c  
Thu Feb 23 10:24:49 UTC 2023 : Starting execution for request: 3244f3d0-f83b-4950-ac88-7dd3744afc1c  
Thu Feb 23 10:24:49 UTC 2023 : HTTP Method: POST, Resource Path: /postcustomerdetails  
Thu Feb 23 10:24:49 UTC 2023 : Method request path: {}  
Thu Feb 23 10:24:49 UTC 2023 : Method request query string: {}

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

sumadhur-31170 x sumadhur-31170 x getCustomerDet... x Items | Amazon... x API Gateway - C... x (56) Build a Serv... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgp4bgj5i/resources/56dsf3/methods/POST

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

Amazon API Gateway APIs > PostCustomerDetails (3pgp4bgj5i) > Resources > /postcustomerdetails (56dsf3) > POST

APIs Custom Domain Names VPC Links

API: PostCustomerDe...

Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources > /postcustomerdetails OPTIONS POST

Method Execution /postcustomerdetails - POST - Method Test

Make a test call to your method. When you make a test call, API Gateway skips authorization and directly invokes your method

Path No path parameters exist for this resource. You can define path parameters by using the syntax {myPathParam} in a resource path.

Query Strings {postcustomerdetails}

Headers {postcustomerdetails}

Stage Variables No stage variables exist for this method.

Request: /postcustomerdetails Status: 200 Latency: 7 ms Response Body {"statusCode": "200"}

Response Headers {"Content-Type":["application/json"]}

Logs Execution log for request 3244f3d0-f83b-4950-ac88-7dd3744afc1c  
Thu Feb 23 10:24:49 UTC 2023 : Starting execution for request: 3244f3d0-f83b-4950-ac88-7dd3744afc1c  
Thu Feb 23 10:24:49 UTC 2023 : HTTP Method: POST, Resource Path: /postcustomerdetails  
Thu Feb 23 10:24:49 UTC 2023 : Method request path: {}  
Thu Feb 23 10:24:49 UTC 2023 : Method request query string: {}

Deploy API

Choose a stage where your API will be deployed. For example, a test version of your API could be deployed to a stage named beta.



Deployment stage [New Stage]

Stage name\* dev

Stage description

Deployment description

Cancel Deploy



sumadhur-311 x sumadhur-311 x Items | Amaz... x API Gateway x Create functio... x IAM Manage... x (56) Build a S... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/iamv2/home?region=us-east-1#/roles/create?commonUseCase=Lambda&policies=arn%3Aaws%3Aiam%3Aaws%3Apolicy%2FAWSLambda...

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neeliset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

Global sumadhur @ 31170

Step 2: Add permissions Edit

Permissions policy summary

Policy name	Type	Attached as
<a href="#">AWSLambda_FullAccess</a>	AWS managed	Permissions policy
<a href="#">AmazonS3FullAccess</a>	AWS managed	Permissions policy

Tags

Add tags - optional [Info](#)

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

Add tag

You can add up to 50 more tags.

Cancel Previous **Create role**

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

sumadhur-311 x sumadhur-311 x Items | Amaz... x API Gateway x IAM Manage... x Create functio... x (56) Build a S... x KL ERP x New Tab x +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/create/function

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neeliset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S]

N. Virginia sumadhur @ 31170

Lambda > Functions > Create function

Create function [Info](#)

AWS Serverless Application Repository applications have moved to [Create application](#).

Author from scratch   
Start with a simple Hello World example.

Use a blueprint   
Build a Lambda application from sample code and configuration presets for common use cases.

Container image   
Select a container image to deploy for your function.

Basic information

Function name [Info](#)  
Enter a name that describes the purpose of your function.  
  
Use only letters, numbers, hyphens, or underscores with no spaces.



Runtime [Info](#)  
Choose the language to use to write your function. Note that the console code editor supports only Node.js, Python, and Ruby.



Architecture [Info](#)  
Choose the instruction set architecture you want for your function code.  

☒ x86\_64  
☐ arm64

Feedback Language

© 2023, Amazon Web Services India Private Limited or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)







us-east-1.console.aws.amazon.com/iamv2/home?region=us-east-1#/roles/details/postCustomerDetails/attach-policies

IAM > Roles > postCustomerDetails > Add permissions

### Attach policy to postCustomerDetails

Current permissions policies (2)

Other permissions policies (Selected 1/843)

Filter policies by property or policy name and press enter. 4 matches

"dynamo" Clear filters

Policy name	Type	Description
<input checked="" type="checkbox"/> AmazonDynamoDBFullAccess	AWS managed	Provides full access to Amazon DynamoDB via the AWS Ma...
<input type="checkbox"/> AWSLambdaDynamoDBExecutionRole	AWS managed	Provides list and read access to DynamoDB streams and wr...
<input type="checkbox"/> AmazonDynamoDBReadOnlyAccess	AWS managed	Provides read only access to Amazon DynamoDB via the A...
<input type="checkbox"/> AWSLambdaInvocation-DynamoDB	AWS managed	Provides read access to DynamoDB Streams.

Cancel Add permissions

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/saveCustomerDetails?tab=code

Successfully updated the function saveCustomerDetails.

Code Test Monitor Configuration Aliases Versions

### Code source

Upload from

File Edit Find View Go Tools Window Test Deploy

Go to Anything (Ctrl-P)

Environment

- saveCustomerDetail
  - index.js

Execution results

Test Event Name

postEvent

Response

"Successfully updated data"

Function Logs

START RequestId: 82d937ea-9536-487c-8552-6d0a9c829960 Version: \$LATEST

END RequestId: 82d937ea-9536-487c-8552-6d0a9c829960

REPORT RequestId: 82d937ea-9536-487c-8552-6d0a9c829960 Duration: 887.96 ms Billed Duration: 888 ms Memory Size: 128 MB Max Memory Used: 79 MB Init Duration: 447.18 ms

Request ID

82d937ea-9536-487c-8552-6d0a9c829960

Status: Succeeded Max memory used: 79 MB Time: 887.96 ms

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer/table=CustomerDetails

**DynamoDB**

Dashboard  
Tables  
Update settings  
Explore items  
 PartiQL editor  
Backups  
Exports to S3  
Imports from S3  
Reserved capacity  
Settings

▼ DAX  
Clusters  
Subnet groups  
Parameter groups  
Events

**Tables (1)**

Any table tag  
Find tables by table name  
1

**CustomerDetails**

**CustomerDetails**

Autopreview View table details

Scan or query items  
Expand to query or scan items.

Completed. Read capacity units consumed: 0.5

Items returned (4)

Actions Create item

1

	EmailID	FirstName	LastName
<input type="checkbox"/>	testing@gmail.com	test1	test2
<input type="checkbox"/>	naresh@gmail.com	Naresh	V
<input type="checkbox"/>	test@gmail.com	hello	sumadthur
<input type="checkbox"/>	neelisetsumadhurro...	sumadthur	royal

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5l/resources/56dsf3/methods/POST

**Amazon API Gateway**

APIs > PostCustomerDetails (3pgg4bgj5l) > Resources > /postcustomerdetails (56dsf3) > POST

Hide hints ?

**APIs**

Custom Domain Names  
VPC Links

**API: PostCustomerDe...**

Resources  
Stages  
Authorizers  
Gateway Responses  
Models  
Resource Policy  
Documentation  
Dashboard  
Settings  
Usage Plans

**Resources**

Actions

Method Execution /postcustomerdetails - POST - Integration Request

Provide information about the target backend that this method will call and whether the incoming request data should be modified.

**Integration type** ☒ Lambda Function ⓘ

☐ HTTP ⓘ  
☐ Mock ⓘ  
☐ AWS Service ⓘ  
☐ VPC Link ⓘ

**Use Lambda Proxy integration** ☐ ⓘ

**Lambda Region** us-east-1

**Lambda Function** saveCustomerDetails ⓘ

**Use Default Timeout** ☒ ⓘ

**Save**

Mapping Templates

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5l/resources/56dsf3/methods/POST?screen=integration-request

Amazon API Gateway APIs > PostCustomerDetails (3pgg4bgj5l) > Resources > /postcustomerdetails (56dsf3) > POST

APIs Custom Domain Names VPC Links

API: PostCustomerDe... Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources /postcustomerdetails OPTIONS POST

Method Execution /postcustomerdetails - POST - Integration Request

Provide information about the target backend that this method will call and whether the incoming request data should be modified.

Integration type ☒ Lambda Function ☐ HTTP ☐ Mock ☐ AWS Service ☐ VPC Link

Use Lambda Proxy integration ☐

Lambda Region us-east-1

Lambda Function saveCustomerDetails

Execution role

Invoke with caller credentials ☐

Credentials cache Do not add caller credentials to cache key

Use Default Timeout ☐

Custom Timeout 29000

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

us-east-1.console.aws.amazon.com/apigateway/home?region=us-east-1#/apis/3pgg4bgj5l/resources/56dsf3/enable-cors

Amazon API Gateway APIs > PostCustomerDetails (3pgg4bgj5l) > Resources > /postcustomerdetails (56dsf3) > Enable CORS

APIs Custom Domain Names VPC Links

API: PostCustomerDe... Resources Stages Authorizers Gateway Responses Models Resource Policy Documentation Dashboard Settings Usage Plans

Resources /postcustomerdetails OPTIONS POST

Enable CORS

Gateway Responses for PostCustomerDetails API ☒ DEFAULT 4XX ☒ DEFAULT 5XX

Methods ☒ OPTIONS ☒ POST

Access-Control-Allow-Methods OPTIONS, POST



Access-Control-Allow-Headers 'Content-Type,X-Amz-Date,Authorization'



Access-Control-Allow-Origin\* ''

Advanced

Enable CORS and replace existing CORS headers

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences







sumadhur-post x sumadhur-31 x Items | Amazon x IAM Manager x saveCustom x API Gateway x (56) Build a S x hanielhg/ser x serverless-w x +

s3.console.aws.amazon.com/s3/bucket/sumadhur-post/property/website/edit?region=us-east-1

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S] Global sumadhur @ 31170

Amazon S3 Buckets sumadhur-post Edit static website hosting

### Edit static website hosting [info](#)

**Static website hosting**  
Use this bucket to host a website or redirect requests. [Learn more](#)

**Static website hosting**  
☐ Disable  
☒ Enable

**Hosting type**  
☒ Host a static website  
Use the bucket endpoint as the web address. [Learn more](#)  
☐ Redirect requests to another bucket or domain. [Learn more](#)

**Index document**  
Specify the home or default page of the website.

**Feature spotlight** 3

**Storage Lens**  
Dashboards  
AWS Organizations settings

**AWS Marketplace for S3**

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

sumadhur x sumadhur x sumadhur x Items | Amazon x IAM Manager x saveCustom x API Gateway x (56) Build a S x hanielhg/ser x serverless-w x +

Not secure | sumadhur-post.s3-website-us-east-1.amazonaws.com

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

EmailID:

FirstName:

LastName:

sumadi x sumadi x sumadi x Items x IAM M: x saveCu x API G: x (59) Bu x haniell: x serverli: x Online x New T: x

Not secure | sumadur-post.s3-website-us-east-1.amazonaws.com

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

EmailID:

FirstName:

LastName:

Successfully updated data

sumadi x sumadi x sumadi x Items x IAM M: x saveCu x API G: x (59) Bu x haniell: x serverli: x Online x New T: x

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?table=CustomerDetails

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

aws Services Search [Alt+S] N. Virginia sumadur @ 31170

### DynamoDB

- Dashboard
- Tables
  - Update settings
  - Explore items
  - PartiQL editor
  - Backups
  - Exports to S3
  - Imports from S3
  - Reserved capacity
  - Settings
- DAX
  - Clusters
  - Subnet groups
  - Parameter groups
  - Events

Any table tag

Find tables by table name

1

CustomerDetails

#### Scan or query items

Expand to query or scan items.

Completed. Read capacity units consumed: 0.5

#### Items returned (1/6)

Actions Create item

	EmailID	FirstName	LastName
<input checked="" type="checkbox"/>	2000031170@kluniv...	Neelisetty	Royal
<input type="checkbox"/>	testing@gmail.com	test1	test2
<input type="checkbox"/>	postman@gmail.com	post	man
<input type="checkbox"/>	naresh@gmail.com	Naresh	V
<input type="checkbox"/>	test@gmail.com	hello	sumadur
<input type="checkbox"/>	neelissetsumadurro...	sumadur	royal

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences



sumadi x sumadi x sumadi x Items | x IAM M: x saveCu x API Go x (59) Bu x haniell: x serverli: x a Online x New T: x + v - o x

Not secure | sumadhur-31170.s3-website-us-east-1.amazonaws.com

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

Search Key(EmailID):

First Name: Neelisetty  
Last Name: Royal  
Email: 2000031170@klniversity.in

Items | Amazon DynamoDB Man: x get-post-31170 - S3 bucket x get-post-31170.s3-website-us-e: x +


Not secure | get-post-31170.s3-website-us-east-1.amazonaws.com/post.html

Mail - NEELISETTY... Dashboard KL ERP Inbox - nsroyal2003... Inbox (35) - klucse2... Inbox (5) - neelisset... GDB online Debug... Competitive Progra... Dashboard | Hacker... Course Modules: A...

EmailID:

FirstName:

LastName:




**EmailID:**

**FirstName:**

**LastName:**

Successfully updated data



**Search Key(EmailID):**

**First Name:** sumadhur  
**Last Name:** royal  
**Email:** 31170@gmail.com