

Performance Testing Report

Project: SheGuidesMe Web Application

Application Under Test (AUT):

- <https://www.sheguidesme.com/api/v1/auth/login/>

Table of Contents

1. Introduction
2. Objectives
3. Scope of Testing
4. Testing Environment
5. Tools Used
6. Test Plan
7. Test Execution Results
8. Observation
9. Conclusion

1. Introduction

This document presents the performance testing conducted on the SheGuidesMe Login API using Apache JMeter. The purpose of the testing is to evaluate the Login API's performance under different user loads by measuring response time, throughput, error rate.

2. Objective

The objective of this performance testing is to identify the breaking point of the Login API through stress testing.

3. Scope of Testing

Modules: Login API

URL: <https://www.sheguidesme.com/api/v1/auth/login/>

METHOD: POST

4. Testing Environment

Component	Configuration
Operating System	Windows 11
Tool	Apache JMeter
Java Version	openjdk 11.0.30
Browser	Google Chrome
Test Plan File	sheguidesmelogin.jmx
Protocol	HTTPS
Target Website	https://www.sheguidesme.com/api/v1/auth/login/
Network	Wifi
Content-Type	Application/json
Accept	Application/json

5. Tools Used

Tool	Purpose
Apache JMeter	Performance Testing
Java	Run JMeter

Google Docs	Documentation
Google Chrome	Verify Application

6. Test Plan

Test Strategy

Each module was tested using four different load levels.

Thread Group Setup:

Test	Number of Threads(User)	Ramp-Up Period	Loop Count
Test 1	10	1	1
Test 2	50	2	1
Test 3	100	3	1
Test 4	150	5	1

Listeners Used:

- ViewResult Tree
- SummaryReport
- Aggregate Report

7. Test Execution Results

7.1 Test 1 Summary Report

TotalSamples: 10

AverageResponse Time: 3467ms

MaxResponseTime: 5039ms

MinResponseTime: 1695ms

Throughput:1.7 requests/sec

Error%:0.00%

90% line: 4833ms

7.2 Test 1 Aggregate Report

Aggregate Report

Name:

Aggregate Report

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only:

☐ Errors

☐ Successes

Configure

Label	# Samples	Average	Median	90% Line	95% Line	99% Line	Min	Maximum	Error %	Throughput	Received KB/...	Sent KB/sec
HTTP Request	10	3467	3567	4833	4833	5039	1695	5039	0.00%	1.7/sec	1.97	0.46
TOTAL	10	3467	3567	4833	4833	5039	1695	5039	0.00%	1.7/sec	1.97	0.46

7.3 Test 1 Test Result Tree

View Results Tree

Name:View Results Tree

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only:

Errors

Successes

Configure

Search:

Case sensitive

Regular exp.

Search

Reset

Text

Sampler resultRequestResponse data

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

HTTP Request

Thread Name:Thread Group 1-2

Sample Start:2026-09-21 19:28:55 NPT

Load time:1786

Connect Time:464

Latency:1783

Size in bytes:1190

Sent bytes:278

Headers size in bytes:943

Body size in bytes:247

Sample Count:1

Error Count:0

Data type ("text"|"bin"|""):text

Response code:200

Response message:OK

HTTPSampleResult fields:

ContentType: application/json

DataEncoding: null

8. Observations

8.1 Test 1 Observation

- The test was successfully completed with 10 total samples and no failed requests.
- The average response time was 3467ms, which is above the standard of under 2,000ms for basic web pages.
- The maximum response time recorded was 5039ms, while the minimum response time was 1695ms.
- The median response time was 3567ms, indicating that most requests were consistently slow.
- The 90th and 95th percentile response times were 4833ms, above the standard of under 3,000ms for the 95th percentile.
- The 99th percentile response time was 5039ms, slightly above the standard of under 5,000ms.

- The system achieved a throughput of 1.7 requests/sec under the baseline load.
- The error percentage was 0.00%, showing that all requests were processed successfully and meeting the standard of under 1%.
- Overall, the application was stable, but the response times did not meet the recommended standards.

9. Test Execution Results

7.1 Test 2 Summary Report

TotalSamples: 50

AverageResponse Time: 13091ms

MaxResponseTime: 25706ms

MinResponseTime: 1424ms

Throughput:1.8 requests/sec

Error%:0.00%

90% line: 23296

7.2 Test 1 Aggregate Report

Aggregate Report

Name:
Aggregate Report


Comments:

Write results to file / Read from file

Filename
Browse...
Log/Display Only:
☐ Errors
☐ Successes
Configure

Label	# Samples	Average	Median	90% Line	95% Line	99% Line	Min	Maximum	Error %	Throughput	Received KB/...	Sent KB/sec
HTTP Request	50	13091	12725	23296	24708	25706	1424	25706	0.00%	1.8/sec	2.09	0.49
TOTAL	50	13091	12725	23296	24708	25706	1424	25706	0.00%	1.8/sec	2.09	0.49

7.3 Test 2 Test Result Tree



10. Observations

- The test was successfully completed with 50 total samples and no failed requests.
- The average response time was 13091ms, far above the standard of under 2,000ms for basic web pages.
- The maximum response time recorded was 25706ms, while the minimum response time was 1424ms. The large gap shows highly inconsistent performance under this load.
- The median response time was 12725ms, close to the average, indicating that most requests were consistently slow and not affected by a few outliers.
- The 90th percentile response time was 23296ms and the 95th percentile was 24708ms, both far above the standard of under 3,000ms for the 95th percentile.
- The 99th percentile response time was 25706ms, far above the standard of under 5,000ms.

- The system achieved a throughput of 1.8 requests/sec, almost the same as Test 1 (1.7 requests/sec) even though response times were much slower. This suggests the server had reached its processing limit.
- The error percentage was 0.00%, showing that all requests were processed successfully and meeting the standard of under 1%.
- Overall, the application remained stable with no failures, but its response time degraded severely under the higher load and did not meet the recommended standards.

Test 3 Summary Report

TotalSamples: 100
 AverageResponse Time: 25747ms
 MaxResponseTime: 49907ms
 MinResponseTime: 1530ms
 Throughput: 1.9 requests/sec
 Error%: 0.00%
 90% line: 45695ms
 95% line: 47931ms

Aggregate Report

Aggregate Report

Name:

Comments:


Write results to file / Read from file

Filename:

Log/Display Only: ☐ Errors ☐ Successes

Label	# Samples	Average	Median	90% Line	95% Line	99% Line	Min	Maximum	Error %	Throughput	Received KB/...	Sent KB/sec
HTTP Request	100	25747	24985	45695	47931	49720	1530	49907	0.00%	1.9/sec	2.18	0.51
TOTAL	100	25747	24985	45695	47931	49720	1530	49907	0.00%	1.9/sec	2.18	0.51

View result tree



Observations

- The test was successfully completed with 100 total samples and no failed requests.
- The average response time was 25747ms, far above the standard of under 2,000ms for basic web pages.
- The maximum response time recorded was 49907ms, while the minimum response time was 1530ms. The very large gap shows highly inconsistent performance under this load.
- The median response time was 24985ms, close to the average, indicating that most requests were consistently slow and not affected by a few outliers.
- The 90th percentile response time was 45695ms and the 95th percentile was 47931ms, both far above the standard of under 3,000ms for the 95th percentile.
- The 99th percentile response time was 49720ms, far above the standard of under 5,000ms.
- The system achieved a throughput of 1.9 requests/sec, almost the same as Test 1 (1.7 requests/sec) and Test 2 (1.8 requests/sec) even though the load increased. This suggests the server had reached its processing limit and could not handle more requests per second.
- The error percentage was 0.00%, showing that all requests were processed successfully and meeting the standard of under 1%.
- Overall, the application remained stable with no failures, but its response time degraded severely as the load increased and did not meet the recommended standards.
-

Test 4 Summary Report

TotalSamples: 150

AverageResponse Time: 38523ms

MaxResponseTime: 60047ms

MinResponseTime: 1404ms

Throughput:2.3 requests/sec

Error%:25.3%

90% line: 60036ms

95% line: 60039ms

Aggregate Report

Aggregate Report

Name:

Aggregate Report

Comments:

Write results to file / Read from file

Filename

Browse...

Log/Display Only:

☐ Errors

☐ Successes

Configure

Label	# Samples	Average	Median	90% Line	95% Line	99% Line	Min	Maximum	Error %	Throughput	Received KB/...	Sent KB/sec
HTTP Request	150	38523	40788	60036	60039	60045	1404	60047	25.33%	2.3/sec	2.25	0.63
TOTAL	150	38523	40788	60036	60039	60045	1404	60047	25.33%	2.3/sec	2.25	0.63

[View result tree](#)[illegible]

Observations

- The test was completed with 150 total samples, but 25.33% of the requests failed.
- The average response time was 38523ms, far above the standard of under 2,000ms for basic web pages.
- The maximum response time recorded was 60047ms, while the minimum response time was 1404ms. The very large gap shows highly inconsistent performance under this load.
- The median response time was 40788ms, indicating that most requests were extremely slow.
- The 90th, 95th and 99th percentile response times were 60036ms, 60039ms and 60045ms, all far above the standards of under 3,000ms for the 95th percentile and under 5,000ms for the 99th percentile.
- The system achieved a throughput of 2.3 requests/sec. This figure includes the failed requests, so it does not mean the server handled more successful requests.
- The error percentage was 25.33%, far above the standard of under 1%, so it fails. This is the first test where requests failed.
- Overall, the application could not handle this load. Response times were extremely high and a quarter of the requests failed, which shows the server reached its breaking point.