WEBBIRTH · webbirth.in (company site)

Complete Website QA Audit Report

Responsive, functional, accessibility, performance and technical audit of the WebBirth marketing website (React 19 · Vite 8 single-page application).

Field	Value
Project	WebBirth website (package “webbirth” v1.0.0) — local source at C:\Users\Webbirth\Desktop\Webbirth
Report title	Complete Website QA Audit Report
Audit execution date	2026-10-11 (testing started 2026-10-11T11:58Z)
Report generation date	2026-10-11 14:09 UTC
Report version	1.0
Testing scope	44 routes × 12 viewports (desktop, laptop, tablet, phones portrait + landscape); 50 functional end-to-end cases; axe-core WCAG 2.2 A/AA scans; Lighthouse 12; build, type-check, dependency and static security checks.
Environment	Production build served locally by vite preview; Google Chrome (Playwright) on Windows 11, Intel UHD 620
Overall readiness	**READY WITH KNOWN ISSUES**

Table of Contents

1. Executive Summary . . . 3

Overall assessment . . . 3

Most significant risks . . . 3

Release readiness . . . 3

2. Project and Test Environment . . . 4

Known limitations . . . 4

3. Page and Route Inventory . . . 5

4. Desktop / Web View Audit . . . 7

Findings by page (desktop) . . . 7

Visual evidence — viewport matrices . . . 7

5. Mobile Responsiveness Audit . . . 10

Mobile navigation and touch interaction . . . 10

Findings by page (mobile) . . . 10

Before / after evidence . . . 11

6. End-to-End Functional Test Results . . . 12

Execution history . . . 12

Test case results (final run) . . . 12

7. UI/UX and Accessibility Findings . . . 17

Visual consistency (manual review of the viewport matrices) . . . 17

Automated accessibility (axe-core, WCAG 2.0/2.1/2.2 A + AA) . . . 17

Keyboard, forms and dialogs (manual-equivalent, automated in Playwright) . . . 17

Other accessibility checks . . . 18

8. Performance and Technical Findings . . . 19

Lighthouse 12 (simulated throttling) . . . 19

Console, network and runtime errors . . . 19

Build, type-check, lint, automated tests, dependencies . . . 19

Security observations (static review of src/ and the built dist/) . . . 19

9. Complete Defect Register . . . 20

10. Fixes Implemented . . . 27

11. Regression and Final Verification . . . 28

Regressions found during verification . . . 28

Unresolved defects . . . 28

Blocked and untested areas . . . 28

12. Final Release Readiness . . . 29

Actions required before (or immediately after) release . . . 29

13. Appendix . . . 30

A. Viewport matrix . . . 30

B. Complete test case inventory . . . 30

C. Evidence index . . . 31

D. Relevant console / build output . . . 32

E. Methodology and glossary . . . 32

1. Executive Summary

This audit inspected the real WebBirth website built from the current source tree. Every page was rendered in Google Chrome at 12 viewport sizes, user journeys were exercised end to end, accessibility was scanned with axe-core and Lighthouse, and the production build, type-check and dependency audit were run. Confirmed defects were fixed where they could be fixed without changing the brand or business logic, then re-verified. Nothing reported as passing was simulated.

Overall assessment

The site is functionally solid: all 49 executed functional cases pass on the final build, no page produced a JavaScript error or failed request in the final sweeps, and no route showed horizontal scrolling, clipped or off-screen text at any of the 12 viewports. The main remaining risks are **mobile performance** (P1, open), **colour contrast** of brand-coloured small text (P2, partially fixed) and the **contact form depending on the visitor's mail client** (P2, configuration).

Metric	Value
Routes discovered and inspected	44 (Home, Work, 6 category pages, 31 case studies, Testimonials, Careers, Privacy, Terms, 404)
Viewport renders (baseline / after fixes / final subset)	528 / 528 / 176
Functional test cases	50 defined; 49 executed
Final functional results	PASS 49 · FAIL 0 · BLOCKED 1 · NOT TESTED 0
Accessibility scans (axe-core)	20 page/viewport scans per round (10 routes × desktop + mobile)
Lighthouse runs	8 baseline + 8 final (4 routes × mobile + desktop)
Defects recorded	19 — P0 0 · P1 1 · P2 8 · P3 10
Defects fixed and verified	11 (plus 1 partially fixed)
Defects open	7
Release recommendation	**READY WITH KNOWN ISSUES**

Most significant risks

DEF-12 (P1) — Mobile performance: very high main-thread blocking and slow LCP on Home and case studies. Status: Open.
DEF-04 (P2) — Interactive targets below 24×24 px (WCAG 2.5.8 Target Size Minimum). Status: Fixed – verified (dots); see DEF-19 for moving 3D labels.
DEF-06 (P2) — Text colour contrast below WCAG 1.4.3 (4.5:1 / 3:1 large). Status: Partially fixed.
DEF-17 (P2) — Contact form has no server endpoint configured; inquiries rely on the visitor's e-mail client. Status: Open (configuration).
DEF-11 (P3) — Text smaller than 10.5 px. Status: Fixed – verified (decorative remainder accepted).

Release readiness

READY WITH KNOWN ISSUES. No P0 defects exist and every user journey works. The open P1 (mobile performance) degrades the experience on mid-range phones but does not block any task; it should be scheduled with the remaining P2 contrast work and the contact-form endpoint configuration (see section 12).

2. Project and Test Environment

Item	Detail
Application	Single-page application: React 19.3, TypeScript 7.0, Vite 8.3 (Rolldown), Tailwind CSS 4.3, React Router 8.4
Motion / 3D	GSAP 3.15 (ScrollTrigger, SplitText, ScrambleText, DrawSVG, MotionPath, Physics2D, CustomEase), Lenis 1.3, Framer Motion 13.5, Three.js 0.186 + React Three Fiber 9.8 + Drei 10.7
Integrations	Contact form: JSON POST to VITE_CONTACT_ENDPOINT if configured, otherwise mailto: fallback (endpoint not configured). External links: live client sites, Google Play, blog.webbirth.in, Google/Justdial reviews. No authentication, accounts, search or uploads exist.
Hosting config	netlify.toml and vercel.json present (SPA rewrite to /index.html). Production hosting itself was not accessed.
Application version	package.json 1.0.0; final bundle index-kwfnmpjE.js. The folder is not a git repository, so no commit hash exists.
Server under test	Production build (npm run build → dist/) served by vite preview on http://localhost:4180
Browser / OS	Google Chrome (stable channel via Playwright 1.47.2) on Windows 11 Pro 10.0.26300; GPU Intel UHD Graphics 620 (Direct3D 11). Mobile = Chrome device emulation (touch, mobile UA).
Tools	Playwright (navigation, interaction, screenshots, DOM geometry checks), axe-core 4.10.2 (WCAG 2.0/2.1/2.2 A+AA), Lighthouse 12.2.1, TypeScript compiler, Vite build, npm audit, ripgrep static scans, Pillow (evidence sheets), ReportLab (this report).
Existing test infrastructure	None: no unit, E2E or lint configuration exists in the repository (no ESLint config, no test runner). Type-check (tsc) is part of npm run build.

Known limitations

• Only Chromium was tested. Safari/WebKit and Firefox were not covered (headless WebKit on Windows does not run the animations reliably), so iOS-specific behaviour is **not verified**.
• Mobile results come from Chrome device emulation, not physical devices. Virtual-keyboard occlusion, safe-area insets and real touch inertia could not be verified.
• No screen reader was used. Accessibility checks are automated (axe-core, Lighthouse) plus manual keyboard tests in the functional suite.
• Lighthouse uses simulated throttling on this laptop; scores vary between runs by several points.
• No backend exists or is configured, so form delivery (CF-06) is BLOCKED. Live third-party sites linked from case studies were checked for correct URLs only, not visited.
• The production deployment was not accessed; SPA routing on the host is inferred from netlify.toml / vercel.json.

3. Page and Route Inventory

Routes were derived from src/App.tsx and the data files (src/data/projects.ts, categories.ts). The desktop and mobile status values come from the final responsive sweep (528 renders after fixes): “Clean” means no horizontal scroll, off-screen or clipped text, broken image, console error or failed request. The Functional column lists the end-to-end cases that cover the route.

Route	Purpose	Desktop (D/L/T)	Mobile (M)	Functional cases	Open defects
/	Home: hero, work reel, services, process, technology, about, stats, testimonials, journal, careers, contact form	Clean (5 vp)	Clean (7 vp)	35 cases: CF, HM, KB, NAV, RT, UI series	DEF-12, DEF-06, DEF-15, DEF-19
/work	Portfolio index: featured scenes and category list	Clean (5 vp)	Clean (7 vp)	RT-06, WK-01, WK-02, WK-04	DEF-12, DEF-06, DEF-14
/work/category/legal-healthcare-enterprise	Category listing	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06, DEF-14
/work/category/ai-fintech-productivity	Category listing	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06, DEF-14
/work/category/marketplaces-booking-commerce	Category listing	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06, DEF-14
/work/category/education-hr-community	Category listing	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06, DEF-14
/work/category/apps-developed	Category listing	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06, DEF-14
/work/category/more-of-our-work	Category listing	Clean (5 vp)	Clean (7 vp)	WK-03	DEF-06, DEF-14
/work/mediify	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/cazenest	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/zenith-health	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/westvox	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/intakepilots	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/ashtalakshmi-temple	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/aspen-capital	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/worth-and-right	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/1960-physician-associates	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/good-roll-golf	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/generation-purple	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/documintq	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/itransfer	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/easymarg	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/parinitha	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14

Route	Purpose	Desktop (D/L/T)	Mobile (M)	Functional cases	Open defects
/work/cadmaxx	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/home-captain	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/doczee	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/sanchara-mitra	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/bussguru	Case study	Clean (5 vp)	Clean (7 vp)	CS-01, CS-05, CS-06, RT-05, RT-08, UI-03	DEF-12, DEF-14
/work/girani	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/ramanuja-kuteera	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/classify-interiors	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/realty-streams	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/superior-solar	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/first-wave-fries	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/fit-muscle	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/swaadhyay	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/alai-rescues	Case study	Clean (5 vp)	Clean (7 vp)	CS-01, RT-07, RT-07M	DEF-12, DEF-14
/work/enrich-global-academy	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/work/sanchara-mitra-mechanic	Case study	Clean (5 vp)	Clean (7 vp)	CS-01	DEF-12, DEF-14
/testimonials	Reviews, ratings, carousel	Clean (5 vp)	Clean (7 vp)	TS-01	DEF-06, DEF-13, DEF-14
/careers	Careers (not hiring) + values	Clean (5 vp)	Clean (7 vp)	CR-01, NAV-01	—
/privacy	Legal	Clean (5 vp)	Clean (7 vp)	NAV-03	DEF-06
/terms	Legal	Clean (5 vp)	Clean (7 vp)	Sweep only	DEF-06
/this-page-does-not-exist	404 handling	Clean (5 vp)	Clean (7 vp)	RT-02	—

4. Desktop / Web View Audit

Viewports: 1920×1080, 1440×900, 1366×768 and 1024×768, for all 44 routes. Each page was loaded, waited past the preloader, scrolled top to bottom so scroll-triggered content rendered, then inspected in the DOM: document width, every visible text node's bounds and clipping, image load state, console and network events. Hover and interactive behaviour was covered by the functional suite (section 6).

Viewport	Device class	Runs	H-scroll	Off-screen text	Clipped text	Tiny text	Broken img	JS errors	Failed requests
1920×1080	Full-HD desktop	44	0 → 0	0 → 0	0 → 0	25 → 11	0 → 0	1 → 0	1 → 0
1440×900	Desktop	44	0 → 0	0 → 0	0 → 0	41 → 32	0 → 0	0 → 0	0 → 0
1366×768	Laptop	44	0 → 0	0 → 0	0 → 0	41 → 32	0 → 0	0 → 0	0 → 0
1024×768	Tablet landscape / compact desktop	44	0 → 0	0 → 0	0 → 0	41 → 32	0 → 0	1 → 0	1 → 0
768×1024	Tablet portrait (touch)	44	0 → 0	0 → 0	0 → 0	41 → 32	0 → 0	0 → 0	0 → 0

Table 4.1 — Desktop, laptop and tablet sweep results: values are "baseline → after fixes". Off-screen text excludes intentionally clipped content (marquees, decorative outlines, carousels).

Findings by page (desktop)

Page	Viewport(s)	Finding	Defect
/careers	1024×768	Hero body copy overlapped the orange arch graphics (fixed).	DEF-03
/	All	Testimonial dot controls 6×6 px (fixed); orbiting technology labels can overlap (open).	DEF-04, DEF-19
/	1920–1024	Hero rail numbers 9.6 px (fixed); project-reel browser mock-up text 6.8–8.5 px (decorative, accepted).	DEF-11
/, /work, categories, case studies, legal, 404	All	Small brand-orange and muted-grey text below 4.5:1 contrast.	DEF-06
/work/:slug (31)	All	Meta <dl> structure invalid (fixed); SplitText headings mis-labelled (fixed).	DEF-07, DEF-18
/	All	Desktop Lighthouse Performance 46–47 (TBT 3.3–3.5 s).	DEF-12
All other routes	All	No layout, overflow, clipping, image, console or network defects detected.	—

Visual evidence — viewport matrices

Each figure shows the page as rendered at all 12 viewports (top row: desktop, laptop and tablet; bottom row: phones portrait + landscape). Captured during the baseline sweep after the preloader finished.




Figure EV-VP-HOME — Home: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-WORK — Work: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-WORK_CATEGORY_LEGA — Category — Legal, Healthcare & Enterprise: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-WORK_BUSSGURU — Case study — BussGuru (web + mobile): viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-WORK_SANCHARA-MITR — Case study — Sanchara Mitra Mechanic (mobile app): viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-TESTIMONIALS — Testimonials: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-CAREERS — Careers (baseline; see DEF-03): viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-PRIVACY — Privacy: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).




Figure EV-VP-THIS-PAGE-DOES-NOT — 404: viewport matrix (D1920, D1440, L1366, T1024, T768 / M320, M360, M375, M390, M430, ML844, ML568).

5. Mobile Responsiveness Audit

Phone viewports 320×568, 360×800, 375×812, 390×844 and 430×932 (portrait), 844×390 and 568×320 (landscape) and tablet portrait 768×1024, using Chrome mobile emulation with touch enabled, for all 44 routes. The 320 px runs also cover WCAG 1.4.10 Reflow (equivalent to 1280 px at 400% zoom).

Viewport	Device class	Runs	H-scroll	Off-screen text	Clipped text	Tiny text	Broken img	JS errors	Failed requests
320×568	Small phone	44	0 → 0	0 → 0	0 → 0	37 → 32	0 → 0	0 → 0	0 → 0
360×800	Android	44	0 → 0	0 → 0	0 → 0	37 → 32	0 → 0	0 → 0	0 → 0
375×812	iPhone X/11 Pro	44	0 → 0	0 → 0	0 → 0	37 → 32	0 → 0	0 → 0	0 → 0
390×844	iPhone 12–14	44	0 → 0	0 → 0	0 → 0	37 → 32	0 → 0	0 → 0	0 → 0
430×932	iPhone Pro Max	44	0 → 0	0 → 0	0 → 0	37 → 32	0 → 0	0 → 0	0 → 0
844×390	Phone landscape	44	0 → 0	0 → 0	0 → 0	25 → 16	0 → 0	0 → 0	0 → 0
568×320	Small phone landscape	44	0 → 0	0 → 0	0 → 0	21 → 16	0 → 0	0 → 0	0 → 0

Table 5.1 — Phone sweep results: values are “baseline → after fixes”. Off-screen text excludes intentionally clipped content (marquees, decorative outlines, carousels).


Mobile navigation and touch interaction

Case	Title	Final
NAV-04	Mobile menu opens and closes with Close control	PASS
NAV-05	Mobile menu closes with Escape and releases scroll lock	PASS
NAV-06	Mobile menu item navigates and closes the menu	PASS
NAV-11	Focus stays inside the open mobile menu (focus containment)	PASS
RT-07M	"Next case" from the bottom of a case study (mobile)	PASS
CS-06	Mobile stage pill reflects the current stage while scrolling	PASS
HM-03	Services accordion opens and closes on tap	PASS
CF-07	Form inputs are ≥16px on mobile (prevents iOS auto-zoom) and are labelled	PASS
UI-02	Mobile sticky "Let's talk" button appears after the hero and opens the contact form	PASS
UI-05	Custom cursor only on fine pointers (not on touch devices)	PASS
KB-04	Closing the mobile menu with Escape returns focus to the Menu button	PASS


Findings by page (mobile)

Page	Viewport(s)	Finding	Defect
/	320×568	Hero headline overlapped intro paragraph by 10 px (fixed).	DEF-02
/careers	844×390 landscape	Hero copy over decorative arches (fixed).	DEF-03
All (menu)	< 1024 px	Keyboard focus escaped the open menu dialog (fixed).	DEF-01
Case studies, categories, /testimonials, 404	Touch	Several text links / icons with 15–20 px tap height (advisory).	DEF-14
/	Phones	Mobile Lighthouse Performance 26; heavy WebGL + scroll animation.	DEF-12
/#contact	Phones	Inputs are 16 px (no iOS zoom) and labelled (CF-07 PASS); radio “chips” are 14 px labels — acceptable.	—
All routes	All phones	No horizontal scrolling, off-screen or clipped text in any portrait or landscape render.	—


Before / after evidence



EV-BA-HOME — DEF-02: Home 320×568 before (heading overlaps paragraph) and after.



EV-BA-CAREERS — DEF-03: Careers 1024×768 before and after.



EV-BA-CAREERS-L — DEF-03: Careers 844×390 landscape before and after.

6. End-to-End Functional Test Results

50 cases were automated with Playwright against the production build. Desktop = 1440×900; mobile = iPhone 13 emulation (390×844, touch). No backend operation was simulated. CF-04 verifies the real browser navigation request to mailto:, and CF-06 (server delivery) is BLOCKED.

Execution history

Run	PASS	FAIL	BLOCKED	Notes
Baseline (first execution)	39	10	1	10 failures: 1 genuine product defect (NAV-11 → DEF-01) and 9 caused by the test scripts themselves (selectors / input method: CF-04, CF-05, CF-07, CR-01, KB-02, KB-03, TS-01, UI-02, WK-04). Each test was corrected and the 9 re-executed against the unchanged baseline build: all passed.
Baseline (corrected scripts)	48	1	1	NAV-11 genuine failure.
After fix round 1	45	4	1	NAV-06/NAV-11 regression caused by the first DEF-01 fix (menu itself inert) – corrected; NAV-10 and UI-01 slowed by a concurrent 528-render sweep (passed on re-run).
Final	49	0	1	Full suite on the final build, idle machine.

Test case results (final run)

ID	Area / route	Objective & steps	Expected	Actual (final)	Status	Defect
NAV-01	Navigation /careers → /	**Desktop nav "Work" from another page lands on Home work section** Desktop viewport, on /careers. Open /careers → Click "Work" in primary navigation → Wait for transition	URL is / and the #work section is in view; curtain lifted.	path=/, #work in view=true, curtain lifted=true	PASS	—
NAV-02	Navigation /	**Desktop nav "Services" scrolls to services section on Home** Desktop, on /. Open / → Click "Services"	#services section scrolls into view.	#services in view=true	PASS	—
NAV-03	Navigation /privacy → /	**Logo link returns to Home** Desktop, on /privacy. Open /privacy → Click the WebBirth logo	Home page renders (h1 present, curtain lifted).	path=/, h1 count=1, curtain lifted=true	PASS	—
NAV-04	Navigation (mobile) /	**Mobile menu opens and closes with Close control** iPhone 13 emulation. Open / → Tap "Menu" → Tap "Close"	Menu visible with aria-expanded=true, then hidden with aria-expanded=false.	open: visible=true expanded=true; closed: visible=false expanded=false	PASS	DEF-01
NAV-05	Navigation (mobile) /	**Mobile menu closes with Escape and releases scroll lock** iPhone 13 emulation, menu open. Open / → Tap "Menu" → Press Escape → Scroll page	Menu closes; page scrolls.	menu visible=false, scrollY after scroll=1200	PASS	DEF-01
NAV-06	Navigation (mobile) /	**Mobile menu item navigates and closes the menu** iPhone 13 emulation. Open / → Tap "Menu" → Tap "Contact"	Menu closes and #contact is in view.	menu visible=false, #contact in view=true	PASS	DEF-01
NAV-07	Navigation /	**Header hides on scroll down and returns on scroll up** Desktop. Open / → Scroll down 2500px → Scroll up 300px	Header translated off-screen after scrolling down, visible after scrolling up.	header bottom after down=0px, after up=64px	PASS	—
NAV-08	Navigation / A11y /	**Skip link is first focus stop and moves to main content** Desktop, fresh load. Open / → Press Tab → Press Enter	First Tab focuses a visible "Skip to content" link; Enter moves to #main.	first focus="Skip to content", visible=true, hash after Enter="#main"	PASS	—

ID	Area / route	Objective & steps	Expected	Actual (final)	Status	Defect
NAV-09	Navigation / footer	**Footer Privacy and Terms links route correctly** Desktop. Open / → Click footer "Privacy policy" → Click footer "Terms"	/privacy then /terms render with h1.	/privacy (h1 "Privacy Policy"), /terms (h1 "Privacy Policy")	PASS	—
NAV-10	Navigation / footer	**Footer "Back to top" returns to the top** Desktop, scrolled to footer. Open / → Scroll to bottom → Click "Back to top"	scrollY returns to ~0.	scrollY=0	PASS	—
NAV-11	Navigation / A11y (mobile) /	**Focus stays inside the open mobile menu (focus containment)** iPhone 13 emulation, menu open, keyboard used. Open / → Tap "Menu" → Press Tab 25 times	Focus never reaches page content behind the menu while it is open (leaving the document to browser UI after the last control is allowed).	focus stayed within menu/header for 25 Tab presses	PASS	DEF-01
RT-02	Routing /this-page-does-not-exist	**Unknown route shows the 404 page and "Back home" works** Desktop. Open /this-page-does-not-exist → Click "Back home"	404 content shown; Back home goes to /.	404 text present=true, after Back home path=/	PASS	—
RT-03	Routing /work/not-a-project	**Unknown project slug renders the 404 page** Desktop. Open /work/not-a-project	404 page content rendered, no crash.	404 content=true; title="Not found — WebBirth"	PASS	—
RT-04	Routing /work/category/not-a-category	**Unknown category slug is handled gracefully** Desktop. Open /work/category/not-a-category	404 page (or redirect to /work); no blank page, no crash.	path=/work; main text starts "Portfolio — curated from 1000+ delivered projectsBrowse categoriesSele"	PASS	—
RT-05	Routing /work/bussguru	**Browser refresh on a deep route re-renders the page** Desktop, served by vite preview (SPA fallback). Production rewrites verified from netlify.toml / vercel.json only. Open /work/bussguru → Reload	Page renders with case title after reload.	h1 after reload="BussGuru"	PASS	—
RT-06	Routing / → /work → case → back/forward	**Browser Back and Forward restore pages without blank screens** Desktop. Open / → Go to /work (header link) → Open a case study → Browser Back → Browser Forward	Each history step shows the correct page with visible content.	case=/work/zenith-health; back → /work (h1=1); forward → /work/zenith-health (case title=1); app blank=false	PASS	—
RT-07	Routing / Transitions /work/alai-rescues → next	**"Next case" from the bottom of a case study (desktop)** desktop viewport, scrolled to page bottom. Open /work/alai-rescues → Scroll to bottom → Activate "Next case"	Next case page at scroll 0, curtain lifted, title visible, app not blank, no errors.	path=/work/enrich-global-academy, scrollY=0, title="Enrich Global Academy", curtain lifted=true, blank=false	PASS	—
RT-07M	Routing / Transitions /work/alai-rescues → next	**"Next case" from the bottom of a case study (mobile)** mobile viewport, scrolled to page bottom. Open /work/alai-rescues → Scroll to bottom → Activate "Next case"	Next case page at scroll 0, curtain lifted, title visible, app not blank, no errors.	path=/work/enrich-global-academy, scrollY=0, title="Enrich Global Academy", curtain lifted=true, blank=false	PASS	—
RT-08	Routing /work/bussguru → /#contact	**"Start a project" on a case study lands on the Home contact form** Desktop. Open /work/bussguru → Click "Start a project"	Path / with #contact in view.	path=/, #contact in view=true	PASS	—

ID	Area / route	Objective & steps	Expected	Actual (final)	Status	Defect
WK-01	Work /work	**"Browse categories" scrolls to the categories list** Desktop. Open /work → Click "Browse categories"	#categories in view.	#categories in view=true	PASS	—
WK-02	Work /work → category → case	**Category row opens the category page and its project links open case studies** Desktop. Open /work → Click first category → Click the first project in the list	Category page lists projects; project link opens its case study.	category=/work/category/legal-healthcare-enterprise (10 project links) → /work/mediify title="Mediify"	PASS	—
WK-03	Work /work/category/more-of-our-work	**"More of our work" (coming soon) category behaviour** Desktop. Open /work/category/more-of-our-work	Page renders a clear coming-soon state with a way back; no errors.	coming-soon text=true, back links=1	PASS	—
WK-04	Work /work	**Scene "View case study" buttons open the matching case study** Desktop. Open /work → Click the first "View case study"	Navigates to that project.	href=/work/mediify, landed=/work/mediify	PASS	—
CS-01	Case studies all 31 /work/:slug	**Every case study: Next case target, Visit live site, Get the app, All work link** Desktop. For each of the 31 projects open its case study → Read the Next case href, live-site link and Play Store link	Next case = following project (last wraps to first); live/app links match data, open in new tab with rel protection; "All work" → /work.	31 case studies verified, 0 problems	PASS	—
CS-05	Case studies /work/bussguru	**Flow-map stage buttons scroll to the matching stage card (desktop)** Desktop, flow map visible. Open /work/bussguru → Scroll to the case-study flow → Click the "Resolved" node	The Resolved stage card scrolls into view.	#cs-resolved in view=true	PASS	—
CS-06	Case studies (mobile) /work/bussguru	**Mobile stage pill reflects the current stage while scrolling** iPhone 13 emulation. Open /work/bussguru → Scroll to the Timeline stage	Pill shows "02/04" and the Timeline label.	pill="02/04 Timeline → Problem Statement"	PASS	—
HM-01	Home /	**Hero "Let's build something" CTA scrolls to the contact form** Desktop. Open / → Click the hero CTA	#contact in view.	#contact in view=true	PASS	—
HM-02	Home /	**Hero "View our work" link** Desktop. Open / → Click "View our work"	Work content reached (#work in view or /work page).	path=/, #work in view=true	PASS	—
HM-03	Home (mobile) /	**Services accordion opens and closes on tap** iPhone 13 emulation. Open / → Scroll to Services → Tap the second service → Tap it again	aria-expanded true then false; panel content visible when open.	after 1st tap expanded=true (panel 476px), after 2nd tap expanded=false	PASS	—
HM-04	Home /#reviews	**Home testimonials: dot tabs and arrow controls change the active review** Desktop. Open / → Scroll to testimonials → Click testimonial tab 3 → Click the next arrow	Tab 3 becomes selected, then tab 4.	tab3 selected=true, after next tab4 selected=true	PASS	DEF-04

ID	Area / route	Objective & steps	Expected	Actual (final)	Status	Defect
HM-05	Home /	**Technology network: selecting a technology shows its details** Desktop. Open / → Scroll to "Built with purpose" → Click a technology node	Details panel updates to the selected technology.	panel text changed=true	PASS	—
HM-07	Home /	**Stats count up to their final values** Desktop. Open / → Scroll to "In numbers" → Wait 3s	Shows 1000+, 15+, 20+, 06 (as in site data).	found 1000/15/20 in rendered stats=true	PASS	—
CF-01	Contact form /#contact	**Submitting an empty form shows required-field errors and focuses the first invalid field** Desktop. Open /#contact → Click "Send inquiry" with all fields empty	Errors for name, email, project type, message; focus on Name.	error messages found 4/4; focused field="name"	PASS	—
CF-02	Contact form /#contact	**Invalid email and phone formats are rejected** Desktop. Enter name, email "abc@", phone "12ab", choose a project type, message "Need a website quickly" → Submit	"That email doesn't look right" and phone format error shown; no submission.	email error=true, phone error=true	PASS	—
CF-03	Contact form /#contact	**An error clears as soon as the field is corrected** Desktop, name error shown. Submit empty form → Type a name	Name error disappears.	name error still shown=false	PASS	—
CF-04	Contact form /#contact	**Valid inquiry with no endpoint configured uses the e-mail fallback (no message sent)** Desktop. No backend endpoint configured; mail client launch is not observable in headless Chrome. Fill all required fields with test data → Submit	Status "Your email app should open..." and a pre-filled mailto: link to info@webbirth.in containing the entered data.	status="Your email app should open with the inquiry ready to send."; browser requested navigation to mailto:info@webbirth.in?subject=Project%20inquiry%20%E2%80%9... with name+email prefilled=true	PASS	DEF-17
CF-05	Contact form /#contact	**Honeypot-filled submissions are silently ignored** Desktop. Fill valid data → Set hidden "website" field → Submit	No status message, no errors (submission dropped).	honeypot field present=true; status after submit="Fields marked * are required."	PASS	—
CF-06	Contact form /#contact	**Submission to a backend form endpoint (VITE_CONTACT_ENDPOINT)** Requires a configured endpoint. Configure VITE_CONTACT_ENDPOINT → Submit valid inquiry → Confirm receipt	HTTP 2xx, "sent" state, inquiry received.	No endpoint is configured in this project (.env absent; .env.example blank). Not simulated.	BLOCKED	DEF-17
CF-07	Contact form (mobile) /#contact	**Form inputs are ≥16px on mobile (prevents iOS auto-zoom) and are labelled** iPhone 13 emulation. On-screen keyboard occlusion cannot be emulated. Open /#contact → Inspect inputs	All text inputs/textarea have font-size ≥ 16px and an accessible label.	5 inputs ≥16px and labelled	PASS	—
TS-01	Testimonials /testimonials	**Reviews carousel next/previous buttons update the counter** Desktop. Open /testimonials → Scroll to reviews → Click next → Click previous	Counter advances to 02 then back to 01.	counter: "01 of 17 reviews" → "02 of 17 reviews" → "01 of 17 reviews" (2 buttons)	PASS	—

ID	Area / route	Objective & steps	Expected	Actual (final)	Status	Defect
CR-01	Careers /careers	**Careers contact e-mail and "View our work" link** Desktop. Open /careers → Inspect e-mail link → Click "View our work"	mailto:info@webbirth.in present; link opens /work.	mailto links=1, after click path=/work	PASS	—
UI-01	Global /	**Preloader completes and releases scrolling on first load** Desktop, cold load. Open / → Wait up to 5s	Preloader removed within ~3s; html not overflow:hidden; scrolling works.	preloader gone after 3166ms (after load event), html overflow="", scrollY=900	PASS	—
UI-02	Global (mobile) /	**Mobile sticky "Let's talk" button appears after the hero and opens the contact form** iPhone 13 emulation. Open / → Scroll past hero and pause → Tap "Let's talk"	Button visible after hero; tapping brings #contact into view.	button opacity=1, #contact in view after tap=true	PASS	—
UI-03	Global / A11y /, /work/bussguru	**Reduced-motion preference: content is visible and no errors** Desktop, prefers-reduced-motion: reduce. Open / and /work/bussguru with reduced motion	Headings visible (opacity 1), pages render, no page errors.	h1 opacity: 1, 1	PASS	—
UI-04	Global /	**Site still works when WebGL is unavailable** Chrome launched with --disable-webgl --disable-3d-apis. Open / → Scroll through the page	Hero shows its 2D fallback; no page errors; content renders.	canvases=0, h1=1	PASS	—
UI-05	Global /	**Custom cursor only on fine pointers (not on touch devices)** iPhone 13 emulation. Open /	html has no "has-cursor" class.	has-cursor=false	PASS	—
KB-01	Keyboard / A11y /	**Visible focus indicator on the first 12 keyboard stops** Desktop. Open / → Press Tab 12 times, inspect focus styling each time	Every focused control shows an outline/ring.	12/12 stops show a focus indicator	PASS	—
KB-02	Keyboard / A11y /#services	**Services list is operable by keyboard** Desktop. Press Tab repeatedly until a service button is focused → Press Enter	Service details become available (aria-expanded true) via keyboard.	on focus expanded=true, after Enter expanded=true	PASS	—
KB-03	Keyboard / A11y /#reviews	**Home testimonials support ← → keys** Desktop, focus inside testimonials. Select testimonial 1 (focus moves to its tab) → Press →	Next testimonial selected.	testimonial 2 selected=true	PASS	—
KB-04	Keyboard / A11y (mobile) /	**Closing the mobile menu with Escape returns focus to the Menu button** iPhone 13 emulation. Tap Menu → Press Escape	Focus on the Menu toggle.	focus on Menu button=true	PASS	DEF-01

Environment for every executed case: Chrome 154.0.8037.98 ; viewport shown per case in the evidence JSON (e2e-final.json).

7. UI/UX and Accessibility Findings

Visual consistency (manual review of the viewport matrices)

• Typography, spacing and component styling are consistent across pages: one type scale, a shared gutter, and the same button and pill shapes. No inconsistent component variants were found.
• Hover, focus and active states exist for buttons and links; keyboard focus is visible on all 12 checked stops (KB-01 PASS).
• Desktop and mobile behaviour is consistent; phones get adapted layouts (stacked case-study hero, mobile menu, stage pill) rather than scaled-down desktop.
• Primary CTAs ("Let's build something", "Start a project", "View next case") are clear and reachable on every page type.
• Weak points: small low-contrast meta labels (DEF-06) and small text-link tap areas (DEF-14).

Automated accessibility (axe-core, WCAG 2.0/2.1/2.2 A + AA)

Method: axe-core run on 10 representative routes at desktop 1440×900 and mobile 390×844 after scrolling the page (reduced-motion context, so measurements are taken on settled content). A second targeted pass without reduced motion found DEF-18, which only appears while animations are configured.

Rule	WCAG criterion	Baseline nodes	Final nodes	Defect
aria-prohibited-attr	4.1.2 Name, Role, Value	39	0	DEF-05
color-contrast	1.4.3 Contrast (AA)	269	267	DEF-06
definition-list	1.3.1 Info and Relationships	4	0	DEF-07
target-size	2.5.8 Target Size (AA, 2.2)	17	0	DEF-04

Per-route final results

Route	Viewport	Violations (rule: nodes)
/	desktop 1440×900	color-contrast: 74
/work	desktop 1440×900	color-contrast: 22
/work/category/legal-healthcare-enterprise	desktop 1440×900	color-contrast: 20
/work/bussguru	desktop 1440×900	color-contrast: 8
/work/sanchara-mitra-mechanic	desktop 1440×900	color-contrast: 8
/testimonials	desktop 1440×900	color-contrast: 1
/careers	desktop 1440×900	None
/privacy	desktop 1440×900	color-contrast: 7
/terms	desktop 1440×900	color-contrast: 7
/this-page-does-not-exist	desktop 1440×900	color-contrast: 7
/	mobile 390×844	color-contrast: 70
/work	mobile 390×844	color-contrast: 16
/work/category/legal-healthcare-enterprise	mobile 390×844	color-contrast: 13
/work/bussguru	mobile 390×844	color-contrast: 7
/work/sanchara-mitra-mechanic	mobile 390×844	color-contrast: 7
/testimonials	mobile 390×844	None
/careers	mobile 390×844	None
/privacy	mobile 390×844	None
/terms	mobile 390×844	None
/this-page-does-not-exist	mobile 390×844	None

Keyboard, forms and dialogs (manual-equivalent, automated in Playwright)

Case	Check	Result
NAV-08	Skip link is first focus stop and moves to main content	PASS
NAV-11	Focus stays inside the open mobile menu (focus containment)	PASS
CF-01	Submitting an empty form shows required-field errors and focuses the first invalid field	PASS
CF-02	Invalid email and phone formats are rejected	PASS

Case	Check	Result
CF-03	An error clears as soon as the field is corrected	PASS
CF-04	Valid inquiry with no endpoint configured uses the e-mail fallback (no message sent)	PASS
CF-05	Honeypot-filled submissions are silently ignored	PASS
CF-07	Form inputs are ≥16px on mobile (prevents iOS auto-zoom) and are labelled	PASS
KB-01	Visible focus indicator on the first 12 keyboard stops	PASS
KB-02	Services list is operable by keyboard	PASS
KB-03	Home testimonials support ← → keys	PASS
KB-04	Closing the mobile menu with Escape returns focus to the Menu button	PASS

Other accessibility checks

- Reduced motion: content is visible with prefers-reduced-motion (UI-03 PASS); animations collapse to fades and loops stop.
- Without WebGL, the site falls back to 2D visuals (UI-04 PASS).
- Skip link present and first in tab order (NAV-08 PASS). Single <h1> on every route in the final sweep.
- Images: no image without an alt attribute in any render; decorative images use alt="".
- Zoom / reflow: no horizontal scrolling at 320 CSS px (WCAG 1.4.10).
- Not verified: screen-reader announcement order, Windows High Contrast mode, 200% text-only zoom.

8. Performance and Technical Findings

Lighthouse 12 (simulated throttling)

Run	Form	Route	Perf	A11y	BP	SEO	FCP	LCP	TBT	CLS	SI
Baseline	mobile	/	26	86	96	92	6.4 s	10.2 s	12,610 ms	0.004	11.7 s
Baseline	mobile	/work	58	92	100	92	3.2 s	5.1 s	500 ms	0.003	5.8 s
Baseline	mobile	/work/bussguru	37	88	100	92	3.2 s	5.5 s	2,970 ms	0	8.1 s
Baseline	mobile	/testimonials	0	96	100	92	3.3 s	NO_LCP	—	0.007	6.4 s
Baseline	desktop	/	47	86	100	92	1.4 s	2.1 s	3,260 ms	0.012	4.4 s
Baseline	desktop	/work	93	92	100	92	0.6 s	1.0 s	130 ms	0.009	2.0 s
Baseline	desktop	/work/bussguru	70	88	100	92	0.7 s	1.0 s	490 ms	0.042	2.7 s
Baseline	desktop	/testimonials	0	92	100	92	0.7 s	NO_LCP	—	0.021	2.3 s
Final	mobile	/	26	93	96	100	6.1 s	9.5 s	14,190 ms	0.004	11.0 s
Final	mobile	/work	62	96	100	100	3.2 s	4.9 s	440 ms	0.003	5.4 s
Final	mobile	/work/bussguru	15	96	100	100	3.7 s	8.5 s	9,600 ms	0.262	15.4 s
Final	mobile	/testimonials	0	100	100	100	3.2 s	NO_LCP	—	0.007	5.6 s
Final	desktop	/	44	93	100	100	1.5 s	2.3 s	3,190 ms	0.011	4.8 s
Final	desktop	/work	87	96	100	100	0.7 s	1.1 s	200 ms	0.003	2.3 s
Final	desktop	/work/bussguru	66	96	100	100	0.7 s	1.1 s	610 ms	0.042	2.9 s
Final	desktop	/testimonials	0	96	100	100	0.7 s	NO_LCP	—	0.021	2.6 s

EV-PERF — lh-baseline.json / lh-final2.json. Mobile preset: Moto G Power emulation, 4× CPU slowdown, slow 4G. Desktop preset: 1350×940, 10 Mbps. Scores vary by ±5 between runs on this machine.

Variance note: the final run for mobile /work/bussguru (Performance 15, CLS 0.262, TBT 9.6 s) was an outlier. Three immediate repeats on the same build measured Performance 38 / 40 / 40, TBT 2.95 / 2.45 / 2.35 s, CLS 0 / 0 / 0 and LCP 5.4 / 5.1 / 5.0 s, consistent with the baseline (37). No performance regression was introduced; no performance improvement was attempted (DEF-12 open).

Console, network and runtime errors

Baseline sweep: 2 console error(s) and 2 failed request(s). All were net::ERR_CONNECTION_REFUSED from one momentary preview-server interruption (also the cause of the single page without an <h1> at 1920×1080 on /work/fit-muscle); that page rendered normally in every other render. After fixes: 0 errors, 0 failed requests across 528 renders. Functional suite final run: 0 cases logged console errors.

Build, type-check, lint, automated tests, dependencies

Check	Result
npm run build (tsc --noEmit + vite build) — baseline	Exit 0; built in 1.36 s; warning: chunks > 500 kB (DEF-16)
npm run build — final	Exit 0 (one intermediate type error in my own first DEF-18 patch, SplitText type names, was corrected before the final build)
Type-check (tsc 7.0.2)	0 errors
Lint	Not available: no ESLint/Prettier configuration in the project (recommendation: add ESLint with jsx-a11y)
Automated test suites in repo	None exist; this audit's Playwright suites are provided as scripts in the audit workspace
npm audit --omit=dev	found 0 vulnerabilities

Security observations (static review of src/ and the built dist/)

• No hard-coded secrets, API keys, tokens or private keys found (pattern scan of src/, dist/, index.html). Only .env.example (blank endpoint) is present.
• No dangerouslySetInnerHTML, eval, new Function or innerHTML assignments in application code.
• All target="_blank" links carry rel="noreferrer" (verified in every render: 0 unprotected).
• Contact form: client-side validation plus a honeypot field (CF-05 PASS). With a real endpoint, server-side validation and rate-limiting will be required. Client-side checks are not a security control.
• No http:// (insecure) URLs in source. User input is only placed into a mailto: URL through encodeURIComponent.
• Lighthouse "valid-source-maps" (informational): no source maps are published, which is acceptable for production.

9. Complete Defect Register

19 defects, ordered by severity. Severity scale: P0 Critical (blocks use / data loss), P1 High (major degradation for many users), P2 Medium (significant for some users or a WCAG AA failure), P3 Low (minor / advisory).

ID	Sev	Title	Status
DEF-12	P1	Mobile performance: very high main-thread blocking and slow LCP on Home and case studies	Open
DEF-01	P2	Mobile menu (role=dialog, aria-modal) did not contain keyboard focus	Fixed – verified
DEF-02	P2	Home hero headline overlapped the intro paragraph on short small phones	Fixed – verified
DEF-03	P2	Careers hero body text drawn over the orange arch graphics on wide-but-short screens	Fixed – verified
DEF-04	P2	Interactive targets below 24×24 px (WCAG 2.5.8 Target Size Minimum)	Fixed – verified (dots); see DEF-19 for moving 3D labels
DEF-05	P2	Star ratings exposed via aria-label on a role-less	Fixed – verified
DEF-06	P2	Text colour contrast below WCAG 1.4.3 (4.5:1 / 3:1 large)	Partially fixed
DEF-17	P2	Contact form has no server endpoint configured; inquiries rely on the visitor's e-mail client	Open (configuration)
DEF-18	P2	Animated headings: text labels attached to non-labellable elements (screen-reader silence risk)	Fixed – verified
DEF-07	P3	Case-study meta list: <dl> groups contained elements other than <dt>/<dd>	Fixed – verified
DEF-08	P3	Lead Journal card link had no accessible name	Fixed – verified
DEF-09	P3	Accessible name did not contain visible label (WCAG 2.5.3)	Fixed – verified
DEF-10	P3	No robots.txt (SPA fallback served HTML)	Fixed – verified
DEF-11	P3	Text smaller than 10.5 px	Fixed – verified (decorative remainder accepted)
DEF-13	P3	/testimonials reports no Largest Contentful Paint	Open
DEF-14	P3	Small text-link touch targets (advisory)	Open (advisory)
DEF-15	P3	Images without explicit dimensions on mobile Home	Open
DEF-16	P3	Large JavaScript chunks (build warning > 500 kB)	Open
DEF-19	P3	Orbiting technology labels overlap each other on small screens	Open

DEF-12 · Mobile performance: very high main-thread blocking and slow LCP on Home and case studies

Field	Detail
Severity / impact	P1 — Lighthouse mobile Performance 26 on Home (TBT 12,610 ms, LCP 10.2 s); 37–42 on a case study. Desktop Home 46–47 (TBT 3.3–3.5 s). Real-device impact: delayed interactivity and janky scrolling on mid-range phones (measured in the earlier smoothness audit).
Affected routes	/, /work/:slug (measured: /work/bussguru), /work
Viewports / devices	Lighthouse mobile (Moto G Power emulation, simulated 4G + 4× CPU); desktop also affected on /
Reproduction	Run Lighthouse 12 (mobile preset) against the production build of / .
Expected	Performance ≥ 70, TBT < 600 ms, LCP < 4 s on mobile.
Actual	See section 8 table (baseline and final runs).
Root cause	Three WebGL scenes (hero glass, particle morph, tech network) plus ~135 ScrollTriggers and SplitText reveals on Home; react-three-fiber chunk 913 kB (242 kB gzip) and motion chunk 312 kB.
Recommended / applied resolution	Mobile "lite" mode: replace the three WebGL scenes with static art below 768 px (also avoids downloading the 3D chunk); reduce scroll-linked effects on phones; defer non-critical animation setup until idle.
Status	Open
Retest result	Not fixed in this audit (architectural change; requires design sign-off).
Evidence	EV-PERF

DEF-01 · Mobile menu (role=dialog, aria-modal) did not contain keyboard focus

Field	Detail
Severity / impact	P2 — With the full-screen menu open, Tab moved focus onto links and buttons of the page hidden behind the menu (12 of 25 Tab presses).
Affected routes	All routes (global Navbar)
Viewports / devices	All viewports < 1024 px (hamburger menu)
Reproduction	1. Open / at 390×844. 2. Tap “Menu”. 3. Press Tab repeatedly.
Expected	Focus stays within the menu and its toggle (WCAG 2.4.3, ARIA modal dialog pattern).
Actual	Focus reached page content, e.g. “Let’s build something” (baseline NAV-11 FAIL).
Root cause	aria-modal="true" is not enforced by browsers; the page behind remained focusable.
Recommended / applied resolution	While the menu is open, all siblings of the header except the menu are made inert (src/components/Navbar.tsx).
Status	Fixed – verified
Retest result	NAV-11 PASS; NAV-04/05/06 and KB-04 PASS. A regression introduced by the first version of the fix (the menu itself was made inert, NAV-06 FAIL) was caught and corrected before final verification.
Evidence	EV-E2E-NAV11

DEF-02 · Home hero headline overlapped the intro paragraph on short small phones

Field	Detail
Severity / impact	P2 — “NEXT.” overlapped the first line of the hero paragraph by 10 px.
Affected routes	/
Viewports / devices	320×568 (short, narrow phones)
Reproduction	Open / at 320×568 and wait for the intro to finish.
Expected	Headline and paragraph do not overlap.
Actual	Overlap of 10 px (measured: h1 bottom 298 px, paragraph top 288 px).
Root cause	Mobile headline size was 17.5 vw regardless of viewport height inside a fixed-height hero.
Recommended / applied resolution	Size capped by height: text-[min(17.5vw,8.5svh)] (src/components/Hero.tsx). Unchanged at ≥ 390×844.
Status	Fixed – verified
Retest result	h1 bottom 278 px, paragraph top 288 px (10 px gap). Before/after: EV-BA-HOME.
Evidence	EV-BA-HOME

DEF-03 · Careers hero body text drawn over the orange arch graphics on wide-but-short screens

Field	Detail
Severity / impact	P2 — Body copy and the e-mail address sat on top of the orange arches, reducing legibility.
Affected routes	/careers
Viewports / devices	1024×768, 844×390 (and other short landscape sizes)
Reproduction	Open /careers at 1024×768.
Expected	Copy sits above the decorative arches.
Actual	Two paragraphs overlap the arches (screenshot EV-BA-CAREERS).
Root cause	Section bottom padding (192/224 px) was smaller than the arch layer height (280/340 px).
Recommended / applied resolution	Bottom padding raised above the arch height at each breakpoint (src/pages/CareersPage.tsx).
Status	Fixed – verified
Retest result	Visual re-check at 1024×768 and 844×390: copy clear of arches (EV-BA-CAREERS, EV-BA-CAREERS-L).
Evidence	EV-BA-CAREERS

DEF-04 · Interactive targets below 24×24 px (WCAG 2.5.8 Target Size Minimum)

Field	Detail
Severity / impact	P2 — Home testimonial dot tabs were 6×6 px; technology-network labels were ~20 px tall.
Affected routes	/
Viewports / devices	All
Reproduction	Run axe-core target-size on / .
Expected	Targets ≥ 24×24 px or sufficiently spaced.
Actual	axe-core target-size: 17 failing nodes (baseline).
Root cause	Dots rendered as the button itself; labels used py-1 at 0.72 rem.
Recommended / applied resolution	Dots now sit inside 24×24 px buttons (TestimonialsSection.tsx); labels min-height 24 px (three/TechScene.tsx).
Status	Fixed – verified (dots); see DEF-19 for moving 3D labels
Retest result	axe-core target-size final: 0 nodes in the WCAG scan; Lighthouse mobile still reports DEF-19.
Evidence	EV-AXE

DEF-05 · Star ratings exposed via aria-label on a role-less

Field	Detail
Severity / impact	P2 — "5 out of 5 stars" labels used aria-label on spans without a role (aria-prohibited-attr); assistive technology may ignore the label.
Affected routes	/, /testimonials
Viewports / devices	All
Reproduction	Run axe-core on /testimonials.
Expected	Accessible rating text.
Actual	aria-prohibited-attr: 39 nodes (baseline axe scan).
Root cause	aria-label is not permitted on generic elements.
Recommended / applied resolution	role="img" added (TestimonialBits.tsx, TestimonialsPage.tsx).
Status	Fixed – verified
Retest result	axe-core aria-prohibited-attr final: 0.
Evidence	EV-AXE

DEF-06 · Text colour contrast below WCAG 1.4.3 (4.5:1 / 3:1 large)

Field	Detail
Severity / impact	P2 — Brand orange #f2571c on #f3f2ee is 3.04:1 for small labels (nav labels, stage labels, numbering); muted greys #a3a19c (2.3:1), #aeadaa (2.0:1), #95938f (2.73:1); decorative italic numbers #dcdbd7 (1.23:1); Careers "not hiring" #9e9a98 on #ded8d6 (1.97:1, large text).
Affected routes	/, /work, categories, case studies, /privacy, /terms, 404, /testimonials (desktop)
Viewports / devices	All
Reproduction	Run axe-core color-contrast.
Expected	≥ 4.5:1 (≥ 3:1 for large text).
Actual	Baseline 269 failing nodes across 20 scans.
Root cause	Brand palette tokens used for small text.
Recommended / applied resolution	Careers phrase darkened to #77716e (passes). Remaining items need a design decision: e.g. use accent-deep (#8c2a05) for small orange text and darken muted greys to ≥ #6d6b66.
Status	Partially fixed
Retest result	Final 267 failing nodes; /careers now has no violations.
Evidence	EV-AXE

DEF-17 · Contact form has no server endpoint configured; inquiries rely on the visitor's e-mail client

Field	Detail
Severity / impact	P2 — VITE_CONTACT_ENDPOINT is unset, so a valid submission opens a mailto: link. Visitors without a configured mail client (common on desktop) cannot complete the inquiry; nothing is delivered to WebBirth.
Affected routes	/#contact
Viewports / devices	All
Reproduction	Submit a valid inquiry.
Expected	Inquiry delivered to the business.
Actual	Browser navigates to mailto:info@webbirth.in with the inquiry pre-filled (CF-04). Server delivery not testable (CF-06 BLOCKED).
Root cause	Configuration (.env absent; .env.example blank).
Recommended / applied resolution	Configure a form endpoint (e.g. Formspree, Basin or an own API) via VITE_CONTACT_ENDPOINT and re-run CF-06.
Status	Open (configuration)
Retest result	Blocked – no endpoint available.
Evidence	EV-E2E

DEF-18 · Animated headings: text labels attached to non-labellable elements (screen-reader silence risk)

Field	Detail
Severity / impact	P2 — GSAP SplitText (default aria:"auto") put aria-label on split /<p> elements and aria-hidden on every letter/word. On generic elements the label may be ignored while the pieces are hidden, so headings such as "Have an idea? Let's build it.", "Work", "Client love", case-study summaries and stage titles may not be announced.
Affected routes	/, /work, /testimonials, all /work/:slug
Viewports / devices	All
Reproduction	Run Lighthouse accessibility (or axe aria-prohibited-attr without reduced motion) on /work.
Expected	No prohibited ARIA; text exposed once.
Actual	aria-prohibited-attr on SplitText targets (found during regression; not visible in the reduced-motion axe pass).
Root cause	Library default applied to generic elements.
Recommended / applied resolution	Central override in src/lib/gsap.ts: label kept on headings/role elements, otherwise aria:"none" so the text stays readable.
Status	Fixed – verified
Retest result	axe-core (normal motion) on /, /work, /testimonials, /work/bussguru desktop+mobile: aria-prohibited-attr clean.
Evidence	EV-AXE2

DEF-07 · Case-study meta list: <dl> groups contained elements other than <dt>/<dd>

Field	Detail
Severity / impact	P3 — A decorative rule was a direct child of each <dl> group (axe definition-list).
Affected routes	/work/:slug (31 pages)
Viewports / devices	All
Reproduction	Run axe-core on /work/bussguru.
Expected	Valid definition list.
Actual	definition-list violation on every case study.
Root cause	Markup structure.
Recommended / applied resolution	Rule moved inside <dt> and marked aria-hidden (CaseHero.tsx).
Status	Fixed – verified
Retest result	definition-list final: 0.
Evidence	EV-AXE

DEF-08 · Lead Journal card link had no accessible name

Field	Detail
Severity / impact	P3 — Image-only link to the latest blog article had no text alternative (Lighthouse link-name).
Affected routes	/ (Journal section)
Viewports / devices	All
Reproduction	Run Lighthouse on /.
Expected	Every link has an accessible name.
Actual	link-name failed.
Root cause	Decorative image (alt="") was the only content.
Recommended / applied resolution	aria-label set to the article title (InsightsSection.tsx).
Status	Fixed – verified
Retest result	Lighthouse link-name passes on / (desktop and mobile).
Evidence	EV-PERF

DEF-09 · Accessible name did not contain visible label (WCAG 2.5.3)

Field	Detail
Severity / impact	P3 — “Open the full project index” and “View Mediify” replaced the visible text of the links.
Affected routes	/ (project reel), /work (hero deck)
Viewports / devices	All
Reproduction	Run Lighthouse label-content-name-mismatch.
Expected	Name contains visible text.
Actual	Failed on / and /work.
Root cause	aria-label overriding visible content.
Recommended / applied resolution	Removed the override on the reel; deck mock-up content hidden from assistive tech (ProjectShowcase.tsx, WorkPage.tsx).
Status	Fixed – verified
Retest result	axe-core label-content-name-mismatch clean on / and /work (desktop + mobile).
Evidence	EV-AXE2

DEF-10 · No robots.txt (SPA fallback served HTML)

Field	Detail
Severity / impact	P3 — Requests for /robots.txt returned index.html (Lighthouse: 28 errors), lowering the SEO score to 92.
Affected routes	/robots.txt
Viewports / devices	n/a
Reproduction	GET /robots.txt
Expected	Valid robots file.
Actual	HTML document returned.
Root cause	File missing in public/.
Recommended / applied resolution	public/robots.txt added (User-agent: * / Allow: /). A sitemap reference was not added because the production domain is not confirmed.
Status	Fixed – verified
Retest result	Lighthouse SEO 100 on all 8 final runs.
Evidence	EV-PERF

DEF-11 · Text smaller than 10.5 px

Field	Detail
Severity / impact	P3 — Hero rail numbers and the "Web + App" badge rendered at 9.6 px; browser-bar text inside decorative project mock-ups at 6.8–8.5 px.
Affected routes	/, /work, /work/category/marketplaces-booking-commerce
Viewports / devices	All
Reproduction	Responsive sweep tiny-text check.
Expected	Readable text ≥ ~10.5 px.
Actual	420 tiny-text instances in baseline sweep.
Root cause	Hard-coded 0.6 rem sizes.
Recommended / applied resolution	Rail numbers and badge raised to 0.68 rem. Mock-up browser chrome accepted as decorative (part of the device illustration).
Status	Fixed – verified (decorative remainder accepted)
Retest result	331 instances after; all remaining are decorative mock-up address bars.
Evidence	EV-SWEEP

DEF-13 · /testimonials reports no Largest Contentful Paint

Field	Detail
Severity / impact	P3 — Lighthouse cannot compute LCP (NO_LCP) so the Performance score shows 0; real-user LCP would also be missing from field data.
Affected routes	/testimonials
Viewports / devices	Lighthouse mobile + desktop
Reproduction	Run Lighthouse on /testimonials.
Expected	LCP recorded.
Actual	NO_LCP (runtimeError none).
Root cause	Not established; likely all large content is first painted at opacity 0 by reveal animations, which Chrome excludes from LCP.
Recommended / applied resolution	Render the hero heading visible on first paint (animate transform only) and re-measure.
Status	Open
Retest result	n/a
Evidence	EV-PERF

DEF-14 · Small text-link touch targets (advisory)

Field	Detail
Severity / impact	P3 — "All work" (83×16), "All Categories" (125×16), "Back home" (81×15), "Share review" (16×16), "Hover to react" (104×16), Google/Justdial links (~20 px tall).
Affected routes	/work/:slug, /work/category/*, /testimonials, 404, / (reviews)
Viewports / devices	Touch viewports
Reproduction	Responsive sweep target-size check at touch viewports.
Expected	Comfortable 44×44 px touch targets (WCAG 2.5.5 AAA / platform guidance).
Actual	Pass WCAG 2.5.8 AA through the spacing exception (axe), but below recommended touch size.
Root cause	Inline text links without padding.
Recommended / applied resolution	Add min-h-11 / padding to these links.
Status	Open (advisory)
Retest result	n/a
Evidence	EV-SWEEP

DEF-15 · Images without explicit dimensions on mobile Home

Field	Detail
Severity / impact	P3 — Lighthouse unsized-images (score 0.5).
Affected routes	/
Viewports / devices	Mobile
Reproduction	Lighthouse mobile /.
Expected	width/height on images.
Actual	Audit failing.
Root cause	Not established per image.
Recommended / applied resolution	Add width/height or aspect-ratio to the flagged images.
Status	Open
Retest result	n/a
Evidence	EV-PERF

DEF-16 · Large JavaScript chunks (build warning > 500 kB)

Field	Detail
Severity / impact	P3 — react-three-fiber chunk 913 kB (242 kB gzip); motion (GSAP/Lenis/Framer) 312 kB; app 317 kB.
Affected routes	Build
Viewports / devices	n/a
Reproduction	npm run build
Expected	No oversized chunks.
Actual	Vite warning on every build.
Root cause	3D stack bundled as one chunk.
Recommended / applied resolution	Load 3D only on capable desktops (see DEF-12); split Framer Motion where only used on case pages.
Status	Open
Retest result	n/a
Evidence	EV-BUILD

DEF-19 · Orbiting technology labels overlap each other on small screens

Field	Detail
Severity / impact	P3 — Labels in the rotating 3D network periodically overlap, leaving as little as 14–20 px of clear target area.
Affected routes	/ (Built with purpose)
Viewports / devices	Mobile (Lighthouse Moto G emulation)
Reproduction	Run axe target-size on / at mobile width without reduced motion.
Expected	Targets not obscured.
Actual	Laravel label partially obscured (smallest clear area 71.5×14.2 px).
Root cause	Labels follow the 3D rotation; positions are continuous.
Recommended / applied resolution	Pause the orbit while a label has focus/hover, or use the static 2D layout on phones.
Status	Open
Retest result	n/a
Evidence	EV-AXE2

10. Fixes Implemented

Defect	Files changed	Change	Pages / viewports	Verification
DEF-01	src/components/Navbar.tsx	While the mobile menu is open, every sibling of the header except the menu gets the inert attribute; removed on close.	All routes, < 1024 px	NAV-11, NAV-04/05/06, KB-04 PASS
DEF-02	src/components/Hero.tsx	Mobile headline size text-[min(17.5vw,8.5svh)].	/ phones (only short screens change)	Geometry: 10 px gap; EV-BA-HOME
DEF-03	src/pages/CareersPage.tsx	Hero bottom padding 250/310/370 px (> arch height per breakpoint).	/careers all	EV-BA-CAREERS(-L)
DEF-04	src/components/TestimonialsSection.tsx, src/components/three/TechScene.tsx	24×24 px dot buttons with inner visual dot; labels min-height 24 px.	/ all	axe target-size: 0 in final WCAG scan; HM-04, KB-03 PASS
DEF-05	src/components/TestimonialBits.tsx, src/pages/TestimonialsPage.tsx	role="img" on star-rating spans.	/, /testimonials	axe aria-prohibited-attr 0
DEF-06 (part)	src/pages/CareersPage.tsx	“not hiring” colour #9e9a98 → #77716e.	/careers	axe: /careers no violations
DEF-07	src/components/CaseHero.tsx	Decorative rule moved inside <dt>, aria-hidden.	31 case studies	axe definition-list 0
DEF-08	src/components/InsightsSection.tsx	aria-label={post.title} on image-only article link.	/	Lighthouse link-name pass
DEF-09	src/components/ProjectShowcase.tsx, src/pages/WorkPage.tsx	Removed overriding aria-label; decorative mock-up wrapped aria-hidden.	/, /work	axe label-content-name-mismatch clean
DEF-10	public/robots.txt (new)	Allow-all robots file.	Site-wide	Lighthouse SEO 100
DEF-11	src/components/Hero.tsx, src/pages/WorkCategoryPage.tsx	0.6 rem → 0.68 rem for rail numbers and “Web + App” badge.	/, category	Sweep tiny-text: only decorative mock-up text remains
DEF-18	src/lib/gsap.ts	SplitText.create wrapper: aria:"auto" only for headings/role elements, otherwise aria:"none".	All animated headings	axe (normal motion) aria-prohibited-attr clean on 4 routes × 2 sizes; full functional suite PASS

No dependencies were added, no routes or business logic changed, and brand colours, typography and layouts are unchanged except where listed. The decision on the remaining brand-colour contrast items is left to the design owner.

11. Regression and Final Verification

Check repeated after fixes	Scope	Result
Full responsive sweep	528 renders (44 routes × 12 viewports)	0 horizontal scroll, 0 off-screen, 0 clipped text, 0 broken images, 0 errors, 0 failed requests
Final reduced sweep (after DEF-18 / last fixes)	176 renders (44 routes × 1440, 1024, 390, 320)	0 h-scroll, 0 off-screen, 0 clipped, 0 errors, 0 failed requests
Functional suite	50 cases	PASS 49, FAIL 0, BLOCKED 1
axe-core WCAG scan	20 scans	Only color-contrast remains (267 nodes)
Targeted axe (normal motion)	/, /work, /testimonials, /work/bussguru × desktop + mobile	Clean except DEF-19 (moving tech labels, mobile)
Lighthouse	8 runs	SEO 92 → 100 everywhere; accessibility up 3–4 points on Home and case study; performance unchanged (not targeted)
Build + type-check	npm run build	Exit 0

Regressions found during verification

1. The first DEF-01 fix also made the menu itself inert (the menu is rendered as a sibling of <header>), so menu links could not be activated (NAV-06 FAIL). Corrected by excluding the menu and re-verified.
2. The first DEF-18 patch used type names that do not exist in the GSAP typings, so the build failed. Corrected before the final build.
No regression remains open.

Unresolved defects

ID	Sev	Title	Status
DEF-12	P1	Mobile performance: very high main-thread blocking and slow LCP on Home and case studies	Open
DEF-06	P2	Text colour contrast below WCAG 1.4.3 (4.5:1 / 3:1 large)	Partially fixed
DEF-17	P2	Contact form has no server endpoint configured; inquiries rely on the visitor's e-mail client	Open (configuration)
DEF-13	P3	/testimonials reports no Largest Contentful Paint	Open
DEF-14	P3	Small text-link touch targets (advisory)	Open (advisory)
DEF-15	P3	Images without explicit dimensions on mobile Home	Open
DEF-16	P3	Large JavaScript chunks (build warning > 500 kB)	Open
DEF-19	P3	Orbiting technology labels overlap each other on small screens	Open

Blocked and untested areas

- CF-06 — Contact form delivery to a server endpoint: BLOCKED (no endpoint configured).
- Safari / iOS and Firefox rendering: not tested.
- Physical devices, on-screen keyboard behaviour, safe-area insets: not tested (emulation only).
- Screen-reader walkthrough: not tested.
- Production hosting (CDN, headers, HTTPS, redirects): not tested; the audit used a local production build.

12. Final Release Readiness

Status	Basis
READY WITH KNOWN ISSUES	No P0 defects. All 49 executed functional cases pass, and no layout, overflow or runtime errors appear at any of the 12 viewports. One P1 remains open (mobile performance), plus P2 items: contrast (partially fixed) and the contact-form endpoint (configuration). These degrade the experience or reduce lead capture but block no journey.

Actions required before (or immediately after) release

1. Configure VITE_CONTACT_ENDPOINT (or another delivery mechanism) and execute CF-06 so inquiries do not depend on the visitor's mail client (DEF-17).
2. Decide on accessible variants of the brand orange and muted greys for small text (DEF-06).
3. Plan the mobile performance work: lite mode without WebGL on phones and fewer scroll-linked effects (DEF-12, DEF-16).
4. Run a short manual pass on a real iPhone (Safari) and Android device, including keyboard over the contact form.
5. Optional P3 clean-up: DEF-13, DEF-14, DEF-15, DEF-19.

13. Appendix

A. Viewport matrix

ID	Size	Class	Touch	Used in
D1920	1920×1080	Full-HD desktop	no	Baseline + after sweeps
D1440	1440×900	Desktop	no	Baseline + after sweeps + final
L1366	1366×768	Laptop	no	Baseline + after sweeps
T1024	1024×768	Tablet landscape / compact desktop	no	Baseline + after sweeps + final
T768	768×1024	Tablet portrait (touch)	yes	Baseline + after sweeps
M320	320×568	Small phone	yes	Baseline + after sweeps + final
M360	360×800	Android	yes	Baseline + after sweeps
M375	375×812	iPhone X/11 Pro	yes	Baseline + after sweeps
M390	390×844	iPhone 12–14	yes	Baseline + after sweeps + final
M430	430×932	iPhone Pro Max	yes	Baseline + after sweeps
ML844	844×390	Phone landscape	yes	Baseline + after sweeps
ML568	568×320	Small phone landscape	yes	Baseline + after sweeps

B. Complete test case inventory


Functional: 50 cases (section 6). Responsive: 44 routes × 12 viewports = 528 automated render checks per round, each asserting: HTTP 200, no horizontal scroll, no off-screen/clipped text, no broken images, no console/page errors, no failed requests, exactly one <h1>, alt attribute on images, rel on new-tab links, and (touch viewports) target sizes.

ID	Area	Title	Final
NAV-01	Navigation	Desktop nav "Work" from another page lands on Home work section	PASS
NAV-02	Navigation	Desktop nav "Services" scrolls to services section on Home	PASS
NAV-03	Navigation	Logo link returns to Home	PASS
NAV-04	Navigation (mobile)	Mobile menu opens and closes with Close control	PASS
NAV-05	Navigation (mobile)	Mobile menu closes with Escape and releases scroll lock	PASS
NAV-06	Navigation (mobile)	Mobile menu item navigates and closes the menu	PASS
NAV-07	Navigation	Header hides on scroll down and returns on scroll up	PASS
NAV-08	Navigation / A11y	Skip link is first focus stop and moves to main content	PASS
NAV-09	Navigation	Footer Privacy and Terms links route correctly	PASS
NAV-10	Navigation	Footer "Back to top" returns to the top	PASS
NAV-11	Navigation / A11y (mobile)	Focus stays inside the open mobile menu (focus containment)	PASS
RT-02	Routing	Unknown route shows the 404 page and "Back home" works	PASS
RT-03	Routing	Unknown project slug renders the 404 page	PASS
RT-04	Routing	Unknown category slug is handled gracefully	PASS
RT-05	Routing	Browser refresh on a deep route re-renders the page	PASS
RT-06	Routing	Browser Back and Forward restore pages without blank screens	PASS
RT-07	Routing / Transitions	"Next case" from the bottom of a case study (desktop)	PASS
RT-07M	Routing / Transitions	"Next case" from the bottom of a case study (mobile)	PASS
RT-08	Routing	"Start a project" on a case study lands on the Home contact form	PASS
WK-01	Work	"Browse categories" scrolls to the categories list	PASS
WK-02	Work	Category row opens the category page and its project links open case studies	PASS
WK-03	Work	"More of our work" (coming soon) category behaviour	PASS
WK-04	Work	Scene "View case study" buttons open the matching case study	PASS
CS-01	Case studies	Every case study: Next case target, Visit live site, Get the app, All work link	PASS

ID	Area	Title	Final
CS-05	Case studies	Flow-map stage buttons scroll to the matching stage card (desktop)	PASS
CS-06	Case studies (mobile)	Mobile stage pill reflects the current stage while scrolling	PASS
HM-01	Home	Hero "Let's build something" CTA scrolls to the contact form	PASS
HM-02	Home	Hero "View our work" link	PASS
HM-03	Home (mobile)	Services accordion opens and closes on tap	PASS
HM-04	Home	Home testimonials: dot tabs and arrow controls change the active review	PASS
HM-05	Home	Technology network: selecting a technology shows its details	PASS
HM-07	Home	Stats count up to their final values	PASS
CF-01	Contact form	Submitting an empty form shows required-field errors and focuses the first invalid field	PASS
CF-02	Contact form	Invalid email and phone formats are rejected	PASS
CF-03	Contact form	An error clears as soon as the field is corrected	PASS
CF-04	Contact form	Valid inquiry with no endpoint configured uses the e-mail fallback (no message sent)	PASS
CF-05	Contact form	Honeypot-filled submissions are silently ignored	PASS
CF-06	Contact form	Submission to a backend form endpoint (VITE_CONTACT_ENDPOINT)	BLOCKED
CF-07	Contact form (mobile)	Form inputs are ≥16px on mobile (prevents iOS auto-zoom) and are labelled	PASS
TS-01	Testimonials	Reviews carousel next/previous buttons update the counter	PASS
CR-01	Careers	Careers contact e-mail and "View our work" link	PASS
UI-01	Global	Preloader completes and releases scrolling on first load	PASS
UI-02	Global (mobile)	Mobile sticky "Let's talk" button appears after the hero and opens the contact form	PASS
UI-03	Global / A11y	Reduced-motion preference: content is visible and no errors	PASS
UI-04	Global	Site still works when WebGL is unavailable	PASS
UI-05	Global	Custom cursor only on fine pointers (not on touch devices)	PASS
KB-01	Keyboard / A11y	Visible focus indicator on the first 12 keyboard stops	PASS
KB-02	Keyboard / A11y	Services list is operable by keyboard	PASS
KB-03	Keyboard / A11y	Home testimonials support ← → keys	PASS
KB-04	Keyboard / A11y (mobile)	Closing the mobile menu with Escape returns focus to the Menu button	PASS

C. Evidence index

Evidence ID	Description	Source artefact
EV-SWEEP	Responsive sweep data, per route × viewport	sweep-baseline.json, sweep-after.json, sweep-final.json
EV-VP-*	Viewport matrix screenshots (section 4)	sheets/*.jpg (from shots-baseline/)
EV-BA-HOME / -CAREERS / -CAREERS-L	Before/after screenshots for DEF-02, DEF-03	ba-0.png, ba-1.png, ba-2.png
EV-E2E	Functional results (baseline, rounds, final)	e2e-baseline.json, e2e-final.json, e2e-*.log
EV-E2E-NAV11	Failure screenshot at NAV-11 (menu open while focus was on a page element behind it)	e2e-baseline/NAV-11.jpg
EV-AXE	axe-core WCAG scans	axe-baseline.json, axe-final.json
EV-AXE2	Targeted axe pass without reduced motion	axe3.mjs output (section 11)
EV-PERF	Lighthouse reports (summaries)	lh-baseline.json, lh-final*.json
EV-BUILD	Build logs	build_baseline.txt, build_after.txt, build_final.txt
EV-SEC	Static security scan and npm audit	security_scan.txt, npm_audit.txt



EV-E2E-NAV11 — Menu open at the moment NAV-11 failed (baseline). The focused element was behind the menu, so it is not visible.

D. Relevant console / build output

```
[plugin builtin:vite-reporter] (!) Some chunks are larger than 500 kB after minification.
dist/assets/react-three-fiber.esm-*.js 913.45 kB │ gzip: 242.38 kB
Baseline sweep: "Failed to load resource: net::ERR_CONNECTION_REFUSED" (transient, local preview server)
Intermediate (corrected): src/lib/gsap.ts(26,40): error TS2694: Namespace 'SplitText' has no exported member 'Target'.
```

E. Methodology and glossary

Baseline → fix → regression: every check ran on the unmodified production build first, defects were fixed in priority order, and the affected and full suites were re-run on the final build.
Automated vs manual: layout, accessibility, performance and functional checks were automated. Visual quality, design consistency and the "intended design" comparison were judged manually from screenshots by the auditor. A test-script failure was never counted as a product defect: each was diagnosed, corrected and re-run, and is listed in section 6.
Off-screen text: visible text outside the viewport horizontally that is not clipped by an ancestor (marquees, carousels and decorative outlines are excluded).
Tiny text: rendered font size < 10.5 px. **TBT:** Total Blocking Time. **LCP:** Largest Contentful Paint. **CLS:** Cumulative Layout Shift. **inert:** HTML attribute that removes an element subtree from focus and interaction.
Severity: P0 Critical, P1 High, P2 Medium, P3 Low (see section 9).