UPHMIS reporting format									
Sub centre									
State			Month-						
District			Delivery point(DP) (Yes/No)-						
Block		Public/Private-	Denvery point(B1) (103/140)						
Category	Urban/Rural-	Govt building/Panchayat/ Rental	Delivery point (DP) (if yes) - L1/L2/L3-						
SC Name		building-	l l l l l l l l l l l l l l l l l l l						
Section A	Human resource	Number repo	orted for the month						
	HR (Regular/Contractual/Re-appointed)								
A1	working at facility	Regular	Contractual						
A1.1	ANM								
A1.2	MPW male								
A1.3	GNM								
A1.4	Female sweeper	North	f ACHA-						
A2	ASHA	Numbe	er of ASHAs						
A2.1 A2.2	Sanctioned Working								
A3	Aganwadi Worker (AWW)	Numh	er of AWW						
A3.1	Sanctioned Sanctioned	reamo	CI OI AVVV						
A3.2	Inpositioned								
Section B	Trained HR	No	of ANMs						
B1.1	SBA								
B1.2	NSSK								
B1.3	PPIUCD								
B1.4	IUCD								
B1.5	DMPA (injectables)								
B1.6 B1.7	HBNC Immunization								
Section C		H+A drugs, supplies and equipment as pe	er 5x5 matrix						
C1	Reproductive health		of reporting month						
C1.1	IUCD 375	5							
C1.2	IUCD 380A								
C1.3	ОСР								
C1.4	ECP								
C1.5	Condoms								
C1.6	Mifepristone + Misoprostol (MMA)								
C1.7	DMPA (injectables)								
C2	Maternal health	Closing halance	of reporting month						
C2.1	Inj. Oxytocin (applicable for DP)	Closing building	or reporting month						
C2.2	Tab Misoprostol								
C2.3	Tab Nifedipine								
C2.4	Inj. Magnesium sulfate (applicable for DP)								
C2.5	Sterile pads								
C2.5	Sanitary napkins								
C2.6 C2.7	IFA								
C2.7	Pregnancy test kit								
C2.9	Haemoglobinometer								
C2.10	Urine albumin kit								
C2.11	Inj Dexamethasone								
C2.12	Tab Paracetamol								
C2.13	Tab Calcium								
C2.14	Cord clamp (applicable for DP)								
C2.15	Labour table (applicable for DP)								
C2.16	Kelly's pad (applicable for DP)								
C2.17	Partograph (applicable for DP) (Yes/No)								
C2.18	Standard 16 protocols displayed at facility (Yes/No)								
C2.19	Availability of five/seven trays as per protocol (Yes/No)								
C3	(applicable for DP) New-born health	Closing balance	of reporting month						
C3.1	Inj. Vit K1 (1 mg/ml) (applicable for DP)	Closing balance	o oportuig month						
C3.2	Inj. Vicki (Ting/iii) (applicable for DF)								
C3.3	Amoxicillin syrup								
C3.4	Mucus extractor (applicable for DP)								
CJ.4									
C3.5	Self inflating Bag (240/500 ml) and mask with both pre term & term baby (size 0,1) available at facility (applicable for DP)								

C3.6	Clean linen/towels for receiving new born (applicable for DP)						
C3.7	Sterile cord cutting equipment (applicable for DP)						
C3.8	Designated newborn care corner (Yes/No) (applicable for DP)						
C3.9	Designated space avalilable for KMC (Yes/NO) (applicable for DP)						
C3.10	Functional radiant warmer (Yes/No) (applicable for DP)						
C4	Child health		Clo	osing balance	of reporting	month	
C4.1	ORS						
C4.2	Tab Zinc DT (20mg)						
C4.3	Syp Salbutamol						
C4.4	Salbutamol nebulizing solution						
C4.5	Syrup Albendazole						
C4.6	Syrup Vit. A						
C4.7	Tab Amoxicillin DT (125 mg)						
C4.8	Tab Amoxicillin DT (250 mg)						
C4.9	Syrup Bi-weekly IFA supplimentation						
C5	Adolescent health		Clo	osing balance	of reporting	month	
C5.1	Tablet Albendazole						
C6	Essential logistics			(Ye	es/No)		
C6.1	Bleaching powder						
C6.2	Fetoscope/Doppler						
C6.3	Soap available						
C6.4	Colour coded bins and bags (Red/Black) in sufficient						
C6.5	quntity MCP cards in sufficient quantity						
C6.6	Case sheet in sufficent quantity (only for DP)						
C6.7	Tally sheets available						
C7	Other functional equipment at facility			(Ye	es/No)		
C7.1	Weighing machine for infant						
C7.2	Weighing machine for adult						
C7.3	Hub cutter with needle destroyer						
C7.4	BP apparatus with stethoscope						
C7.5	Thermometer						
C7.6	Autoclave/Boiler						
C7.7	IUCD kit						
C7.8	PPIUCD forceps (only for DP)						
C7.9	Glucometer						
C7.10	MUAC tape						
C7.11	Height scale						
Section D		Performa	nce Indicator				
D1	Maternal health			(In r	iumber)		
D.1.1	Pregnant women visited for ANC check up			Number of p	regnant wor	nen	
D.1.2	ANC check up	Weight	ВР	Per abdomen	НВ	Urine al	bumin
D.1.2.1	Pregnant women exmined						
		Number of pregnant women					
D1.3	High risk pregnency	Hb<7 gm	Hypertension (>140/90)	Age 35+	Diabetics	Previous history of any complication*	Any other
D1.3.1	New pregnant women identified as HRP						
D1.3.2	High risk pregnency (referral and follow up done)		l				
	Services	Number of PW					
D1.4	Pregnant women given 180 IFA tablets						·
D1.5	Pregnant women given 360 calcium carbonate with D3 tablets						
D1.6	PW in the last trimester contacted by ASHA						
D1.7	Pregnant women birth plan prepared/reviewed (third						
	trimester of pregnancy) PW received full ANC check-ups (4 visits, 2 TT, 180 IFA						
D1.8	Tablets, 360 Calcium tablets, 1 Albendazole in the 2nd trimester)						
D1.9	Pregnant women status (applicable for only DP)		In labour			Not in labour	
				-			

D1.9.3.1 Referred to higher fa D1.9.3.2 Sent home healthy D1.9.3.3 Deaths at facility D1.10 Newborn (applicable D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	ty val (applicable for only DP) cility for only DP) d yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram		Women			Newborn		
D1.9.3. Outcome among arri D1.9.3.1 Referred to higher fa D1.9.3.2 Sent home healthy D1.9.3.3 Deaths at facility D1.10 Newborn (applicable D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	for only DP) d yed cord cutting procedure followed in to skin care immidiately after tamin K1 after delivery to thirth less than 1800 gram		Women			Newborn		
D1.9.3.1 Referred to higher fa D1.9.3.2 Sent home healthy D1.9.3.3 Deaths at facility D1.10 Newborn (applicable D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	for only DP) d yed cord cutting procedure followed in to skin care immidiately after tamin K1 after delivery t birth less than 1800 gram		women			Newborn		
D1.9.3.2 Sent home healthy D1.9.3.3 Deaths at facility D1.10 Newborn (applicable D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	for only DP) If yed cord cutting procedure followed in to skin care immidiately after tamin K1 after delivery to thirth less than 1800 gram							
D1.9.3.3 Deaths at facility D1.10 Newborn (applicable) D1.10.1 Still birth: Fresh D1.10.2 Still birth: Macerated D1.10.3 Newborn where delated D1.10.4 Newborn received skidelivery	yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram							
D1.10 Newborn (applicable D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerater D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram							
D1.10.1 Still birth : Fresh D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram							
D1.10.2 Still birth : Macerated D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram							
D1.10.3 Newborn where dela D1.10.4 Newborn received sk delivery	yed cord cutting procedure followed in to skin care immidiately after camin K1 after delivery t birth less than 1800 gram							
D1.10.4 Newborn received sk delivery	in to skin care immidiately after samin K1 after delivery t birth less than 1800 gram							
D1.10.4 delivery	amin K1 after delivery t birth less than 1800 gram							
	t birth less than 1800 gram							
D1.10.5 Newborn received vit								
D1.10.6 Newborn weighted a	and the second s							
D1.10.7 LBW received KMC a	s per the guideline							
D2 Maternal comp	lication (applicable for only DP)	Sent home healthy after discharge	LAMA	Died at facility	In Survive	case of out-ref	Status unknown	
D2.1 Prolonged labour								
D2.2 Obstructed labour								
D2.3 Rupture of membran	e>12 hours without labour							
<u> </u>	e >18 hours in labour						<u> </u>	
D2.5 Pregnancy induced h	ypertension							
D2.6 Mild / severe pre-Ecl								
D2.7 Eclampsia	The state of the s						†	
D2.8 Antepartum hemorrh	nage (APH)							
D2.9 Infection / sepsis)							
D2.10 Preterm labour								
D2.11 Premature rupture o	f mombrano							
D2.12 Post-partum hemorr								
D2.13 Anemia	iage (FFII)							
D2.13 Alleriid D2.14 Others							-	
DZ.14 Others		Sent home			ity Survive Died			
D3 Newborn comp	lication (applicable for only DP)	healthy after discharge	LAMA	Died at facility			Status unknown	
D3.1 Preterm birth (<37 w	eeks gestation)							
D3.2 Low birth weight (<2	500 grams)							
D3.3 Asphyxia								
D3.4 Infection / sepsis								
D3.5 Birth anomalies							<u> </u>	
D3.6 Others							<u> </u>	
D4	Child health	(Number of children 2 months to 5 yrs)						
D4.1 OPD/Clinic day	OPD/Clinic day	Pneumonia			Diarrhoea			
D4.2 Suspected/diagnosed	l by ASHA							
D4.3 Diagnosed by ANM								
D4.4 Children who receive								
D4.5 Children who receive								
D4.6 Children who receive								
D4.7 Children who received D4.8 Children referred	u only Ons							
D4.9 No.of ASHA with amo	exicillin supply							
D4.10 No.of ASHA with ORS								
D4.11 No.of ASHA with only	ORS stock							
D4.12 No.of ASHA with only								
D4.13 No of young infants ANM	0-2 month) diagnosed with sepsis by							
D4.14 No. of young infants	given pre-referral dose							
D4.15 No of young infants v	vho completed 7-day antibiotic		-					
D4.16 No of young infants v	who were treated by ANM and survived							

D4.17	No of children given Bi weekly IFA supplementation (small IFA tab/syrup)						
D4.18	Child immunization			Numbe	r of children		
D4.18.1	Infants 0 to 11 months old who received f-IPV-1						
D4.18.2	Infants 0 to 11 months old who received f-IPV-2						
D4.18.3	Infants 0 to 11 months old who received IPV-im						
D5	Family planning				r of services		
D5.1	DMPA (Inj. Antara)	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6
D5.1.1	Acceptors		_	_			
	1st Dose of DMPA	Post abo	ortion	Post p	artum	Inte	rval
D5.1.2	Women			- 1			D14D4 (L.:
D5.2	Follow-up/complications	Male Steri	llization	Female Sterilization	PPIUCD	IUCD	DMPA (Inj. Antara)
D5.2.1	Follow-up cases						
D5.2.2	Complications						
D5.3	Beneficiaries received counselling for FP						
D5.4	Beneficiaries presented with complete Basket of Choice						
D6	JSSK			Numl	ber of PW		
D6.1	PW under JSSK received drugs and consumables (only at DP)						
Section E	Process indicator			(In ı	number)		
E.1	AAA meeting planned (Yes/No)						
E.2	AAA meeting held (Yes/No)						
E.3	ASHAs present in meeting						
E.4	AWWs present in meeting						
E.5	VHSNC formulated/constituted						
E.6	VHSNC meeting held						
E.7	VHND/RI sessions supported by AVD						
E.8	Whether microplan review exercise conducted (Yes/No)						
Section F	HBNC			(In ı	number)		
F.1	ASHAs having complete and functional HBNC kit						
F.2	ASHAs having complete HBNC drug kit						
F.3	Number of HBNC visit forms submitted by ASHA						
F.4	Number of ASHA submitted HBNC visit forms						
				Number	of new-borns		
F.5	Newborn identified by ASHA	Visited	Birth defect	weight <2500 gm	weight <1800 gm	Referred	Deaths
F.5.1	Male						
F.5.2	Female						
F.6	Low birth weight newborns followed up by ASHAs after discharge from SNCU						
F.7	ASHAs supported by ASHA Sanginis in HBNC visit						
F.8	HBNC visit forms verified by ANM during VHND/ Home visits						
Section G	Village Health	a & Nutrition Day (VHND)/Community process					
G1	Social marketing products distributed by ASHA	Condom (in pices)	OCP (in cycle)	ECP	Sanitary napkins-	Sanitary napkins- Adolesent girls	РТК
G1.1	Number of beneficiaries				women		
G2	Adolescent girls services given by ANM (in number)	Health ch	Health check-up Girls (<		7 hb/dl)	Girls (>=7 and <11 hb/dl)	IFA Tablet
G2.1	Number of beneficiaries						
G3	Counselling	PW	Parents/guardians for 0-5 year children		Eligible couples	Adolescents	Other beneficiaries
G3.1	Number of beneficiaries						THE
G4	Services provided by AWW in VHND	Child Weighted	Weight updated in Growth chart		THR distributed to children		THR distributed to PW
G4.1	Number of beneficiaries						
G5	SAM / severely underweight children checked during VHND by ANMs						
G6	Low weight children referred to higher facility for blood & stool test						
G7	SAM / severely underweight children referred to facility for treatment						