## **UPHMIS** reporting format **District Hospital** Month-District Delivery point (Yes/No)-Block Delivery point (if yes) - L1/L2/L3-Category Urban/Rural-Section A Number reported for the month **Human Resource** HR (Regular/Contractual/Re-appointed) working at Regular Contractual Doctors (Level 1 & above) A1.1 Physician A1.3 Paediatrician Radiologist A1.5 Gynaecologist & Obstetrics A1.6 Anaesthetists Pathologist A1.7 A1.8 General surgeon Dental surgeon A1.10 Ortho surgeon A1.11 ENT surgeon A1.12 Total surgeon A1.13 Chest & TB specialist A1.14 Skin & VD specialist A1.15 Other specialist A1.16 MBBS male MO A1.17 MBBS female MO A1.18 EMO (Emergency Medical Officer) A1.19 Medical officer AYUSH- (Male) A1.20 Medical officer AYUSH- (Female) A1.21 Staff nurse Ward boy A1.22 A1.23 X-ray technician Optometrist Physiotherapist A1.25 A1.26 Total class IV employees A1.27 Lab technician (LT/LA) A1.28 A1.29 A1.30 Data entry op./MCTS operator availaible (Y/N) ARO availaible (Y/N) A1.31 A1.32 FP counsellors ARSH counsellors A1.33 Regular Contractual HR - working in blood bank A2 A2.1 A2.2 Medical officer Staff nurse A2.3 Pharmasist A2.4 SLT A2.5 A2.6 A2.7 A2.8 PRO/Counsellor/Medical social worker A2.9 Class IV employee Number of trained staff Section B **HR** training status MO (MBBS) MO (AYUSH) Staff nurse **ANMs** B.1 EmOC B.2 BEmOC B.3 LSAS B.4 B.5 DAKSHATA B.6 NSSK B.7 F-IMNCI B.8 IUCD B.9 PPIUCD LAP B.10 B.11 Mini LAP B.12

Comprehensive abotion care (CAC)

B.13

B.14	FP/RMNCH counsellors trained and working at facility								
B.15	ARSH counsellors trained and working at facility								
Section C	Availability of RMNCH+A drugs, supplies and equipments as per 5x5 matrix								
C1	Reproductive health Closing balance of reporting month								
C1.1	IUCD 375								
C1.2	IUCD 380A								
C1.3	DMPA (Inj. Antara)								
C1.4 C1.5	OCP ECP								
C1.6	Condoms								
C1.7	Mifepristone + Misoprostol (MMA)								
C1.8	PTK (Pregnancey test kits)								
C2	Maternal Health	Closing balance of reporting month							
C2.1	Inj. Oxytocin								
C2.2 C2.3	Tab Misoprostol Tab Alpha methyldopa								
C2.4	Tab Labelatol								
C2.5	Tab Nifedipine								
C2.6	Inj. Magnesium sulfate								
C2.7	Inj. Tetanus toxoid								
C2.8 C2.9	Sterile pads Sanitary napkins								
C2.10	Tab Iron folic acid (IFA)								
C2.11	Haemoglobinometer								
C2.12	Urine albumin kit								
C2.13	IV fluid-Ringer lactate								
C2.14 C2.15	IV fluid-Dextrose (5%) IV fluid-DNS (Dextroxe normal saline)								
C2.16	IV fluid- normal saline (500 ml)								
C2.17	IV fluid- normal saline (100 ml)								
C2.18	Corticosteroid (Inj Dexamethasone/Betamethasone)								
C2.19	Tab Calcium carbonate with D3								
C2.20 C2.21	Inj. Labelatol Inj. Calcium gluconate								
C2.22	Glucose (75 gram) sache/packets								
C2.23	Cord clamp								
C2.24	Labour table								
C2.25	Kelly's pad								
C2.26 C2.27	Inj. Insulin Inj. Anti D for Rh (-) ve PW								
C2.28	Inj. Benzathine penicillin								
C2.29	Blood grouping typing (Yes/No)								
C2.30	HIV screening (Yes/No)								
C2.31 C2.32	Hepatitis B screening (Yes/No) Partograph (Yes/No)								
C2.32	Standard 16 protocols displayed at facility (Yes/No)								
C2.34	Availability of five/seven trays as per protocol (Yes/No)								
C2.35	Facility following seven signals of FRU functionality (Yes/No)								
C3	New born health	Closing balance of reporting month							
C3.1	Inj. Vit K1 (1 mg/ml)	Crossing balance or reporting month							
C3.1	Mucus extractor								
C3.3	Bag and mask (240 ml) with both pre & term mask (size 0,1)								
C3.4	Clean linen/towels for receiving new born								
C3.5	Sterile cord cutting equipment								
C3.6 C3.7	Designated newborn care corner (Yes/No) Functional radiant warmer (Yes/No)								
C3.8	Designated space available for KMC (Yes/NO)								
C4	Child health	Closing balance of reporting month							
C4.1	ORS								
C4.2	Tab Zinc DT (20mg)								
C4.3	Inj. Adrenaline								
C4.4	Syrup Salbutamol								

64.5	Cally Associated Pains and Alexander	
C4.5	Salbutamol nebulizing solution	
C4.6	Syrup Albendazole	
C4.7	Inj. Gentamicin	
C4.8	Tab Amoxicillin DT (125 mg)	
C4.9	Tab Amoxicillin DT (250 mg)	
C4.10	Syrup Amoxicillin	
C4.11	Inj. Ceftriaxone or Cefotaxime	
C4.12	Tab Doxycycline	
C4.13	Cap Ampicillin	
C4.14	Inj. Ampicillin	
C4.15	Inj. Amikacin	
C4.16	Tab Metronidazole	
C4.17	Inj. Metronidazole	
C4.18	Syrup Bi-weekly IFA supplimentation	
CE		Closing balance of reporting month
C5	Adolescent health	Closing balance of reporting month
C5.1	Tab Dicyclomine	
C5.2	Tab Albendazole	
C6	Vaccines	Closing balance of reporting month
C6.1	BCG	
C6.1	OPV	
C6.3	Hep B	
C6.4	DPT	
C6.5	Measles	
C6.6	Syrup Vit. A	
C6.7	JE vaccine (where applicable)	
C6.8	IPV	
C6.9	Pentavalent	
C6.10	Cold box	
C6.11	ILR	
C6.12	Deep freezer	
C6.13	Vaccine carrier	
С7	Functional apparatus and logistics	(Yes/No)
		(103)110)
C7.1	Weighing machine (Adult)	
C7.2	Weighing machine (Infant)	
C7.2 C7.3	Weighing machine (Infant) Height scale	
C7.2 C7.3 C7.4	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer	
C7.2 C7.3 C7.4 C7.5	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator	
C7.2 C7.3 C7.4	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer	
C7.2 C7.3 C7.4 C7.5	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator	
C7.2 C7.3 C7.4 C7.5 C7.6	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No)	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.19	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.19 C7.20	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphillis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.19 C7.20 C7.21	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.21 C7.22	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.21 C7.22 C7.23	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphillis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.21 C7.22 C7.23 C7.24	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphillis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphillis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water  Soap  Colour coded bins and bags (red/black) in sufficient quntity  Electricity power back-up & generator  Electricity power back-up & invertors  Labor room with attached toilet	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water  Soap  Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors  Labor room with attached toilet  MCP cards available in sufficient quantity (Yes/No)	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water  Soap  Colour coded bins and bags (red/black) in sufficient quntity  Electricity power back-up & generator  Electricity power back-up & invertors  Labor room with attached toilet	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27	Weighing machine (Infant)  Height scale  Hub cutter with needle destroyer  Refrigerator  RTI/STI Kit  Bleaching powder  Oxygen cylinder functional  BP apparatus with stethoscope  MVA kit/EVA  IUCD kit  NSV kit  Laparoscopic sterilization kit  MiniLap kit  Syphillis testing kit  PPIUCD / Kelly's forceps  Thermometer  Wall mount thermometer (Yes/No)  Fetoscope/Doppler  Autoclave/Boiler  Running water  Soap  Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors  Labor room with attached toilet  MCP cards available in sufficient quantity (Yes/No)	
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.18 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27 C7.28	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors Labor room with attached toilet MCP cards available in sufficient quantity (Yes/No) Functional safety pits available (Yes/NO)	(Yes/No)
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27 C7.28 C7.29 C8	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors Labor room with attached toilet MCP cards available in sufficient quantity (Yes/No) Case sheet in sufficent quantity (Yes/No) Functional safety pits available (Yes/NO) Other functional equipment at facility	(Yes/No)
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27 C7.28 C7.29 C8 C8	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors Labor room with attached toilet MCP cards available in sufficient quantity (Yes/No) Case sheet in sufficent quantity (Yes/No) Functional safety pits available (Yes/NO) Other functional equipment at facility X-ray machine	(Yes/No)
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27 C7.28 C7.29 C8 C8.1 C8.2	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors Labor room with attached toilet MCP cards available in sufficient quantity (Yes/No) Functional safety pits available (Yes/NO)  Other functional equipment at facility X-ray machine USG machine	(Yes/No)
C7.2 C7.3 C7.4 C7.5 C7.6 C7.7 C7.8 C7.9 C7.10 C7.11 C7.12 C7.13 C7.14 C7.15 C7.16 C7.17 C7.20 C7.20 C7.21 C7.22 C7.23 C7.24 C7.25 C7.26 C7.27 C7.28 C7.29 C8 C8	Weighing machine (Infant) Height scale Hub cutter with needle destroyer Refrigerator RTI/STI Kit Bleaching powder Oxygen cylinder functional BP apparatus with stethoscope MVA kit/EVA IUCD kit NSV kit Laparoscopic sterilization kit MiniLap kit Syphilis testing kit PPIUCD / Kelly's forceps Thermometer Wall mount thermometer (Yes/No) Fetoscope/Doppler Autoclave/Boiler Running water Soap Colour coded bins and bags (red/black) in sufficient quntity Electricity power back-up & generator Electricity power back-up & invertors Labor room with attached toilet MCP cards available in sufficient quantity (Yes/No) Case sheet in sufficent quantity (Yes/No) Functional safety pits available (Yes/NO) Other functional equipment at facility X-ray machine	(Yes/No)

C8.5	TMT machine						
C8.6	ECG machine						
C8.7	Dialysis machine						
C8.8	Boyles trolleys						
C8.9	Pulse oximeter						
C8.10	Semi auto analyser						
C8.11	Computers						
C8.12	Generator						
C8.13	Functional blood bank unit						
C8.14	Blood bank refrigerator						
Section D	Performance indicator		N	lumber reporte	d for the mont	h	
D1	Hospital						
D1.10	Beds available						
D1.1	OPD new cases only						
D1.2	Lab test done for OPD cases						
D1.3	Lab test done for IPD,LR,OT cases						
D1.4	Surgeries conducted at night						
D1.5	Patients managed at emergency						
D1.6	Deaths occurred at emergency department						
D1.7	Surgical site infection cases found (including Episiotomy site)						
D1.8	Blood unit issued on replacement						
D1.9	X-rays conducted at night			-	-	-	-
D1.11	X-ray investigations						
D1.12	USG investigations						
D1.13	CT scan investigations						
D1.14	Plasters at facility						
D1.15	Post-mortem at day						
D1.16	Post-mortem at night						
D1.17	Medico legal cases						
D1.18	ECG						
D1.19	Dialysis						
D1.20	EMG						
D1.21	Endoscopy						
D1.22	Cystoscopy						
D1.23 D1.24	Death due to JE Death due to AES						
D1.25	Surgeons not conducted any surgery during the month						
D2	Maternal & new born health			Number of pre	gnant women		
D2.1	Pregnant women visited for ANC check up						
D2.2	PW ANC examination	Weight	ВР	Per abdomen	НВ	Blood group	Urine albumin
D2.2.1	Pregnant women examined						
				Number of pre	gnant women		
D2.3	High Risk Pregnancey	Hb<7 gm	Hypertension (>140/90)	Age 35+	Diabetics	Previous history of any complication*	Any other
D2.3.1	New pregnant women identified as HRP						
D2.4	Pregnant women Hb<7 gm received iron sucrose						
D2.5	ANC screen for Thalassemia						
D2.6	Pregnant women given 180 IFA tablets						
D2.7	Pregnant women given 360 Calcium carbonate with D3 tablet						
D2.8	Rh (-) ve pregnant women received inj. Anti D			-		-	
D2.9	Pregnant women delivered before 37 weeks of pregnancy						
D2 10	Pregnant women with true labour pain before 34 weeks of						
D2.10	pregnancy  of which received corticoctoroid before 24 week of delivery						
D2.11	of which received corticosteroid before 34 week of delivery						
D2.12	Case sheet filled for deliveries conducted at the facility						
D2.13	Pregnant women status		In labour			Not in labour	
D2.13.1	Arrived in the facility						
D2.13.2	(If reffered,) referred from :						
D2.13.2.1 D2.13.2.2	SC PHC						
D2.13.2.2 D2.13.2.3	CHC						
I	CHC						

D2.13.2.4	Private							
D2.13.2.5	Others (other public hospitals, AWW, ASHA etc.)							
D2.13.3	Admitted in the facility							
D2.13.4	Outcome among arrival	Women			Newborn			
D2.13.4.1 D2.13.4.2	Referred to higher facility Sent home healthy							
D2.13.4.3	Deaths at facility							
D2.13.4.4	Facility based death review conducted							
	·							
D2.14	Newborn							
D2.14.1	Still birth : Fresh							
D2.14.2	Still birth : Macerated							
D2.14.3	Newborn where delayed cord cutting procedure followed							
D2.14.4	Newborn received skin to skin care immidiately after delivery							
D2.14.5	Newborn received vitamin K1 after delivery							
D2.14.6	Newborn weighted at birth less than 1800 gram							
D2.14.7	LBW received KMC as per the guideline	Conthoni						
D3	Maternal complication	Sent home healthy after discharge	LAMA	Died at facility	In case of out-refe		erral Status unknown	
D3.1	Prolonged labour							
D3.2	Obstructed labour							
D3.3	Rupture of membrane>12 hours without labour							
D3.4 D3.5	Rupture of membrane >18 hours in labour  Pregnancy induced hypertension							
D3.6	Mild / severe pre-Eclampsia							
D3.7	Eclampsia							
D3.8	Antepartum hemorrhage (APH)							
D3.9	Infection / sepsis							
D3.10	Preterm labour							
D3.11	Premature rupture of membrane							
D3.12 D3.13	Post-partum hemorrhage (PPH)  Anemia							
D3.13	Others							
		Sent home			In c	ase of out-ref	erral	
D4	Newborn complication	healthy after discharge	LAMA	Died at facility	Survive	Died Status unknown		
D4.1	Preterm birth (<37 weeks gestation)							
D4.2	Low birth weight (<2500 grams)							
D4.3	Asphyxia							
D4.4	Infection / sepsis							
D4.5 D4.6	Birth anomalies Others							
2			Nı	umber of children (upto 5 year		rs)		
D5	Child Health	Children (	upto 5 Years)	Diarrhoea (2 month - 5 years)		Pneumonia (2 month - 5 years)		
D5.1	OPD					(2 month - 5 years)		
D5.2	IPD							
D5.3	Received Inj.Gentamycin							
D5.4	Received Tab/Sy. Amoxicillin							
D5.5	Only ORS							
D5.6 D5.7	Only Zinc ORS and Zinc							
D5.7 D5.8	Referred out							
		0.20 days /N	anatal deeth)	29 days -1ye	ar (Post natal	1	(shild doc+h)	
D5.9	Child dealth	0-28 days (Neonatal death)		dea	death)		(child death)	
D5.9.1 D5.10	Number of Children died  Number of children given weekly IFA supplementation							
סדיכת	(small IFA tab/syrup)							
D5.11	Child Immunization			Number o	of children			
D5.11.1	Infants 0 to 11 months old who received f-IPV-1							
D5.11.2	Infants 0 to 11 months old who received f-IPV-2							
D5.11.3	Infants 0 to 11 months old who received IPV-im							
D6	Family planning			Number o	f Services			

D6.1	DMPA (Inj. Antara)	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6
D6.1.1	Acceptors						
D6.2	1st Dose of DMPA	Post Abortion Post P			Partum Post Interval		
D6.2.1	Women						
6.3	Fix days		FDS	Fix d	ays	FDOS	
DC 2.4	Discovered.		103			1003	
D6.3.1 D6.3.2	Planned Held						
50.3.2			N	Number of acce	ntors in fix days		
6.4	Services			tumber of accep	otors in fix day.		
			FDS			FDOS	
D6.4.1	LAP						
D6.4.2 D6.4.3	ML NSV						
D6.4.4	IUCD						
D6.4.5	DMPA (Inj. Antara)						
D6.4.6	Centchroman						
	Follow-up/complications	Male Sterilization	Female Sterilization	PPIL	JCD	IUCD	DMPA
D6.4.7	Follow-up cases						
D6.4.8	Complications						
D6.4.9	Beneficiaries received counselling for FP						
D6.4.10	Beneficiaries presented with complete basket of choice						
			JSSK				
D7	Beneficiaries received free services under JSSK		PW			Newborn	
D7.1	Drugs and Consumables						
D7.2	Ultrasound test						
D7.3	Diet						
D7.4	Blood transfusion						
D7.5	Diagnostic services						
D7.6	Transported from lower to higher hospitals (IFT)						
D7.7	Transported from home to hospital						
D7.8 D7.9	Drop back Free treatment						
D7.10	JSSK grievance redressal						
D7.10.1	Complain received						
D7.10.2	Complain resolved						
Section E	Process Indicator			Number	/Yes/No		
E1	Misbehaviour incidents by patients & relatives						
E2	Employees reported absent during inspections						
E3	Is the agency hired for bio medical waste management at facility? (Yes/No)						
E4	Contract rate per bed (in Rs.)						
E5	Bio-medical waste lifted by agency during the month						
E6	Indents made as per rate contract at facility						
E7	Value (Rs.) of purchase orders placed as per rate contract						
E8	Indent made as per rate contract against which supply not received at facility						
E9	Indents made for local purchase at facility						
E10	Value (Rs.) of purchase orders placed as per local purchase						
E11	Drugs expired during the month						
E12	Has the district hospital constituted HMIS/MCTS validation committee? (Yes/No)						
E13	HMIS/MCTS validation committee meeting held in DH for the month (Yes/No)						
E14	Purchase committee meeting held in DH for the month (Yes/No)						
E15	Physical verification of stock held in DH during the month (Yes/No)						
E16	Grievance redressal cell functional at facility (Yes/No)						
E17	Complaines/greivances of patients' received						
E18	Complaines/greivances of patients' resolved						
E19	Citizen charter available at facility (Yes/No)						