

EXP-10


Survey Responses Dataset

```
survey <- data.frame(  
  Survey_ID = c(1, 2, 3),  
  Question1 = c("A", "B", "C"),  
  Question2 = c("B", "A", "A"),  
  Question3 = c("C", "D", "B")  
)
```

1. Grouped Bar Chart - Question 1

```
q1_count <- table(survey$Question1)
```

```
barplot(q1_count,  
  beside = TRUE,  
  col = c("skyblue", "orange", "lightgreen"),  
  main = "Distribution of Responses for Question 1",  
  xlab = "Responses",  
  ylab = "Frequency")
```




```
# -----
# 2. Stacked Bar Chart - All Questions
# -----

response_matrix <- rbind(
  table(survey$Question1),
  table(survey$Question2),
  table(survey$Question3)
)

barplot(t(response_matrix),
  beside = FALSE,
  col = rainbow(ncol(response_matrix)),
  main = "Overall Distribution of Survey Responses",
  xlab = "Questions",
  ylab = "Number of Responses",
  legend.text = colnames(response_matrix),
  names.arg = c("Question 1", "Question 2", "Question 3"))
```

Overall Distribution of Survey Responses



```
# -----  
# 3. Survey Responses Table  
# -----
```

```
print("Survey Response Data")  
print(survey)
```