


EXP-9

Product Inventory Dataset

```
inventory <- data.frame(  
  Product_ID = c(1, 2, 3),  
  Product_Name = c("Product A", "Product B", "Product C"),  
  Quantity_Available = c(250, 175, 300),  
  Price = c(20, 15, 18)  
)
```

1. Bar Chart - Quantity Available

```
barplot(inventory$Quantity_Available,  
  names.arg = inventory$Product_Name,  
  col = c("skyblue", "orange", "lightgreen"),  
  main = "Quantity of Products in Inventory",  
  xlab = "Product Name",  
  ylab = "Quantity Available")
```




```
# -----
# -----
# 2. Stacked Bar Chart
# -----
# Sample Product Categories

inventory$Category <- c("Electronics",
                        "Electronics",
                        "Furniture")

category_data <- xtabs(Quantity_Available ~ Category + Product_Name,
                      data = inventory)

barplot(category_data,
        col = c("skyblue", "orange", "lightgreen"),
        main = "Quantity of Products by Category",
        xlab = "Product Category",
        ylab = "Quantity Available",
        legend.text = rownames(category_data),
        beside = FALSE)
```



```
# -----  
# 3. Inventory Data Table  
# -----
```

```
print("Product Inventory Data")  
print(inventory)
```