

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 3 – MCQ Test

Course Code:	CSA0309	Course Title:	Data Structures
CO Assessed:	CO3 – Precision (BL3, BL5)	Assessment:	Assessment Tool 3 – MCQ Test
Weightage:	30% of CIA	Total Marks:	100
CO3 Statement:	<i>Solve problems for optimized data storage and retrieval using Binary Search Trees, AVL Trees, BTrees, Red-Black Trees, and Splay Trees.</i>		
Student Name:	R. V. Harsha Vardhan	Reg. No.:	192211868
Section / Batch:	CSE / 2022 Batch	Date:	10/08/2026

Code of Conduct

I R. V. Harsha Vardhan (192211868) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action. Signature of the Student: Harsha Vardhan

Instructions

- This test contains 25 MCQ Test questions (4 marks each), Total: 100 Marks.
- When a student answer using MCQ, in evaluation the answer should be with following requirements: Identify the most appropriate answer, conceptual understanding, problem-solving ability, application of knowledge.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Preliminaries – Tree Terminology	Root, height, level, siblings and sub tree	1–2	8
Binary Tree, Binary Search Tree	Properties, binary tree and binary search tree, insertion and deletion	3–9	28
Tree Traversals	Traversal types, In order, Post order and Pre order	10–14	20
AVL Tree	Balancing factor, Rotation, Types of rotation, examples	15–16	8
Applications of Search Trees	Usage of binary tree	17	4
B Tree - 2-3 tree, 2-3-4 tree	Properties, Example and Operations	18–19	8
TRIE	Properties, structures and Operations	20	4
Red Black Tree	Properties, Balancing and Operations	21–22	8
Splay Tree	Splaying, Types and examples for insertion and deletion	23–25	12

	GRAND TOTAL:	100 Marks
--	--------------	-----------

MCQ

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Conceptual Understanding	20	Demonstrates thorough understanding of all core Data Structures concepts; answers accurately reflect deep knowledge	Shows good understanding with minor conceptual gaps	Basic understanding; several misconceptions present	Limited understanding; major concepts misunderstood
Application Skills	20	Correctly applies concepts to solve complex and scenario-based MCQs	Applies concepts correctly in most moderate-level questions	Struggles with application in complex scenarios	Unable to apply concepts effectively
Analytical Thinking	30	Consistently selects correct answers for high-order questions	Performs well in moderate analytical questions	Limited success in analytical questions	Unable to interpret analytical/problem-based questions
Time Management	20	Completes test efficiently with time for review	Completes test within time	Struggles to complete test on time	Unable to complete test
Accuracy of Responses	10	90–100% correct answers	75–89% correct answers	50–74% correct answers	Below 50% correct answers

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q1 Tree Terminology

4 marks

Nodes having the same parent are called:

A. Ancestors

B. Descendants

C. Siblings

D. Leaves

Save Answer

Next →

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q2 Quad Tree

4 marks

In a Quad Tree, each internal node has at most:

A. 2 children

B. 3 children

C. 4 children

D. 8 children

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q3 Splay Tree

4 marks

After accessing a node in a Splay Tree, that node is moved to:

A. Leaf

B. Middle

C. Root

D. NULL

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q4 Splay Trees

4 marks

Identify the rotation:

50
\
70
\
90

A. Zag-Zag

B. Zig-Zig

C. Zig

D. AVL Rotation

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q7 Red-Black Tree

4 marks

Insert sequence 70, 50, 90, 40 causes insertion of 40 under red parent. Uncle is red. What is needed?

A. Rotation

B. Recoloring

C. Deletion

D. No change

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q8 Red-Black Tree

4 marks

If black height differs in two paths from the same node, the tree becomes:

A. Valid

B. Invalid

C. Balanced

D. Complete

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q9 Red-Black Tree

4 marks

Every path from a node to its descendant NULL nodes must have the same number of

A. Black nodes

B. Red nodes

C. Leaf nodes

D. Parent nodes

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q10 2-3 Tree

4 marks

In a balanced 2-3 Tree, all leaves must be at:

A. Different heights

B. Root level

C. Random height

D. Same height

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q11

2-3-4 Tree

4 marks

Insert 10, 20, 30, 40 in a 2-3-4 Tree. What happens after inserting 40?

A. Tree becomes unbalanced

B. Node split may occur

C. Node is deleted

D. No change

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q12

2-3 Tree

4 marks

The maximum number of children in a 2-3 Tree node is:

A. 3

B. 2

C. 5

D. 4

Save Answer

Next →

Browser: SIMATS Online Lab
URL: simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS ENGINEERING **SIMATS Online Programming Lab** DS PROGRAMMING
User: RAMISETTY VENKATA HARSHA VARDHAN 192211868RB

CO3_AT3_MCQ [Back]

QUESTIONS

- Q1 Tree Terminology 4 marks ✓
- Q2 Quad Tree 4 marks ✓
- Q3 Splay Tree 4 marks ✓
- Q4 Splay Trees 4 marks ✓
- Q5 Splay Tree 4 marks ✓
- Q6 Red-Black Tree 4 marks ✓
- Q7 Red-Black Tree 4 marks ✓

Q15 B-Tree 4 marks

What is the minimum number of children for a non-root node in a B-Tree of order 'm'?

A. $m/2$

B. $m-1$

C. m

D. $\lfloor m/2 \rfloor$

[Save Answer] [Next →]

Browser: SIMATS Online Lab
URL: simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS ENGINEERING **SIMATS Online Programming Lab** DS PROGRAMMING
User: RAMISETTY VENKATA HARSHA VARDHAN 192211868RB

CO3_AT3_MCQ [Back]

QUESTIONS

- Q1 Tree Terminology 4 marks ✓
- Q2 Quad Tree 4 marks ✓
- Q3 Splay Tree 4 marks ✓
- Q4 Splay Trees 4 marks ✓
- Q5 Splay Tree 4 marks ✓
- Q6 Red-Black Tree 4 marks ✓
- Q7 Red-Black Tree 4 marks ✓

Q16 Search Tree 4 marks

The main goal of using search trees is:

A. Increase complexity

B. Reduce storage to zero

C. Improve efficiency of data operations

D. Avoid using memory

[Save Answer] [Next →]

SIMATS Online Lab

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN 192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

- Q1 Tree Terminology 4 marks
- Q2 Quad Tree 4 marks
- Q3 Splay Tree 4 marks
- Q4 Splay Trees 4 marks
- Q5 Splay Tree 4 marks
- Q6 Red-Black Tree 4 marks
- Q7 Red-Black Tree 4 marks

Q17 AVL Trees 4 marks

AVL trees are preferred over ordinary BST because they:

- A. Use less memory always
- B. Maintain balance for faster operations
- C. Do not require insertion
- D. Have no root node

Save Answer Next →

SIMATS Online Lab

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN 192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

- Q1 Tree Terminology 4 marks
- Q2 Quad Tree 4 marks
- Q3 Splay Tree 4 marks
- Q4 Splay Trees 4 marks
- Q5 Splay Tree 4 marks
- Q6 Red-Black Tree 4 marks
- Q7 Red-Black Tree 4 marks

Q18 Binary Search Trees 4 marks

Which of the following is a common application of Binary Search Trees (BST)?

- A. Database indexing
- B. Video editing
- C. Audio compression
- D. Network wiring

Save Answer Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211060RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q19 AVL Tree

4 marks

Consider the AVL tree:

30
/
10
\
20

Which rotation is required?

A. Left Rotation

B. Right Rotation

C. Left Rotation + Right Rotation

D. Right Rotation + Left Rotation

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211060RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q20 AVL Tree

4 marks

The maximum height difference allowed between left and right subtrees is:

B. 1

C. 2

D. 3

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q21 Binary Search Tree

4 marks

A data compression system uses a tree-based model to assign shorter codes to frequently used patterns. You need a self-adjusting BST where frequency is not stored explicitly. Which is most appropriate?

A. AVL Tree

B. Threaded Binary Tree

C. B-Tree

D. Splay Tree

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q22 Tree Traversal

4 marks

Consider the binary tree:

```
A
/\
B C
/\ \
D E F
```

What is the Preorder traversal?

A. DBEACF

B. ABDECF

C. DEBFCA

D. BDEACF

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q23 Tree Traversal

4 marks

You are debugging a program that reconstructs the original root of a binary decision tree using traversal logs: Inorder and postorder. Given: Inorder: D B E A F C Postorder: D E B F C A What is the root?

A. A

B. B

C. C

D. D

Save Answer

Next →

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA VARDHAN

192211868RB

CO3_AT3_MCQ

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q24 Binary Tree

4 marks

The maximum number of nodes in a binary tree of height h is:

A. h

B. $2^h - 1$

C. $2^{h+1} - 1$

D. h^2

Save Answer

Next →

✓ Saved

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAMISETTY VENKATA HARSHA

VARDHAN

192211868RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q25

Tree Terminology

4 marks

A path from a node to the root is formed by its:

A. Descendants

B. Ancestors

C. Children

D. Leaves

Save Answer

✓ Saved