

Leona Voss - Synthetic Patient Record

Patient Name: Leona Voss

Age: 76

Gender: Female

Medical History:

Elderly patient with hypertension, Type 2 Diabetes, chronic kidney disease stage 3a, and osteoarthritis. Prior uncomplicated cataract surgery.

Synthetic Data Notice:

This patient profile and all attached reports are entirely fictional and were generated for a Medical AI Assistant portfolio project.

Discharge Summary: Observation Stay for Dehydration

Patient Name: Leona Voss

Date: 2025-01-27

Admission Reason:

Lightheadedness and reduced oral intake after 3 days of viral gastroenteritis symptoms.

Hospital Course:

Patient received intravenous fluids and electrolyte monitoring. Blood pressure medications were temporarily held during observation. Symptoms improved and oral intake was tolerated.

Discharge Diagnoses:

- Mild dehydration, resolved
- Hypertension
- Type 2 Diabetes
- Chronic kidney disease stage 3a

Discharge Instructions:

Resume home medications except hydrochlorothiazide until primary care review. Maintain hydration and return for reduced urine output, confusion, or persistent vomiting.

Kidney Function Report: Renal Panel

Patient Name: Leona Voss

Date: 2025-01-27

Serum Creatinine: 1.34 mg/dL

Blood Urea Nitrogen: 31 mg/dL

Estimated GFR: 43 mL/min/1.73m²

Sodium: 137 mmol/L

Potassium: 4.6 mmol/L

Interpretation:

Kidney function is consistent with chronic kidney disease stage 3a. Mild prerenal azotemia likely related to dehydration.

Diabetes Monitoring Report: Inpatient Glucose Review

Patient Name: Leona Voss

Date: 2025-01-27

Fasting Blood Glucose: 128 mg/dL

Random Glucose Range: 118-184 mg/dL

HbA1c: 7.0%

Interpretation:

Diabetes is moderately controlled for age and comorbidity profile. No hypoglycemia recorded during observation stay.

Blood Pressure Follow-up: Post-discharge Blood Pressure Plan

Patient Name: Leona Voss

Date: 2025-02-03

Clinic Blood Pressure: 124/76 mmHg

Standing Blood Pressure: 118/72 mmHg

Heart Rate: 74 bpm

Assessment:

Blood pressure is controlled after hydration improved. No recurrent dizziness.

Plan:

Continue losartan 25 mg once daily. Hold hydrochlorothiazide pending kidney function repeat in 2 weeks.