

Telegram WebMongoDB Online Editor

nextonecompiler.com/mongodb#draft-gt8q

OneCompilerUpgrade

AI MongoDB Run

SaveLogin

script.js

```
56 db.students.find({
57   department: {$in: ["CSE","IT"]}
58 })
59 db.students.find().sort({ marks: 1 })
60 db.students.find().sort({ marks: -1 })
61 db.students.find().sort({
62   department: 1,
63   marks: -1
64 })
65 db.students.find().limit(3)
66 db.students.find().sort({ marks: -1}).limit(3)
67 db.students.find().skip(3)
68 db.students.find().skip(2).limit(3)
69 db.students.find(
70   {},
71   {_id: 0, name: 1, marks: 1}
72 )
73 db.students.find(
74   {},
75   {_id: 0, name: 1, department: 1, marks: 1}
76 )
77 db.students.find(
78   {},
79   {age: 0}
80 )
81 db.students.updateMany(
82   {},
83   { $rename: { "city": "location" } }
84 )
85 db.students.updateOne(
86   { rollNo: 101 },
87   { $set: { attendance: 90 } }
88 )
89 db.students.updateOne(
90   { rollNo: 101 },
91   { $unset: { attendance: "" } }
92 )
93 db.students.find({ rollNo: 101 })
94
95
96
97
```

I/O AI Agent1.6s

STDIN

Input for the program (Optional)

Output:

```
name: 'Meena',
department: 'AI&DS',
marks: 93,
city: 'Hyderabad'
},
{
  _id: ObjectId('6a8e61b8466b4e15f58ce5b6'),
  rollNo: 111,
  name: 'Vijay',
  department: 'CSE',
  marks: 86,
  city: 'Hyderabad'
}
]
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 8,
  modifiedCount: 8,
  upsertedCount: 0
}
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
```

ReadyLight Wiki MongoDB

Telegram WebMongoDB Online Editor

nextonecompiler.com/mongodb#draft-gt8q

OneCompilerUpgrade

AI

MongoDB

Run

Save

Login

script.js

```
40 }
41 }
42 db.students.find({
43   marks: { $not: { $gt: 80 }}
44 })
45 db.students.find({
46   $nor: [
47     { department: "CSE",
48       marks: { $gt : 90 }}
49   ]
50 })
51
52 db.students.find({
53   department: { $in: ["CSE","IT"]}
54 })
55
56 db.students.find({
57   department: { $nin: ["CSE","IT"]}
58 })
59 db.students.find().sort({ marks: 1 })
60 db.students.find().sort({ marks: -1 })
61 db.students.find().sort({
62   department: 1,
63   marks: -1
64 })
65 db.students.find().limit(3)
66 db.students.find().sort({ marks: -1 }).limit(3)
67 db.students.find().skip(3)
68 db.students.find().skip(2).limit(3)
69 db.students.find(
70   {},
71   { _id: 0, name: 1, marks: 1 }
72 )
73 db.students.find(
74   {},
75   { _id: 0, name: 1, department: 1, marks: 1 }
76 )
77 db.students.find(
78   {},
79   { age: 0 }
80 )
81
```

I/O

AI Agent

1.6s

STDIN

Input for the program (Optional)

Output:

```
{
  { name: 'Priya', marks: 88 },
  { name: 'Kiran', marks: 95 },
  { name: 'Anu', marks: 82 },
  { name: 'Ravi', marks: 68 },
  { name: 'Sita', marks: 91 },
  { name: 'Arun', marks: 87 },
  { name: 'Meena', marks: 93 },
  { name: 'Vijay', marks: 86 }
}
{
  { name: 'Priya', department: 'IT', marks: 88 },
  { name: 'Kiran', department: 'CSE', marks: 95 },
  { name: 'Anu', department: 'IT', marks: 82 },
  { name: 'Ravi', department: 'ECE', marks: 68 },
  { name: 'Sita', department: 'CSE', marks: 91 },
  { name: 'Arun', department: 'AI&DS', marks: 87 },
  { name: 'Meena', department: 'AI&DS', marks: 93 },
  { name: 'Vijay', department: 'CSE', marks: 86 }
}
{
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5af'),
    rollNo: 104,
    name: 'Priya',
    department: 'IT',
    marks: 88,
    city: 'Warangal'
  },
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5b0'),
    rollNo: 105,
    name: 'Kiran',
    department: 'CSE',
    marks: 95,

```

Ready

LightWikiMongoDB

Telegram WebMongoDB Online Editor

nextonecompiler.com/mongodb#draft-gt8q

OneCompilerUpgrade

AI

MongoDB

Run

Save

Login

script.js

```
40 }
41 }
42 db.students.find({
43   marks: { $not: { $gt: 80 }}
44 })
45 db.students.find({
46   $nor: [
47     { department: "CSE",
48       { marks: { $gt : 90}}
49   ]
50 })
51
52 db.students.find({
53   department: { $in: ["CSE","IT"]}
54 })
55
56 db.students.find({
57   department: {$nin: ["CSE","IT"]}
58 })
59 db.students.find().sort({ marks: 1 })
60 db.students.find().sort({ marks: -1 })
61 db.students.find().sort({
62   department: 1,
63   marks: -1
64 })
65 db.students.find().limit(3)
66 db.students.find().sort({ marks: -1}).limit(3)
67 db.students.find().skip(3)
68 db.students.find().skip(2).limit(3)
69 db.students.find(
70   {},
71   {_id: 0, name: 1, marks: 1}
72 )
73 db.students.find(
74   {},
75   {_id: 0, name: 1, department: 1, marks: 1}
76 )
77 db.students.find(
78   {},
79   {age: 0}
80 )
81
```

I/O

AI Agent

1.6s

STDIN

Input for the program (Optional)

Output:

```
{
  _id: ObjectId('6a8e605511fa3c41a88ce5b6'),
  rollNo: 111,
  name: 'Vijay',
  age: 21,
  department: 'CSE',
  marks: 86,
  city: 'Hyderabad'
}
8
[
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5af'),
    rollNo: 104,
    name: 'Priya',
    age: 22,
    department: 'IT',
    marks: 88,
    city: 'Warangal'
  },
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5b0'),
    rollNo: 105,
    name: 'Kiran',
    age: 21,
    department: 'CSE',
    marks: 95,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5b1'),
    rollNo: 106,
    name: 'Anu',
    age: 20,
    department: 'IT'
  }
]
```

Ready

LightWikiMongoDB

Telegram WebMongoDB Online Editor

next.onecompiler.com/mongodb#draft-gt8q

OneCompilerUpgrade

AI

MongoDB

Run

Save

Login

script.js

```
1 db.students.insertMany([
2   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
3   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
4   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
5   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
6   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
7   { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
8   { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
9 ])
10 db.students.find()
11 db.students.insertOne({
12   rollNo: 111,
13   name: "Vijay",
14   age: 21,
15   department: "CSE",
16   marks: 86,
17   city: "Hyderabad"
18 })
19 db.students.find()
20 db.students.findOne()
21 db.students.findOne({ rollNo: 109 })
22 db.students.find({ department: "CSE" })
23 db.students.countDocuments()
24 db.students.find({ marks: { $gt: 80 } })
25 db.students.find({ marks: { $gte: 80 } })
26 db.students.find({ marks: { $lt: 80 } })
27 db.students.find({ marks: { $lte: 80 } })
28 db.students.find({ department: { $ne: "CSE" } })
29 db.students.find({ marks: { $eq: 90 } })
30 db.students.find({
31   $and: [
32     { department: "CSE" },
33     { marks: { $gt: 85 } }
34   ]
35 })
36 db.students.find({
37   $or: [
38     { department: "CSE" },
39     { department: "IT" }
40   ]
41 })
42 db.students.findOne({
43   $or: [
44     { department: "CSE" },
45     { department: "IT" }
46   ]
47 })
```

I/O

AI Agent

1.6s

STDIN

Input for the program (Optional)

Output:

```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a8e605511fa3c41a88ce5af'),
    '1': ObjectId('6a8e605511fa3c41a88ce5b0'),
    '2': ObjectId('6a8e605511fa3c41a88ce5b1'),
    '3': ObjectId('6a8e605511fa3c41a88ce5b2'),
    '4': ObjectId('6a8e605511fa3c41a88ce5b3'),
    '5': ObjectId('6a8e605511fa3c41a88ce5b4'),
    '6': ObjectId('6a8e605511fa3c41a88ce5b5')
  }
}
[
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5af'),
    rollNo: 104,
    name: 'Priya',
    age: 22,
    department: 'IT',
    marks: 88,
    city: 'Warangal'
  },
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5b0'),
    rollNo: 105,
    name: 'Kiran',
    age: 21,
    department: 'CSE',
    marks: 95,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e605511fa3c41a88ce5b1'),
    rollNo: 106,
    name: 'Anu',
    age: 20,
```

ReadyLightWikiMongoDB