Case Study: Disaster Recovery Site Build and Managed Services

Synthetic case study of a fictional project for the TenderBridge demo.

1. Project facts

Project ID	PRJ-002
Client	Sahyadri Commercial Bank Ltd (fictional scheduled commercial bank)
Client type	Scheduled Commercial Bank
Contract value	₹26.10 crore (including taxes)
Period	15 January 2021 to 31 December 2024
Status	Completed
Nimbus role	Prime contractor (sole bidder)
Data centre racks	28
Technologies	VMware vSphere, Dell PowerStore, Zerto, Fortinet, OpsCentral EMS
Completion evidence	KB-CC-002

2. Client context

Sahyadri Commercial Bank Ltd, a scheduled commercial bank with 640 branches, needed a new DR site after a regulatory inspection observation on recovery testing.

3. Scope delivered by Nimbus

- Design and build of a 28-rack DR site in a co-location facility, including network and security architecture
- Replication of 64 critical banking applications using hypervisor-level replication
- 36 months of managed services: server, storage and network O&M at the DR site
- Quarterly DR drills and one full switchover per year with the bank's application teams
- DR runbooks per application and regulatory audit support

4. Implementation timeline

Period	Milestone
Jan-Jun 2021	Design and build; acceptance by the bank on 30 June 2021
Jul 2021	Start of managed services
2022-2024	12 quarterly DR drills; three full switchovers
Dec 2024	Contract completion

5. Team

Build team of 22; managed services team of 14 onsite at the DR site with remote NOC support.

6. Solution and operating model

Active-passive DR design: hypervisor replication for 64 applications, storage replication for databases, dedicated 1 Gbps replication links with QoS, and DR runbooks per application owned jointly with the bank's application teams. Managed services used a 14-person onsite team with 24x7 shifts and remote L3 support.

7. Outcomes

RPO of 15 minutes and RTO of 4 hours demonstrated in 12 quarterly DR drills (illustrative synthetic figures). These figures are invented for the demo and must be cited only as case-study

statements, not as audited results.

Year	DR drills	Worst RPO observed (synthetic)	Worst RTO observed (synthetic)
2021-22	4	14 min	3 h 40 min
2022-23	4	12 min	3 h 25 min
2023-24	4	11 min	3 h 10 min

8. Governance

Monthly service review with the client chaired by the client's nodal officer; quarterly steering committee; SLA reports from tool data audited by the client's third-party auditor where one was appointed. Escalation: shift in-charge, project manager, delivery head, Nimbus VP - Public Sector Business.

9. Client feedback (synthetic)

"Our DR drills became routine rather than events." (fictional quote from the bank's head of IT infrastructure)

10. Challenges and lessons learned

Initial replication lag during month-end batch exceeded RPO; the team introduced bandwidth throttling windows with the bank's network team.

11. Relevance notes for bid teams

Client is a scheduled commercial bank; counts as similar work only where the tender's definition includes scheduled commercial banks. Completion certificate KB-CC-002.