GAVEL

JUDGE GUIDE.

Test GAVEL in five minutes, then check how it is built, how it is secured and what the evidence does and does not prove.

CONFIDENTIAL

FOR JUDGES ONLY

CONTAINS SANDBOX TEST ACCESS

HELD, NOT CHARGED. PAYPAL SANDBOX ONLY. NO REAL MONEY MOVES.

01 / TEST

FIVE MINUTES, HANDS ON

Your sandbox access and the live room, step by step.

02 / INSPECT

BUILT AND SECURED

Architecture, the settlement saga, security and the ledger check.

03 / WEIGH

EVIDENCE AND LIMITS

Sandbox gates, measured runs, SDKs and what is still open.

HARSH BHANUSHALI & DHAIRYA PATEL
THE GAVEL TEAM

COMPANION TO THE GAVEL DECK
THE DECK TELLS THE STORY. THIS GUIDE IS THE PROOF.

00 / READ THIS FIRST

BEFORE YOU START

This guide is for the judging panel only. It holds the shared judge key and the PayPal sandbox logins, so please keep it inside the panel. The story and the pitch are in the GAVEL deck; this guide is the hands-on and technical companion.

GAVEL IN ONE PARAGRAPH

A live auction on PayPal holds. A bidder approves a ceiling as a PayPal authorization: held, not charged. Bids land anywhere under that ceiling. At the hammer GAVEL captures only the winning price from the winner's hold and voids every other hold. Every accepted bid is sealed in a hash-chained ledger that anyone can re-check in a browser.

Everything runs on the PayPal sandbox. No real money moves, and you never need your own PayPal account.

THREE THINGS TO KEEP IN MIND

- **Sandbox only.** Use the test logins on page 03, never your own account.
- **A bid is a hold.** Hatched means held, solid means charged, hollow means released.
- **Check, do not trust.** Every claim in this guide names the run or file behind it, and the misses are listed too.

CONTENTS

01	Your access	Judge key, sandbox buyers A to D	03
02	Test it in five minutes	Step by step, with what you should see	05
03	Drive it over HTTP	Optional: the same room with curl and the judge key	07
04	Architecture	One bid through the stack, the settlement saga	08
05	Security	Guards, judge key limits, review status	10
06	Verify the ledger	Three ways to re-check the hash chain	11
07	Evidence	Sandbox gates, measured runs, PageSpeed, open data	12
08	API and APIMatic SDKs	OpenAPI 3.1, generated clients, status	14
09	Known limits	What is still open, said plainly	15
10	Team and contact	Who built what, how to reach us	16

01 / YOUR ACCESS

YOUR ACCESS

You need none of this to watch GAVEL work: the scripted demo and a demo room run with no login. Use the logins below when you want a real PayPal sandbox hold, and the key when you want to drive a room over HTTP or with a higher room allowance.

SHARED JUDGE KEY

The shared judge key is on the Credentials page and in the Devpost Testing instructions, visible to judges only.

Format `gvl_judge_<id>_<secret>`. Paste it into the **Judge key** field on the judge panel and press Unlock, or send it as the `x-judge-key` header (page 07). It opens sandbox judge rooms only, never an operator route, it does not expire, and the team can revoke it. It stays in your browser tab and is never put in a link.

PAYPAL SANDBOX BUYERS

Four sandbox buyer accounts, one per role. All are US personal accounts in USD with pretend funds. You sign in on PayPal's own sandbox page; GAVEL never sees these details. Two judges can use the same buyer at the same time, because a hold only reserves sandbox funds.

ROLE	USE IT FOR
A · wallet	Your first bidder, the one you let win. You see the capture of the winning price.
D · wallet	A second bidder in a private window who loses. You see their hold voided.
B · wallet	Spare bidder. Use it if A is refused, or as a third bidder (the runner-up).
C · card	A buyer whose wallet pays from a sandbox test card. Optional.

The email and password of each sandbox buyer are in the Devpost Testing instructions, visible to judges only. You do not need them to try GAVEL: open `/try` and join with the demo.

WHERE THEY ARE The sandbox logins and the judge key are in the Devpost Testing instructions, visible to judges only. They are never in the public repository, issues or pull requests.

IF A LOGIN FAILS Check it is the sandbox page (the address contains `sandbox`), use a private window, then try buyer B. Or pick "Join with the demo", which needs no login.

ACCESS WINDOW The web app, the API on Render and these sandbox buyers stay live until the judging period ends on 15 Dec 2026. A demo room lasts about thirty minutes, so register, bid and hammer in one sitting.

CREDENTIALS

CREDENTIALS

Sandbox buyer logins and the judge key are in the Devpost Testing instructions, visible to judges only. You do not need them to try GAVEL: open `/try` and join with the demo.

> **SANDBOX ONLY** These are PayPal sandbox test accounts. No real money moves. Never use your own PayPal account or card.

02 / HANDS-ON

TEST IT IN FIVE MINUTES

Three ways in. Start with the one-minute replay if you only have a minute; the live room is the real test. Each step says what you should see.

1 MIN
SCRIPTED DEMO, NO LOGIN

Open the scripted demo. A recorded room plays in your tab with no server and no PayPal calls, and says so on screen.

3–5 MIN
LIVE SANDBOX ROOM

Your own room on the hosted server: hold, bid, hammer, receipt and ledger check. The steps below.

5 MIN
HTTP WITH THE KEY, OPTIONAL

The same room driven with curl or the Try it panel in the docs. See page 07.

→ THE LIVE ROOM, STEP BY STEP

1. **Open the judge panel and start a room**

   Go to the judge panel. Optionally paste the judge key and press **Unlock**. Press **Start a demo room**.

   YOU SHOULD SEE The room hub: a join code, a QR code, and buttons for the projection screen, the console and a bidder. A timer shows when the room closes.

2. **Put the projection screen up**

   Press **Open screen** and keep that window beside the others.

   YOU SHOULD SEE The lot, the opening price and the join code. It updates the moment a bid lands.

3. **Join as bidder A**

   Press **Join as a bidder** (or scan the QR code with a phone). Pick **Use the PayPal sandbox**, or **Join with the demo** for a simulated hold with no login. Enter a display name and choose your limit.

   YOU SHOULD SEE Your paddle number, and the line "Held, not charged".

4. **Approve the hold**

   Press and hold **Approve hold with PayPal** for 3 seconds (Space or Enter also work, and a two-tap option sits below it). In the PayPal sandbox window, sign in as buyer A and approve.

   YOU SHOULD SEE "Your hold of $X is in place", with a reference. The hold card is hatched: held, not charged.

5. **Add a second bidder**

   In a private window, open the hub's join link (or press **Open bidder**) and register as buyer D the same way.

   YOU SHOULD SEE Two holds on the projection screen. No money has moved.

6. **Bid**

   Place bids from both bidders. Try one above a bidder's limit too.

   YOU SHOULD SEE Each accepted bid on the screen within a moment. A bid above the limit, or not higher than the current price, is refused with a reason.

7 Hammer

Press **Open console** on the hub (press **Open lot** first if the lot is not open yet). Press and hold the hammer button for 3 seconds. Release early to cancel; a dialog option exists if you cannot hold.

YOU SHOULD SEE SOLD to the highest valid bid. The winner's hold turns solid (captured for the winning price only); the other hold turns hollow (voided).

8 Receipt


Open the receipt from the bidder screen.

YOU SHOULD SEE Winner, price, held amount and released holds. It can mint a share link with a QR code and has a print layout.

9 Check the ledger

From the hub, open **Verify the ledger** and press **Check my room**, or open the **Read-only audit trail**.

YOU SHOULD SEE Every entry linked and intact. The check runs in your browser and uploads nothing (more on page 11).



THE ROOM HUB

Everything for one room on one page: the projection screen preview, the join ticket with its code and QR, the console and a second bidder.

Still from the judge smoke run of 9 Nov 2026 on the live site. Labels may have moved slightly since.

IF SOMETHING GETS IN THE WAY

WHAT YOU SEE	WHAT TO DO
The PayPal popup is blocked	Allow popups for the GAVEL site and press approve again, or open PayPal in the same tab when offered.
The login is refused	Check for typos, use a private window, make sure the address contains `sandbox`, then try buyer B.
Room full or expired, a wrong code, or a hold shows released	Start a new demo room, use the fresh code, and do the whole run in one sitting.
"Live rooms are full or paused" or switched off	Use the scripted demo; it needs no server.

03 / OPTIONAL

DRIVE IT OVER HTTP

The whole auction also runs over plain HTTP with the judge key: open a room, join, hold, bid, hammer and read the ledger. The Call the API as a judge page has a Try it panel that makes the same calls against the hosted API.

```
# Keep the key out of your shell history
API=https://api.gavel.dualmindlab.tech
read -rs JUDGE_KEY        # paste the judge key, press Enter

# 1. Check the key (creates nothing)
curl -s -X POST $API/api/judge/key -H "x-judge-key: $JUDGE_KEY"

# 2. Create a room. Keep auctionId, joinCode, auctioneerToken and reviewerToken
curl -s -X POST $API/api/judge/rooms -H "x-judge-key: $JUDGE_KEY" \
  -H 'content-type: application/json' -d '{"title":"My lot"}'

# 3. Join as a bidder with the join code. The answer holds sessionToken
curl -s -X POST $API/api/judge/join -H 'content-type: application/json' \
  -d '{"code":"<joinCode>","displayName":"Asha"}'

# 4. Simulated hold so the bidder is in the room (amounts are in cents)
curl -s -X POST $API/api/judge/rooms/$ID/sim-hold -H "authorization: Bearer $SESSION" \
  -H 'content-type: application/json' -d '{"ceilingCents":5000,"name":"Asha"}'

# 5. Bid 15.00
curl -s -X POST $API/api/judge/rooms/$ID/bids -H "authorization: Bearer $SESSION" \
  -H 'content-type: application/json' -d '{"amount":1500}'

# 6. Hammer with the auctioneer token
curl -s -X POST $API/api/auctions/$ID/control -H "authorization: Bearer $AUCTIONEER" \
  -H 'content-type: application/json' \
  -d '{"controlId":"c1","action":"hammer","args":{"closeNow":1}}'

# 7. The sealed ledger, with the reviewer token
curl -s $API/api/judge/rooms/$ID/ledger -H "authorization: Bearer $REVIEWER" > bundle.json
```

WHY THERE IS AN HTTP BID ROUTE

Live bidding in the app uses a WebSocket that only accepts a browser origin. The route `POST /api/judge/rooms/{id}/bids` takes the same path as a socket bid (rate limit, registration check, the auction engine) so curl and generated clients can bid. Send a `mid` (a ULID) with a bid to retry it safely: the same `mid` returns the first answer and records nothing twice.

ANSWERS YOU MAY SEE


401	`judge_key_invalid`, `_expired` or `_revoked`. Five wrong keys in a row lock the address out for 15 minutes.
429	`judge_key_room_cap` or `judge_rate_limited`: wait, see `Retry-After`.
409	`bid_rejected`: the engine refused the bid, `reason` says why.
410	`judge_room_expired`: the room ended. Open a new one.

Full request and response shapes: the API reference and openapi/gavel.yaml.

04 / HOW IT IS BUILT

ARCHITECTURE

A TypeScript monorepo (Node 22, npm workspaces) started on 4 Nov 2026. A deterministic engine decides outcomes; a payments package owns every PayPal call; one always-on Node service hosts the rooms; the web app and docs run on Cloudflare.




ONE BID, END TO END. DOTTED: SIGNED PAYPAL WEBHOOKS BACK TO THE API.

PART	WHAT IT DOES
packages/engine	Rules (ascending bids, minimum increment, ceiling, soft close), commands, events and the hash-chained ledger. No Node built-ins: the same events always give the same result. Money is integer cents.
packages/payments	Orders v2 with intent AUTHORIZE, Payments v2 (authorize, capture, void, reauthorize), JS SDK v6, signature-verified and de-duplicated webhooks, the journaled settlement saga, and a fake PayPal for offline tests.
packages/server	HTTP routes, the room WebSocket gateway, the `/audio` voice socket and file stores (room log, ledger, journals, holds, webhook events) on a persistent disk.
packages/voice	Speech to text (Deepgram nova-3, Groq whisper-large-v3-turbo as failover), a rule-based bid parser and a confirm gate. The model never decides a winner or moves money.
packages/web	Join, register, bid, console, projection screen, receipt, audit and verify screens. AG Grid Community tables for the ledger, bids and holds.
Hosting	Web app and docs on Cloudflare Workers with security headers. API and WebSocket host: one Render service with a 1 GB persistent disk, one instance by design (the file stores have a single owner).

→ THE SETTLEMENT SAGA

Settlement is the part that must never pay twice. The saga journals every step. If the process dies mid-settlement, on restart it asks PayPal what is true and continues instead of repeating; an unknown answer stops for review.



PAYPAL SANDBOX ONLY · NO REAL MONEY MOVES

1 Register

The server creates an order with intent AUTHORIZE for the bidder's ceiling; the bidder approves in the PayPal popup; the server authorizes it. PayPal sends `PAYMENT.AUTHORIZATION.CREATED`.

2 Bid

Each bid is validated by the engine against the ceiling, the increment and the lot state, then appended to the ledger. Two bids arriving together get one ordered answer.

3 Hammer

The highest valid bid wins. The saga checks the winner's hold with PayPal, captures the winning price with `final_capture`, then voids every other hold.

4 Confirm

Verified, de-duplicated webhooks confirm each state; the final ledger entry seals the lot. If the winner's hold is expired, declined or voided, the saga falls back to the runner-up.

INVARIANTS THE TESTS HOLD THE SAGA TO

- At most one capture per lot.
- Captured is never more than the ceiling.
- Each non-winner is voided exactly once.
- Captured plus released equals the holds.
- Safe under retried, duplicate and out-of-order webhooks.
- An unknown capture outcome stops for review.

Deeper reading: the system architecture page, ARCHITECTURE.md and the Render hosting write-up.

05 / SECURITY

SECURITY

A 24-item security checklist, reviewed item by item, with the residual risk named where an item is not fully closed. All eight P0 items pass.

8/8
P0 items PASS

13
items PASS in all

8
CHECKED, each with a named residual

3
1 ACCEPTED, 2 OPEN awaiting independent review

GUARD	HOW IT WORKS	STATUS
Sandbox only	Boot validation refuses judge rooms unless the host is on the PayPal sandbox, and refuses the fake PayPal in production mode.	PASS P0
Money integrity	Integer cents end to end; server time is authoritative for the soft close.	PASS P0
Webhook authenticity	Every webhook is verified with PayPal before it counts, then de-duplicated; the certificate URL host is allowlisted (SSRF).	PASS P0
Access control	Auctioneer actions need the auctioneer token; bidder tokens are bound to one bidder; room keys sit after the `#` in links so they never reach a server log.	PASS P0
Secrets	Gitleaks on every change and on the full history, plus a scan of the web bundle. A log scan with 9 planted canaries found none (one server log scanned so far).	PASS P0
Untrusted text	Display names and inputs are fuzzed for injection and rendering; abusive input sizes are capped.	PASS P0
Judge key	Opens judge rooms only, never an operator route. Per-key caps on rooms alive and rooms per hour; revocable; five wrong keys lock an address out for 15 minutes.	CHECKED
Headers and CORS	Security headers and CSP on the custom domains; origin allowlist on the API.	CHECKED
Key-less judge rooms, receipt links	Capped, rate limited and switchable off at runtime; tested in CI, written up, awaiting an independent reviewer.	OPEN

YOUR DATA AS A JUDGE

GAVEL keeps the display name you type, your bids and holds (amounts in cents, times and sandbox order ids) and the room's audit trail. No analytics, no ad identifiers, no cookies; the session token lives in memory for the auction. The PayPal login happens on PayPal's sandbox pages. Voice is off unless the host turns it on, and audio is not written to disk by GAVEL.

Item by item, with evidence and reviewers: SECURITY-REVIEW.md.

06 / DO NOT TRUST, VERIFY

VERIFY THE LEDGER

Every accepted bid goes into a ledger where each entry carries a SHA-256 fingerprint of its content and of the entry before it. Change, remove or reorder one entry and every fingerprint after it breaks.

WAY 1 · YOUR ROOM

CHECK MY ROOM

From the hub, open **Verify the ledger** and press **Check my room**. Or paste or pick any exported bundle on the verify page. It runs in your browser; nothing is uploaded.

WAY 2 · LEDGER LAB


BREAK IT ON PURPOSE

The Ledger Lab loads a 30-day simulated run (2,134 entries) in AG Grid tables. Press **Simulate an edit to entry 1173** and watch the chain fail from that entry on.

WAY 3 · CODE

RE-CHECK OFFLINE

`verifyPublicExport(entries, expectedHead)` in `@gavel/engine` returns `ok: true` or the first bad index with a reason. Fetch a bundle with the reviewer token (page 07, call 7).



LEDGER LAB ON THE LIVE SITE: 2,134 SIMULATED ENTRIES, CHAIN CHECKED IN THE BROWSER. SIMULATED DATA, LABELLED AS SUCH.

WHAT A VERIFIED CHAIN PROVES

The recorded events are complete, in order and unedited since the ledger sealed them. The engine is deterministic, so replaying the same events gives the same winner and price.

WHAT IT DOES NOT PROVE

That what was recorded was true: a bid is kept as it was received. Private limits are left out of the public copy, and the check never moves money.

REASON	MEANING WHEN THE CHECK FAILS
bad_hash	The entry's content no longer matches its fingerprint: it was edited.
bad_prev	The link to the previous entry is broken: an entry was removed or reordered.
bad_seq	Sequence numbers skip or repeat.
truncated	The chain stops before the expected head (pass `expectedHead` to catch this).
bad_version	The export format version is not one the verifier knows.

07 / EVIDENCE BEFORE CLAIMS

EVIDENCE

Nothing counted until a real run backed it. Each result below names what it measured, and real sandbox, simulated and synthetic results are kept apart. The gate record wins where any summary differs.

PAYPAL SANDBOX GATES

GATE	QUESTION	RESULT	STATUS
G0	Does the sandbox app authenticate and create an AUTHORIZE order?	Token 200 with payments scope, order 201 CREATED (re-run 9 Nov, run 42555610707).	PASS
G1	Partial capture with `final_capture`: what happens to the rest?	Authorize 500.00, capture 350.00, authorization reads CAPTURED; a later void answers 422 PREVIOUSLY_CAPTURED, so the remainder counts as released (inferred).	PASS
G2	Wallet and guest card AUTHORIZE in JS SDK v6?	Both authorized on the sandbox.	PASS
G3	How long does a hold stay capturable, and does reauthorize extend it?	Timed probe since 7 Nov 03:06 UTC. Final reading 12 Nov 2026, 06:17 UTC. The result is recorded in `docs/GATES.md` and the Proven tab.	RUNNING
G4	Are real webhooks verified?	Six real sandbox deliveries verified through PayPal's endpoint.	PASS
G5	Is spoken bidding accurate enough?	Synthetic audio only: wrong accept 0.000 on 24 noise-free clips per set; 0.058 (Groq) and 0.092 (Deepgram) on a held-out noisy set of 120 clips, against 0.05. Every spoken bid waits for a confirm.	SYNTHETIC TESTED

MEASURED RUNS

17/17
steps passed by the judge smoke on the live domains, /try to receipts (run)

1
capture after a real process kill mid-settlement on a CI runner, 2 losers voided, 19-entry chain verifies (run)

24/24
synthetic clips answered by both speech providers through the live socket, none accepted without a confirm (run)

4,500+
test cases declared across the packages and run in CI

Also measured: the hosted webhook route answered at p95 112.03 ms from a GitHub runner against a 300 ms target (n=50); a warm-up after 16 idle minutes took at most 0.66 s (n=2). One lot of three holds settled on the real sandbox with an in-process crash recovered (nightly specs R7, R8, R10). As of 9 Nov, 172 deep-dig and 597 red-team issues found by our own audit waves were closed on GitHub.

PAGESPEED 100, LANDING PAGE

PageSpeed Insights scored the landing page 100 in all four categories, on mobile and on desktop (Lighthouse 13.6.0, lab data, measured by hand on 10 Nov 2026).

MOBILE


100 PERF	100 A11Y	100 BEST PR.	100 SEO

DESKTOP


100 PERF	100 A11Y	100 BEST PR.	100 SEO

Mobile: LCP 1.1 s, TBT 10 ms, CLS 0. Desktop: LCP 0.2 s, TBT 20 ms, CLS 0.

> **SCOPE** The landing page only, one lab run. The room, hub, console, audit and docs pages were not measured, and field data for real users is "No data". Details and screenshots.



MOBILE REPORT, 10 NOV 2026, 12:51 IST



DESKTOP REPORT, SAME RUN

OPEN DATA

Five small datasets on Hugging Face, each labelled real sandbox, simulated or synthetic, each with a SHA-256 manifest, plus a read-only Evidence Explorer. Synthetic by design: GAVEL does not collect real people's voices, names or payment details.

The collection · Evidence Explorer

WHERE THE RAW EVIDENCE LIVES

- GATES.md: every gate, its question, requests, result
- docs/evidence: redacted sandbox run logs (JSON lines)
- Judge smoke runs: the nightly walk of the live site
- `GET /version` on the API names the deployed commit

08 / FOR DEVELOPERS

API AND APIMATIC SDKS

The host API is described by one OpenAPI 3.1 document. CI lints it with Spectral and checks it against the server router, so the spec cannot drift from the code. APIMatic generates typed clients from that same document.

TYPESCRIPT

GAVEL-SDK 0.0.5

```
npm install ./gavel-sdk-0.0.5.tgz
import { ... } from "gavel-sdk"
```

Beta. Default server: the sandbox host.

PYTHON

GAVEL-SDK 0.0.5

```
pip install ./gavel_sdk-0.0.5-py3-none-any.whl
import gavel_host_api
```

Beta. Same operations as the TypeScript client.

PIECE	STATUS ON 10 NOV 2026	STATE
OpenAPI 3.1 spec	openapi/gavel.yaml, linted in CI, rendered with a Try it panel in the API reference.	LIVE
Generated SDKs	TypeScript and Python generated by APIMatic, package name patched to `gavel-sdk` 0.0.5. A workflow builds and smoke-imports both, and publishes them as a GitHub Release on the tag `sdk-v0.0.5`: GitHub release (TypeScript, Python, C#). The hosted APIMatic portal is not live.	LIVE
npm and PyPI	Not published. GitHub Releases only for now.	NOT YET
Hosted developer portal	Not live (the portal address answered 404 on 10 Nov), so we do not claim it.	NOT YET

WHY A BID ROUTE EXISTS Live bidding uses a WebSocket that only accepts a browser origin, which a generated client cannot use. The HTTP bid route gives the SDKs and curl the same path through the engine. The socket rules are unchanged.

09 / HONEST LIMITS

KNOWN LIMITS

What is still open, and what we missed. We would rather you read it here than find it yourself.

AREA	TODAY	STATE
Settlement speed	On the sandbox, 50 settlements of 6 holds (49 completed): hammer to settled p95 6.93 s against a 6 s target, hammer to captured p95 3.77 s against 2.5 s (run). An earlier n=20 run settled at p95 5.59 s. The capture call alone is p95 2.72 s.	MISSED
Hold lifetime (G3)	PayPal's pages disagree on how long a hold stays capturable. Our timed probe reads out about 12 Nov; until then demo holds are made minutes before capture.	RUNNING
Voice in a real room (G5)	Accuracy is measured on synthetic audio only and missed the pre-registered limit on the noisy held-out set. No person has used the console microphone in a real room yet. Spoken bids always need a confirm; tap, QR and typed bids work without voice.	SYNTHETIC TESTED
Whole auction on the hosted server	Settlement is proven against the fake PayPal, in nightly sandbox specs and in the measured runs, but a whole auction settled through the hosted Render server, and a process kill on that host, are not run yet. The real kill ran on a CI runner.	NEXT RUN
Remainder release	Inferred from PayPal's answers (CAPTURED, then 422 PREVIOUSLY_CAPTURED), not read from a buyer balance.	INFERRED
Card in a live room	G2 shows a guest card authorized in the SDK; a card checkout recorded inside a judge room, and a guest card void, are not run.	NEXT RUN
Hosted capacity	One Render instance by design; judge rooms are capped and rate limited, so a busy host offers the scripted demo instead.	BY DESIGN
Reviews	Two security items (key-less judge rooms, receipt links) await an independent reviewer. Accessibility is checked by automated axe sweeps in CI; a manual screen-reader and 200 percent zoom pass is still to do.	OPEN
APIMatic portal	SDKs generated and released on GitHub; hosted portal not live.	NOT LIVE
PayPal popup automation	PayPal's review page can ignore automated clicks (bot detection), so our robots use the demo hold. In a normal browser the login works as usual.	NOTE

The full list with owners and dates: Limits and next steps.

10 / TEAM

TEAM AND CONTACT

Two builders, one public repository, every change through a pull request and CI.

ENGINE, PAYMENTS, EVIDENCE

HARSH BHANUSHALI

The auction engine, PayPal payments and the settlement saga, voice, the evidence gates and operations.

github.com/harshbhx

WEB, ACCESSIBILITY, DEPLOYS

DHAIRYA PATEL

The web UI, accessibility and UX polish, the end-to-end scenario runner, and the deploys on Render.

github.com/DhairyaPatel-Devloper

REACH US

Email	bhanushaliharsh434@gmail.com
Devpost	The GAVEL project page on the PayPal AI Hackathon Devpost.
GitHub	Open an issue (please never paste a login or key there).
A login is locked	Tell us through any of the above without the password; we reset it.

EVERY LINK IN ONE PLACE

Try it	Judge panel · Scripted demo · Verify a ledger · Ledger Lab
Read	Docs · For judges · Trust and FAQ · API reference
Check	Source (MIT) · Gates · Security review · Evidence Explorer
Host health	API health · Deployed commit

EVERY BID IS A HOLD. THE HAMMER IS THE PAYMENT.

Thank you for judging GAVEL. Start at the judge panel, and if anything blocks you, the scripted demo always works.

CONFIDENTIAL. FOR THE JUDGING PANEL ONLY. PLEASE DO NOT SHARE.

PAYPAL SANDBOX ONLY · MIT LICENCE