Software Requirements Specification for SFWRENG 4G06: subtitle describing software

Team 28, Cowvolution Minds
Aryan Patel
Harshpreet Chinjer
Krish Patel
Martin Ivanov
Shazim Rahman

October 6, 2024

Contents

1	Purpose of the Project ii				
	1.1	User Business			
	1.2	Goals of the Project iii			
2	Sta	keholders			
	2.1	Client iii			
	2.2	Customer iii			
	2.3	Other Stakeholders iii			
	2.4	Hands-On Users of the Project iii			
	2.5	Personas iii			
	2.6	Priorities Assigned to Users iii			
	2.7	User Participation iv			
	2.8	Maintenance Users and Service Technicians iv			
3	Mandated Constraints iv				
	3.1	Solution Constraints iv			
	3.2	Implementation Environment of the Current System iv			
	3.3	Partner or Collaborative Applications iv			
	3.4	Off-the-Shelf Software iv			
	3.5	Anticipated Workplace Environment iv			
	3.6	Schedule Constraints iv			
	3.7	Budget Constraints iv			
	3.8	Enterprise Constraints			
4	Naming Conventions and Terminology v				
	4.1	Glossary of All Terms, Including Acronyms, Used by Stake-			
		holders involved in the Project			
5	Rel	evant Facts And Assumptions			
	5.1	Relevant Facts			
	5.2	Business Rules			
	5.3	Assumptions			
6	The	e Scope of the Work			
	6.1	The Current Situation			
	6.2	The Context of the Work vi			
	6.3	Work Partitioning			

	6.4	Specifying a Business Use Case (BUC)	vii
7	Bus	iness Data Model and Data Dictionary v	
	7.1	Business Data Model	
	7.2	Data Dictionary	'iii
8	The	Scope of the Product	iii
	8.1	Product Boundary	riii
	8.2	Product Use Case Table	riii
	8.3	Individual Product Use Cases (PUC's)	
		8.3.1 PUC1: Predict Breeding Success	
		8.3.2 PUC2: Forecast Milk Production	Х
		8.3.3 PUC3: Predict Herd Retention Likelihood	Х
9	Fun	ctional Requirements	xi
	9.1	Functional Requirements	X
	9.2	Formal Specification	ciii
10	Loo	k and Feel Requirements	ΧV
		Appearance Requirements	
		Style Requirements	
11	Usa	bility and Humanity Requirements x	vi
		Ease of Use Requirements	(Vi
		Personalization and Internationalization Requirements	
		Learning Requirements	
		Understandability and Politeness Requirements x	
		Accessibility Requirements	
f 12	Peri	formance Requirements x	vii
		Speed and Latency Requirements x	
		Safety-Critical Requirements	
		Precision or Accuracy Requirements x	
		Robustness or Fault-Tolerance Requirements x	
		Capacity Requirements	
		Scalability or Extensibility Requirements x	
		Longevity Requirements x	

13	Operational and Environmental Requirements	xviii
	13.1 Expected Physical Environment	. xviii
	13.2 Wider Environment Requirements	. xviii
	13.3 Requirements for Interfacing with Adjacent Systems	. xviii
	13.4 Productization Requirements	. xviii
	13.5 Release Requirements	. xviii
14	Maintainability and Support Requirements	xviii
	14.1 Maintenance Requirements	. xviii
	14.2 Supportability Requirements	. xviii
	14.3 Adaptability Requirements	. xviii
15	Security Requirements	xix
	15.1 Access Requirements	. xix
	15.2 Integrity Requirements	. xix
	15.3 Privacy Requirements	. xix
	15.4 Audit Requirements	. xix
	15.5 Immunity Requirements	. xix
16	Cultural Requirements	xix
	16.1 Cultural Requirements	. xix
17	Compliance Requirements	xix
	17.1 Legal Requirements	. xix
	17.2 Standards Compliance Requirements	
18	Open Issues	XX
19	Off-the-Shelf Solutions	xx
	19.1 Ready-Made Products	. XX
	19.2 Reusable Components	. XX
	19.3 Products That Can Be Copied	. XX
20	New Problems	xx
	20.1 Effects on the Current Environment	
	20.2 Effects on the Installed Systems	. XX
	20.3 Potential User Problems	. XX
	20.4 Limitations in the Anticipated Implementation Environment	
	That May Inhibit the New Product	. XX

	20.5 Follow-Up Problems
21	Tasks 21.1 Project Planning
22	Migration to the New Product 22.1 Requirements for Migration to the New Product xx 22.2 Data That Has to be Modified or Translated for the New System xx
23	Costs xx
2 4	User Documentation and Trainingxx24.1 User Documentation Requirementsxx24.2 Training Requirementsxx
25	Waiting Room xxi
26	Ideas for Solution xxi

Revision History

Date	Version	Notes
Oct/6/2024	Aryan Pa- tel	Added Sections 6, 7, 8, 9, 10
Date 2	1.1	Notes

1 Purpose of the Project

1.1 User Business

Insert your content here.

1.2 Goals of the Project

Insert your content here.

2 Stakeholders

2.1 Client

Insert your content here.

2.2 Customer

Insert your content here.

2.3 Other Stakeholders

Insert your content here.

2.4 Hands-On Users of the Project

Insert your content here.

2.5 Personas

Insert your content here.

2.6 Priorities Assigned to Users

2.7 User Participation

Insert your content here.

2.8 Maintenance Users and Service Technicians

Insert your content here.

3 Mandated Constraints

3.1 Solution Constraints

Insert your content here.

3.2 Implementation Environment of the Current System

Insert your content here.

3.3 Partner or Collaborative Applications

Insert your content here.

3.4 Off-the-Shelf Software

Insert your content here.

3.5 Anticipated Workplace Environment

Insert your content here.

3.6 Schedule Constraints

Insert your content here.

3.7 Budget Constraints

3.8 Enterprise Constraints

Insert your content here.

4 Naming Conventions and Terminology

4.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

Insert your content here.

5 Relevant Facts And Assumptions

5.1 Relevant Facts

Insert your content here.

5.2 Business Rules

Insert your content here.

5.3 Assumptions

Insert your content here.

6 The Scope of the Work

6.1 The Current Situation

The current state of dairy farming presents challenges in efficiently predicting the health, productivity, and breeding outcomes of cattle. Farmers typically rely on historical records, but the analysis is done manually, often leading to reactive management. The existing systems do not utilize advanced technologies such as machine learning for predictive analytics. As a result, there is limited proactive management regarding milk production, breeding success, and herd longevity, which directly impacts farm profitability and sustainability.

The current solution environment lacks integration of large datasets from multiple sources, such as individual cow health records, breeding history, and environmental conditions, into a single system that can offer actionable predictions.

6.2 The Context of the Work

This project aims to develop a machine learning model that will leverage historical herd data to predict important traits such as milk yield, breeding success rates, and the likelihood of a cow leaving the herd. This model will be integrated into a farm management system, providing farmers with actionable insights. The goal is to move from reactive to proactive herd management.

The model will use data such as the health, breed, and genetic history of both the mother and father to predict traits in calves. The software will be developed as part of a partnership with CATTLEytics Inc., ensuring seamless integration into their existing platform used by dairy farmers.

6.3 Work Partitioning

The project will be divided into several key components:

1. Data Collection and Preprocessing:

- Collection of historical data from existing systems, including cow health records, breeding data, and productivity metrics.
- Cleaning and standardizing the data for input into the machine learning model.

2. Model Development:

- Designing and implementing the machine learning model for trait prediction (e.g., milk production, herd retention).
- Training and validating the model on historical datasets.
- Iterative testing and refinement.

3. Integration:

- Integrating the prediction model into the CATTLEytics Inc. farm management system.
- Ensuring that outputs are presented in a user-friendly format for farmers to make decisions.

4. Testing and Validation:

• Testing the software in real-world farm environments to validate predictions and refine the user interface.

5. Documentation and Training:

• Providing clear documentation for users and training for farmers to effectively use the system.

6.4 Specifying a Business Use Case (BUC)

Title: Predicting Cow Traits for Optimized Herd Management

Primary Actor: Dairy farmer using the CATTLEytics Inc. system.

Precondition: The farmer has access to a herd management system integrated with the prediction model. Historical data on breeding, milk production, and herd turnover are available.

Trigger: The farmer initiates the model to predict the outcomes of a planned breeding or evaluates the likelihood of an existing cow leaving the herd.

Main Success Scenario:

- 1. The farmer selects cows for breeding and inputs the necessary data (e.g., parent traits).
- 2. The system processes the input and returns predictions for milk yield and herd retention likelihood.
- 3. Based on the model's predictions, the farmer makes informed decisions on breeding strategies or management actions to prevent herd loss.

Postconditions:

• The farmer has actionable insights to improve herd productivity and manage herd turnover proactively.

7 Business Data Model and Data Dictionary

7.1 Business Data Model

This section will be completed once the relevant data model details are available.

7.2 Data Dictionary

This section will be completed once the relevant data model details are available.

8 The Scope of the Product

8.1 Product Boundary

The product's primary function is to predict cow traits such as milk production, breeding success, and herd retention based on parental data. The machine learning model will integrate into a platform like CATTLEytics Inc., and its boundaries will include:

- **Included**: The product will use historical data to generate predictive insights on milk production, breeding success rates, and herd retention likelihood. Farmers will be able to input relevant data to receive predictions.
- Not Included: Real-time data collection and analysis, live health monitoring, or any complex integrations with external devices (e.g., IoT sensors).

This product will focus solely on predictive analytics based on historical data and will not handle aspects like external raw data collection or advanced herd management automation beyond providing insights.

8.2 Product Use Case Table

This table outlines the core use cases currently identified for the product.

ID	Title	Actor	Description
PUC1	Predict Breeding Success	Dairy Farmer	Farmers
			input
			breeding
			data to get
			predictions
			on the like-
			lihood of
			successful
			breeding.
PUC2	Forecast Milk Production	Dairy Farmer	Farmers
			input cow
			data to get
			a prediction
			of future
			milk pro-
			duction.
PUC3	Predict Herd Retention Likelihood	Dairy Farmer	Farmers
			receive
			predictions
			on whether
			cows are
			likely to
			stay in or
			leave the
			herd.

8.3 Individual Product Use Cases (PUC's)

8.3.1 PUC1: Predict Breeding Success

- Primary Actor: Dairy Farmer
- **Preconditions**: Farmer has historical data about cow and parental traits available for input.
- Trigger: The farmer initiates a request to predict breeding success.
- Main Success Scenario:

- 1. The farmer enters relevant breeding data.
- 2. The system processes the input using historical records.
- 3. A prediction is generated on the likelihood of breeding success.
- **Postcondition**: The farmer gets an actionable prediction to decide whether to proceed with the breeding.

8.3.2 PUC2: Forecast Milk Production

- Primary Actor: Dairy Farmer
- **Preconditions**: Historical data for milk production and parental traits is available for input.
- **Trigger**: The farmer requests a prediction for future milk production.
- Main Success Scenario:
 - 1. The farmer inputs the cow's data.
 - 2. The system processes the input data.
 - 3. A prediction on future milk production is generated.
- **Postcondition**: The farmer receives a prediction that helps in planning milk yield expectations.

8.3.3 PUC3: Predict Herd Retention Likelihood

- **Primary Actor**: Dairy Farmer
- **Preconditions**: Health and productivity data is available for the cows in question.
- **Trigger**: The farmer requests predictions on herd retention likelihood.
- Main Success Scenario:
 - 1. The farmer selects a cow or group of cows for analysis.
 - 2. The system processes the available data.
 - 3. A prediction is generated on whether the cows are likely to stay in or leave the herd.

• **Postcondition**: The farmer receives predictions to assist in managing herd turnover.

9 Functional Requirements

9.1 Functional Requirements

FR1: Predict Breeding Success

- **Description**: The system shall predict the likelihood of a successful breeding event between two cows based on input data regarding parental traits and historical breeding records.
- Rationale: This feature will help farmers make more informed breeding decisions, improving breeding efficiency and reducing failures.
- **Fit Criterion**: The system will output a probability of breeding success based on parental data, and this probability must be verified by comparing predicted outcomes with actual breeding success over time.

FR2: Forecast Milk Production

- **Description**: The system shall forecast the milk production of a cow based on historical milk yield and parental traits.
- Rationale: Accurate predictions of future milk yield will enable farmers to better plan for production and make decisions on herd management.
- Fit Criterion: The forecasted milk production must be within 10% (to be determined) accuracy when compared to actual milk yield over a specified period.

FR3: Predict Herd Retention Likelihood

- **Description**: The system shall predict the likelihood of cows leaving the herd based on health records, productivity, and other historical data.
- Rationale: This feature will enable farmers to proactively manage their herd, reducing unexpected departures and improving herd stability.

• Fit Criterion: The system will provide a prediction score (e.g., high, medium, low) for herd retention, which can be evaluated by tracking actual herd retention over a six-month period.

FR4: Data Input for Predictions

- **Description**: The system shall allow the farmer to input relevant data, such as breeding records, milk production history, and health records, into the prediction model.
- Rationale: To generate accurate predictions, the system requires access to a range of historical data that can be inputted by the user.
- Fit Criterion: The input form must successfully accept and validate required fields for at least 95% of user inputs, with clear error handling for missing or incorrect data.

FR5: Report Generation

- **Description**: The system shall generate a report summarizing predictions for breeding success, milk production, and herd retention for selected cows.
- Rationale: Farmers need a consolidated report that provides actionable insights based on the predictions generated by the system.
- **Fit Criterion**: The system will generate reports that can be exported to a PDF format and include all requested predictions in a structured layout.

FR6: User Access Control

- **Description**: The system shall provide secure login and role-based access control, ensuring that only authorized users can access or modify the prediction data.
- Rationale: Farm management data is sensitive and should only be accessible by authorized personnel.
- Fit Criterion: The system must enforce unique login credentials for each user and restrict access based on roles (e.g., farmer, supervisor), with at least 99% reliability in access control enforcement.

FR7: Integration with Farm Management System

- **Description**: The system shall be designed to integrate with existing farm management platforms, such as CATTLEytics Inc, allowing seamless data exchange.
- Rationale: Integration with existing platforms will enable the system to leverage historical data and provide predictions without requiring manual data entry.
- **Fit Criterion**: The system should successfully exchange data with the farm management platform 90% of the time during testing, without errors in data transmission.

9.2 Formal Specification

Specification 1: Breeding Success Prediction

• **Description**: The system must be able to predict the likelihood of breeding success between two cows based on historical data, such as parental traits and previous breeding records.

• Formal Specification:

Let X represent a breeding event.

Let Y represent the set of all possible breeding events.

Let P represent the predicted probability of success.

$$\forall X \in Y : \operatorname{Prediction}(X) \to P \in [0, 1]$$

The system shall compute the probability P for each breeding event X.

Specification 2: Milk Production Forecast

• **Description**: The system shall forecast future milk production for a given cow based on historical data of both the cow and its parents.

• Formal Specification:

Let C represent a cow in the herd.

Let Y represent historical milk production data.

$$\forall C : \text{Forecast}(C, Y) \rightarrow \text{PredictedMilkProduction}(C)$$

The system shall provide a forecast of future milk production for each cow C based on input data Y.

Specification 3: Herd Retention Likelihood

- **Description**: The system must predict the likelihood of a cow staying within or leaving the herd, based on its health, productivity, and historical data.
- Formal Specification:

Let H represent a cow's health record.

Let P represent the predicted probability of retention.

$$\forall H : \text{RetentionPrediction}(H) \rightarrow P \in [0, 1]$$

The system shall compute the retention probability P for each cow based on its health records and other historical data.

Specification 4: Data Input Validation

- **Description**: The system must validate the input data for cows and breeding events to ensure it is accurate and complete before generating predictions.
- Formal Specification: Let *D* represent the input data for a cow or breeding event.

$$\forall D: \mathsf{InputValid}(D) = \left\{ \begin{array}{ll} \mathsf{True} & \mathsf{if \ data \ passes \ validation \ checks} \\ \mathsf{False} & \mathsf{otherwise} \end{array} \right.$$

The system must ensure that all data D is valid before processing it for predictions.

Specification 5: Report Generation (TBD)

• **Description**: The system must generate a report summarizing predictions for breeding success, milk production, and herd retention likelihood.

• Formal Specification:

Let R represent the report generated.

$$\forall P, C : \text{GenerateReport}(P, C) \to R$$

The system shall generate a report R based on the predictions P and input data C.

10 Look and Feel Requirements

10.1 Appearance Requirements

LFR1: Dashboard Display of Predictions

- **Description**: The system's dashboard shall present the predicted cow traits (e.g., milk production, breeding success) in a structured and organized manner, clearly showing individual predictions for each cow.
- Rationale: Farmers need to quickly and easily interpret the predictions without searching through large amounts of data. An organized display ensures that all predictions can be understood at a glance.
- **Fit Criterion**: The system shall display predictions for multiple cows in a table format, with clear labels for each trait, such as milk production and herd retention likelihood.

LFR2: Text Contrast for Readability

- **Description**: All text displayed on the system interface shall use a high-contrast color scheme to ensure readability.
- Rationale: Farmers and users may access the system in various lighting conditions. High contrast, such as black text on a white background, will ensure clarity.
- **Fit Criterion**: The system shall use a high-contrast color scheme for all text, ensuring that it meets standard readability guidelines under different lighting conditions.

10.2 Style Requirements

LFS1: Consistent Formatting for Input Fields

- **Description**: All data input fields, such as for entering cow or parental traits, should follow a consistent format with clear labels and input validation.
- Rationale: A consistent layout for input fields will minimize errors and ensure ease of use when farmers input or update data.
- **Fit Criterion**: Input fields shall maintain a uniform format, with clear labels and consistent spacing throughout the interface.

LFS2: Minimalist Design for the Dashboard

- **Description**: The dashboard interface shall maintain a clean and minimalist design, avoiding unnecessary clutter or decorative elements.
- Rationale: A simplified interface will allow farmers to focus on the essential data (predictions) without distractions, ensuring ease of use.
- Fit Criterion: Over 80% of users in a usability test shall report that the dashboard is free from unnecessary elements and easy to navigate.

11 Usability and Humanity Requirements

11.1 Ease of Use Requirements

Insert your content here.

11.2 Personalization and Internationalization Requirements

Insert your content here.

11.3 Learning Requirements

11.4 Understandability and Politeness Requirements

Insert your content here.

11.5 Accessibility Requirements

Insert your content here.

12 Performance Requirements

12.1 Speed and Latency Requirements

Insert your content here.

12.2 Safety-Critical Requirements

Insert your content here.

12.3 Precision or Accuracy Requirements

Insert your content here.

12.4 Robustness or Fault-Tolerance Requirements

Insert your content here.

12.5 Capacity Requirements

Insert your content here.

12.6 Scalability or Extensibility Requirements

Insert your content here.

12.7 Longevity Requirements

13 Operational and Environmental Requirements

13.1 Expected Physical Environment

Insert your content here.

13.2 Wider Environment Requirements

Insert your content here.

13.3 Requirements for Interfacing with Adjacent Systems

Insert your content here.

13.4 Productization Requirements

Insert your content here.

13.5 Release Requirements

Insert your content here.

14 Maintainability and Support Requirements

14.1 Maintenance Requirements

Insert your content here.

14.2 Supportability Requirements

Insert your content here.

14.3 Adaptability Requirements

15 Security Requirements

15.1 Access Requirements

Insert your content here.

15.2 Integrity Requirements

Insert your content here.

15.3 Privacy Requirements

Insert your content here.

15.4 Audit Requirements

Insert your content here.

15.5 Immunity Requirements

Insert your content here.

16 Cultural Requirements

16.1 Cultural Requirements

Insert your content here.

17 Compliance Requirements

17.1 Legal Requirements

Insert your content here.

17.2 Standards Compliance Requirements

18 Open Issues

Insert your content here.

19 Off-the-Shelf Solutions

19.1 Ready-Made Products

Insert your content here.

19.2 Reusable Components

Insert your content here.

19.3 Products That Can Be Copied

Insert your content here.

20 New Problems

20.1 Effects on the Current Environment

Insert your content here.

20.2 Effects on the Installed Systems

Insert your content here.

20.3 Potential User Problems

Insert your content here.

20.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

20.5 Follow-Up Problems

Insert your content here.

21 Tasks

21.1 Project Planning

Insert your content here.

21.2 Planning of the Development Phases

Insert your content here.

22 Migration to the New Product

22.1 Requirements for Migration to the New Product Insert your content here.

22.2 Data That Has to be Modified or Translated for the New System

Insert your content here.

23 Costs

Insert your content here.

24 User Documentation and Training

24.1 User Documentation Requirements

24.2 Training Requirements

Insert your content here.

25 Waiting Room

Insert your content here.

26 Ideas for Solution

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

- 1. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
- 2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?