

CO2 trends measured by 178S and 178Q at Ventilator:1




CO2 trends measured by 178X and 178T at Ventilator:2 1100 colour 900 -- CO2.x CO2.y 700 -500 -25 125 50 75 100 Ventilation rate (%)

CO2 trends measured by 1791 and 1792 at Ventilator:3



CO2 trends measured by 178V and 178F at Ventilator:4





CO2 trend measured by 178P at Ventilator:5 1100 -1000 -900 -800 -700 -600 -30 60 90

Ventilation rate (%)


120








CH4 trends measured by 178V and 178F at Ventilator:4





NH3 trends measured by 178S and 178Q at Ventilator:1 0.40 -0.35 colour සු ^{0.30} -NH3.x NH3.y 0.25 -0.20 -60 90 30

Ventilation rate (%)

120

NH3 trends measured by 178X and 178T at Ventilator:2 0.4 colour NH3.x NH3.y 0.3 -25 50 75 100 125 Ventilation rate (%)

NH3 trends measured by 1791 and 1792 at Ventilator:3 0.400 colour 연 보 0.375 -NH3.x NH3.y 0.350 -25 50 75 100 125 Ventilation rate (%)

NH3 trends measured by 178V and 178F at Ventilator:4 0.45 -0.40 colour NH3.x NH3.y 0.35 -30 60 90 120 Ventilation rate (%)

NH3 trend measured by 178P at Ventilator:5 0.400 -0.375 -0.350 -

