Experiment 1.3

Student Name: Harsh
UID: 23BAI70548

Branch: BE-AIT-CSE
Section/Group: 23AML_KRG-1

Semester: 5th
Date of Performance: 21 July 2025

Subject Name: ADBMS
Subject Code: 23CSP-333

MEDIUM - LEVEL

1. **Problem Title:** Department Salary Champions
2. **Problem Description:** In a bustling corporate organization, each department strives to retain the most talented (and well-compensated) employees. You have access to two key records: **one lists every employee along with their salary and department**, **while the other details the names of each department**. Your task is to identify the **top earners in every department**.
   If multiple employees share the same highest salary within a department, all of them should be celebrated equally. The final result should present the **department name, employee name, and salary of these top-tier professionals** arranged by department.

1. **SQL Commands:**
   a. Create the tables and insert values.

```sql
CREATE TABLE department (
    id INT PRIMARY KEY,
    dept_name VARCHAR(50)
);
CREATE TABLE employee (
    id INT,
    name VARCHAR(50),
    salary INT,
    department_id INT,
    FOREIGN KEY (department_id) REFERENCES department(id)
   );

INSERT INTO department (id, dept_name) VALUES
(1, 'IT'),
(2, 'SALES');
INSERT INTO employee (id, name, salary, department_id) VALUES
(1, 'JOE', 70000, 1),
(2, 'JIM', 90000, 1),
(3, 'HENRY', 80000, 2),
(4, 'SAM', 60000, 2),
(5, 'MAX', 90000, 1);
```

b. Use a subquery get the department wise max salary.

```
select s.name, s.salary, s.department_id, d.dept_name
from employee s
inner join department d on d.id = s.department_id
where s.salary in
(select max(e.salary) Max_sal
from employee e
group by department_id)
order by department_id;
```

2. Output:

	Name	Owner	Type	Created_datetime
1	employee	dbo	user table	2025-08-20 09:43:18.250

	Column_name	Type	Computed	Length	Prec	Scale	Nullable	TrimTrailingBlanks	FixedLenNullInSource	Collation
1	id	int	no	4	10	0	yes	(n/a)	(n/a)	NULL
2	name	varchar	no	50			yes	no	yes	SQL_Latin1_General_CP1_CI_AS
3	salary	int	no	4	10	0	yes	(n/a)	(n/a)	NULL
4	department_id	int	no	4	10	0	yes	(n/a)	(n/a)	NULL

	Identity	Seed	Increment	Not For Replication
1	No identity column defined.	NULL	NULL	NULL

	RowGuidCol
1	No rowguidcol column defined.

	Data_located_on_filegroup
1	PRIMARY

	constraint_type	constraint_name	delete_action	update_action	status_enabled	status_for_replication	constraint_keys
1	FOREIGN KEY	FK__employee__depart__73BA3083	No Action	No Action	Enabled	Is_For_Replication	department_id
2							REFERENCES sql_query.dbo.department (id)

Figure 1 Employee Table

	Name	Owner	Type	Created_datetime
1	department	dbo	user table	2025-08-20 09:43:18.240

	Column_name	Type	Computed	Length	Prec	Scale	Nullable	TrimTrailingBlanks	FixedLenNullInSource	Collation
1	id	int	no	4	10	0	no	(n/a)	(n/a)	NULL
2	dept_name	varchar	no	50			yes	no	yes	SQL_Latin1_General_CP1_CI_AS

	Identity	Seed	Increment	Not For Replication
1	No identity column defined.	NULL	NULL	NULL

	RowGuidCol
1	No rowguidcol column defined.

	Data_located_on_filegroup
1	PRIMARY

	index_name	index_description	index_keys
1	PK__departme__3213E83F686ED361	clustered, unique, primary key located on PRIMARY	id

	constraint_type	constraint_name	delete_action	update_action	status_enabled	status_for_replication	constraint_keys
1	PRIMARY KEY (clustered)	PK__departme__3213E83F686ED361	(n/a)	(n/a)	(n/a)	(n/a)	id

Figure 2 Department Table

	name	salary	department_id	dept_name
1	JIM	90000	1	IT
2	MAX	90000	1	IT
3	HENRY	80000	2	SALES

Figure 3 Output

3. **Learning Outcomes:**

a. I learned how to perform join with the subquery.
b. I understood how the subqueries actually work.
c. I learnt how different joins works with subquery.

HARD - LEVEL

4. **Problem Title:** Merging Employee Histories: Who Earned Least?
5. **Problem Description:** Two legacy HR systems (A and B) have separate records of employee salaries. These records may overlap. Management wants to merge these datasets and identify each unique employee (by EmpID) along with their lowest recorded salary across both systems. Objective:
    a. Combine two tables A and B.
    b. Return each EmpID with their lowest salary, and the corresponding Ename.
6. **SQL Commands:**
    a. Create the tables.

```
create table A(
    id int,
    ename varchar(5),
    salary int);
create table B(
    id int,
    ename varchar(5),
    salary int);
insert into A values
(1,'AA',1000),
(2,'BB',300);
insert into B values
(2,'BB',400),
(3,'CC',100);
```

    b. Use a subquery get the enames with min salary.

```
select id, ename, Min(salary) as salary
from (
    select id, ename, salary from A
    union
    select id, ename, salary from B
) as combined
group by id, ename;
```

7. **Output:**

	Name	Owner	Type	Created_datetime
1	A	dbo	user table	2025-08-20 10:10:57.657

	Column_name	Type	Computed	Length	Prec	Scale	Nullable	TrimTrailingBlanks	FixedLenNullInSource	Collation
1	id	int	no	4	10	0	yes	(n/a)	(n/a)	NULL
2	ename	varchar	no	5			yes	no	yes	SQL_Latin1_General_CP1_CI_AS
3	salary	int	no	4	10	0	yes	(n/a)	(n/a)	NULL

	Identity	Seed	Increment	Not For Replication
1	No identity column defined.	NULL	NULL	NULL

	RowGuidCol
1	No rowguidcol column defined.

	Data_located_on_filegroup

Figure 1 A table

	Name	Owner	Type	Created_datetime
1	B	dbo	user table	2025-08-20 10:11:08.533

	Column_name	Type	Computed	Length	Prec	Scale	Nullable	TrimTrailingBlanks	FixedLenNullInSource	Collation
1	id	int	no	4	10	0	yes	(n/a)	(n/a)	NULL
2	ename	varchar	no	5			yes	no	yes	SQL_Latin1_General_CP1_CI_AS
3	salary	int	no	4	10	0	yes	(n/a)	(n/a)	NULL

	Identity	Seed	Increment	Not For Replication
1	No identity column defined.	NULL	NULL	NULL

	RowGuidCol
1	No rowguidcol column defined.

	Data_located_on_filegroup
1	PRIMARY

Figure 2 B table

	id	ename	salary
1	1	AA	1000
2	2	BB	300
3	3	CC	100

Figure 3 Output

8. **Learning Outcomes:**

a. I learned how to perform union with the subquery.
b. I learned some of the build functions of the Microsoft SQL server.
c. I learned about aliases in the SQL queries.