

## Screen: Login

### On Submit Event:

API: <http://gymworkout.pe.hu/api/api1.php?user=abc&pass=abc>

Return Object – **status**

**If 1 = true**

**If 0 = false**

## Screen: Add Employee

### On Submit Event:

API: <http://gymworkout.pe.hu/api/api3.php?user=abc>

Step 1: Return Object - status

**If 1 = user exists**

**If 0 = user does not exist**

Step 2: **if 0** then trigger **API4** else trigger **API5**

API4: <http://gymworkout.pe.hu/api/api4.php?user=abc&pass=abc&rl=Marketing&gym=GGBAS>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**

API5: <http://gymworkout.pe.hu/api/api5.php?user=abc&pass=abc&rl=Marketing&gym=GGBAS>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**

### **On Populate Event:**

API: <http://gymworkout.pe.hu/api/api6.php?user=abc>

Return Object – **status, password, role, gym**

**If 0 = user does not exist**

**If 1 = get all data and put into the following fields**

## **Screen: Add Client**

### **On Populate Event:**

API: <http://gymworkout.pe.hu/api/api7.php?user=abc>

Return Object – **status, email, type, phone, image**

**If 0 = user does not exist**

**If 1 = get all data and put into the following fields**

### **On Submit Event:**

API: <http://gymworkout.pe.hu/api/api8.php?user=abc>

Step 1: Return Object - status

**If 1 = user exists**

**If 0 = user does not exist**

Step 2: **if 0 then trigger API9 else trigger API10**

API9:

<http://gymworkout.pe.hu/api/api9.php?user=abc&email=abc@gmail.com&ph=8877887788&type=U2>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**

API10:

<http://gymworkout.pe.hu/api/api5.php?user=abc&email=abc@gmail.com&ph=8877887788&type=U2>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**

**On Reset Event:**

API: <http://gymworkout.pe.hu/api/api11.php?user=abc>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**

## Screen: Trainer Check

**On Populate Event:**

API: <http://gymworkout.pe.hu/api/api12.php?user=abc&std=12-03-2020&etd=29-03-2020>

Return Object – **status, counted**

Step 1: Check Status

**If 0 = user does not exist**

**If 1 = get all data and put into the following fields**

Step 2: If “0” prompt not exist **else show the “counted” value in the sessions label**

## Screen: Trainer Check

### On Change Password Event:

API: <http://gymworkout.pe.hu/api/api12.php?user=abc&pass=abc>

Return Object – **status**

**If 1 = Successful**

**If 0 = Failed**