


REPORT ID 44995432

August 21, 2025

PROPERTY 1014 Mohican Round Rock, TX 78665



Round Rock, TX 78665 **Measurements**

1014 Mohican

Property Address

15.9 SQ
6
5/12
<=1
131' 3"
23' 2"
0'
155' 11"
0 SQ
7
28'
0.1 SQ

Contents

engths 1	1
itch (Degrees)2	2
itch (on 12)	3
lafters	4
zimuth	Ę
rea	6
loof Penetrations	7
nagery	3
coofing Report Summary1	1 :

Prepared For

Divya Devadas 10900 NE 4th St Suite 80123 Bellevue,WA 98004 (855) 984-6590



Open in EagleView One™

Report Details

Report ID: 44995432




Satisfaction Guaranteed



Lengths


Ridges = 14' 7" Hips = 116' 8" Valleys = 23' 2" Rakes = 0' Eaves = 155' 11" Flashing = 0' Step flashing = 0'
Parapets = 0'
Other = 0'





Pitch (Degrees)

In some cases, pitch labels have been removed for readability. Flat facets are labels 'F'.




© 2025 Eagle View Technologies, Inc. All Rights Reserved



Pitch (on 12)

In some cases, pitch labels have been removed for readability. Flat facets are labels 'F'.




© 2025 Eagle View Technologies, Inc. All Rights Reserved



 $Copyright © 2008-2024 \ Eagle View \ Technologies, Inc. - All \ Rights \ Reserved - Covered \ by \ U.S. \ Patent \ Nos. \ 8,078,436; \ 8,145,578; \ 8,170,840; \ 8,209,152; \ 8,515,125. \ Other \ Patents \ Pending$

Rafters


Rafter lengths (rounded to the nearest whole number) over 5 feet. In some cases, segment labels have been removed for readability. Some numbers are prefaced by "+" signs to avoid confusion when rotated (e.g. +6 and +9).





Azimuth


The azimuth is the orientation of the structure to true north. In this diagram roof facet directions are labeled in degrees, with 0° (360°) as true north. Flat facets are labeled as 'F'.





Area


The area is measured in squares per roof facet. The values have been rounded to the nearest square.



© 2025 Eagle View Technologies, Inc. All Rights Reserved



Roof Penetrations



© 2025 Eagle View Technologies, Inc. All Rights Reserved





Imagery

These are images of the property taken from multiple angles.

TOP VIEW



NORTH SIDE





SOUTH SIDE



EAST SIDE





WEST SIDE





ROOFING REPORT SUMMARY

All Structures

Areas per Pitch								
Roof Pitches	5/12							
Area (SQ)	15.9							
% of Roof	100%							


The table above lists each pitch on this roof and the total area and percent of the roof with that pitch.

Structure Complexity													
Simple			Normal			Complex							
Waste Calculation NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in the table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to Lengths, Areas, and Pitches section below.													
Waste %	0%	5%	10%	15%	18%	20%	22%	25%	30%				
Area (m²)	147	154	162	169	174	177	180	184	191				
Squares *	16.00	17.00	17.66	18.33	19.00	19.33	19.66	20.00	20.66				

^{*}Squares are rounded up to the 1/3 of a square

Measured

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgement as to any given replacement or repair work.



Total Roof Facets = 6

Total Roof Penetrations = 7

Lengths, Areas and Pitches

Ridges = 14' 7" (2 Ridges)

Hips = 116' 8" (6 Hips)

Valleys = 23' 2" (1 Valleys)

Rakes† = 0' (0 Rakes)

Eaves/Starters‡ = 155' 11" (6 Eaves)

Drip Edge (Eaves + Rakes) = 155' 11" (6

_engths)

Parapet Walls = 0' (0 Lengths)

Flashing = 0' (0 Lengths)

Step Flashing = 0' (0 Lengths)

Total Roof Penetrations Area = 0.1 SQ

Total Roof Area Less Roof Penetrations

=15.8 SQ

Total Roof Penetrations Perimeter = 28'

Predominant Pitch = 5/12

Total Area (All Pitches) = 15.9 SQ

Property Location

Longitude = -97.6686620 Latitude = 30.5528010

Notes

Suggested

This was ordered as a residential property. There were no changes to the structure in past four years.

‡ Eaves are defined as edges that are not sloped and level

August 21, 2025 Property Address: 1014 Mohican, Round Rock, TX 78665

Report: 44995432



[†] Rakes are defined as roof edges that are sloped (not level).



Legal Notice and Disclaimer

August 21, 2025

1014 Mohican, Round Rock, TX 78665

Report: 44995432

IMPORTANT LEGAL NOTICE AND DISCLAIMER

Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.

EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.

