


Property Address

1716 Sheridan Ave
Whiting, IN 46394

Measurements

Area:	2732.1 sq ft
Roof Facets:	8
Predominant Pitch:	45°
Number of Stories:	>1
Ridges/Hips:	118.5 ft
Valleys:	0 ft
Rakes:	88.2 ft
Eaves:	250.5 ft
Estimated Attic:	1938.6 sq ft
Roof Obstructions:	9
Roof Obstructions Perimeter:	135 ft
Roof Obstructions Area:	269 sq ft



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Contents

Lengths	1
Pitch (Degrees)	2
Pitch (on 12)	3
Rafters	4
Azimuth	5
Area	6
Roof Obstructions	7
Imagery	8
Roofing Report Summary	11

Prepared for

Pedro Chavez
Tron Solar
950 Corporate Woods Pkwy
Vernon Hills, IL 60061-3155
800-484-8766

Lengths

Ridges = 49.7 ft

Hips = 68.8 ft

Valleys = 0 ft



Rakes = 88.2 ft

Eaves = 250.5 ft


Flashing = 39.1 ft

Step flashing = 0 ft

Parapets = 0 ft



©2025 Eagle View Technologies, Inc., All Rights Reserved.





September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127




Pitch (Degrees)

Pitches are labeled for facet areas larger than 20 square feet. In some cases, pitch labels have been removed for readability. Flat facets are labeled 'F'.



© 2025 EagleView Technologies, Inc. All Rights Reserved





September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



Pitch (on 12)

Pitches are labeled for facet areas larger than 20 square feet. In some cases, pitch labels have been removed for readability. Flat facets are labeled 'F'.





September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127




Rafters

Rafter lengths (rounded to the nearest whole number) over 5 feet. In some cases, segment labels have been removed for readability. Some numbers are prefaced by “+” signs to avoid confusion when rotated (e.g. +6 and +9).



© 2025 EagleView Technologies, Inc. All Rights Reserved





September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



Azimuth

The azimuth is the orientation of the structure to true north. In this diagram roof facet directions are labeled in degrees, with 0° (360°) as true north. Flat facets are labeled as 'F'.





September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127




Area

The area is measured in square feet per roof facet. The values have been rounded to the nearest foot square.





© 2025 EagleView Technologies, Inc. All Rights Reserved.




September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



Roof Obstructions



© 2025 Eagle View Technologies, Inc., All Rights Reserved.



September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



Imagery

These are images of the property taken from multiple angles.

TOP VIEW



NORTH SIDE



September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



SOUTH SIDE



EAST SIDE



September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



WEST SIDE



September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



Copyright © 2008-2025 EagleView Technologies, Inc. – All Rights Reserved – Covered by U.S. Patent Nos. 8,078,436; 8,145,578; 8,170,840; 8,209,152; 8,515,125.
Other Patents Pending.

ROOFING REPORT SUMMARY

Structure #1

Areas per Pitch

Roof Pitches	0/12	6/12	12/12
Area (sq ft)	225.2	99.3	1825.6
% of Roof	10.5%	4.6%	84.9%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity

Simple	Normal	Complex
--------	--------	---------


Waste Calculation

NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the **Lengths, Areas, and Pitches** section below.

Waste %	0%	1%	4%	6%	8%	11%	16%	21%	26%
Area (Sq ft)	1925	1945	2002	2041	2079	2137	2233	2330	2426
Squares *	19.33	19.66	20.33	20.66	21.00	21.66	22.33	23.33	24.33
	Measured			Suggested					

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 4
Total Roof Obstructions = 9

Lengths, Areas and Pitches

Ridges = 49.7 ft (1 Ridges)
Hips = 0 ft (0 Hips).
Valleys = 0 ft (0 Valleys)
Rakes† = 88.2 ft (6 Rakes)
Eaves/Starter‡ = 156.1 ft (6 Eaves)
Drip Edge (Eaves + Rakes) = 244.3 ft (12 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 39.1 ft (2 Lengths)
Step flashing = 0 ft (0 Lengths)
Predominant Pitch = 12/12

Total Area (All Pitches) = 2150.1 sq ft

Property Location

Longitude = -87.4958515
Latitude = 41.6823388

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127



ROOFING REPORT SUMMARY

Structure #2

Areas per Pitch	
Roof Pitches	4/12
Area (sq ft)	582.1
% of Roof	100%


The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex

Waste Calculation									
NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the Lengths, Areas, and Pitches section below.									
Waste %	0%	12%	17%	22%	27%	30%	32%	34%	37%
Area (Sq ft)	582	652	681	711	740	757	769	780	798
Squares *	6.00	6.66	7.00	7.33	7.66	7.66	8.00	8.00	8.00
	Measured						Suggested		

* Squares are rounded up to the 1/3 of a square.

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.



Total Roof Facets = 4
Total Roof Obstructions = 9

Lengths, Areas and Pitches

Ridges = 0 ft (0 Ridges)
Hips = 68.7 ft (4 Hips).
Valleys = 0 ft (0 Valleys)
Rakes† = 0 ft (0 Rakes)
Eaves/Starter‡ = 94.6 ft (4 Eaves)
Drip Edge (Eaves + Rakes) = 94.6 ft (4 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 0 ft (0 Lengths)
Step flashing = 0 ft (0 Lengths)
Predominant Pitch = 4/12

Total Area (All Pitches) = 582 sq ft

Property Location

Longitude = -87.4958515
Latitude = 41.6823388

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127




ROOFING REPORT SUMMARY

All Structures

Areas per Pitch				
Roof Pitches	0/12	4/12	6/12	12/12
Area (sq ft)	225.2	582.0	99.3	1825.6
% of Roof	8.2%	21.3%	3.6%	66.8%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

All Structures Totals



Total Roof Facets = 8
Total Roof Obstructions = 9

Lengths, Areas and Pitches

Ridges = 49.7 ft (1 Ridges)
Hips = 68.8 ft (4 Hips).
Valleys = 0 ft (0 Valleys)
Rakes[†] = 88.2 ft (6 Rakes)
Eaves/Starter[‡] = 250.5 ft (10 Eaves)
Drip Edge (Eaves + Rakes) = 338.7 ft (16 Lengths)
Parapet Walls = 0 (0 Lengths).
Flashing = 39.1 ft (2 Lengths)
Step flashing = 0 ft (0 Lengths)
Total Roof Obstructions Area = 269 sq ft
Total Roof Area Less Roof Obstructions = 2463.1 sq ft
Total Roof Obstructions Perimeter = 135 ft
Predominant Pitch = 12/12
Total Area (All Pitches) = 2732.1 sq ft

Property Location

Longitude = -87.4958515
Latitude = 41.6823388

Notes

This was ordered as a residential property. There were no changes to the structure in the past four years.

- † Rakes are defined as roof edges that are sloped (not level).
‡ Eaves are defined as roof edges that are not sloped and level.

September 25, 2025
Property Address:
1716 Sheridan Ave, Whiting, IN 46394
Report: 67595127

